

Secretary of State's Standards of Modern Zoo Practice



Department of the Environment, Transport and the Regions
Eland House
Bressenden Place
London SW1E 5DU
Telephone 0171 890 3000
Internet service <http://www.detr.gov.uk>

© Crown Copyright 1999

Copyright in the typographical arrangement and design vests in the Crown.

Extracts of this publication may be made for non-commercial in-house use, subject to the source being acknowledged.

Applications for reproduction should be made in writing to The Copyright Unit, Her Majesty's Stationery Office, St Clements House, 1-16 Colegate, Norwich NR3 1BQ.

Printed in the UK March 2000 on material containing 75% pre-consumer waste and 25% ECF pulp (cover) and 100% post-consumer waste (text)

Product code 99 WACD 1021.

CONTENTS

		<i>Page</i>
SECTION 1		
Introduction		5
Interpretation of terms used		5
Animal welfare in the zoo environment		6
SECTION 2		
Secretary of State's Standards:	<i>Paragraphs</i>	8
1. Provision of food and water	1.1-1.13	8
2. Provision of a suitable environment	2.1-2.11	9
3. Provision of animal health care		11
Routine observation	3.1-3.3	11
Enclosures	3.4-3.6	11
Veterinary care	3.7-3.18	11
Isolation & containment	3.19-3.23	13
Sanitation and control of disease	3.24-3.27	13
Specialist techniques	3.28	14
4. Provision of an opportunity to express most normal behaviour	4.1-4.7	14
5. Provision of protection from fear and distress	5.1-5.8	15
6. Transportation and movement of live animals	6.1-6.6	15
7. Conservation, Education and Research:		16
Principles	7.1-7.2	16
Conservation within and beyond the zoo	7.3-7.4	17
Education	7.5-7.7	17
Research	7.8-7.9	17
8. Public safety in the zoo:		17
Principles	8.1-8.3	17
Insurance	8.4	18
Enclosures	8.5-8.12	18
Management and maintenance	8.13-8.18	18
Protection of Public	8.19-8.21	19
Free ranging species	8.22-8.24	19
Escapes	8.25-8.40	20
Exits	8.41-8.42	22
Signs	8.43-8.49	22
9. Stock Records	9.1-9.5	23
10. Staff and Training	10.1-10.6	24
11. Public facilities:		25
First aid	11.1-11.5	25
Toilets	11.6-11.7	25
Parking	11.8	26
Provision for particular needs	11.9-11.10	26
12. Display of Zoo Licence	12.1	26

APPENDICES

1. The EC Zoos Directive & Zoo Closures	27
2. Ethical Review Process	29
3. Conservation, Education and Research	31
4. Animal Transactions	33
Transport of Live Animals	33
Animal Acquisition	33
Disposal of Live Animals	33
Animals intended for release	34
Euthanasia	34
5. Veterinary Facilities	35
Veterinary services	35
On-site facilities	36
Post-mortem facilities	37
6. Animal Contact Areas:	38
Introduction	38
General Provisions	38
Walk-through exhibits	39
Diving experience exhibits	40
Touch-pools	40
Drive-through enclosures	41
7. Training of Animals:	43
General Provisions	43
Use of animals in demonstrations outside the zoo	44
8. Specialist Exhibits	45
8.1 Invertebrates	45
8.2 Reptiles and amphibians	46
8.3 Venomous species	48
8.4 Pinnipeds and marine birds	49
8.5 Public aquaria	51
8.6 Waterfowl	52
8.7 Birds of Prey	54
9. Staff and Staff Training	57
10. Pre-Inspection Audit	59
11. Inspection Report	67
12. Dangerous Animal Categorisation	75
13. Bibliography	137

SECTION 1

Introduction

1. In pursuance of section 9 of the Zoo Licensing Act 1981, the Secretary of State, having consulted such persons on a list compiled under Section 8 of the Act, and other persons as he has seen fit, hereby specifies the following Standards of Modern Zoo Practice; that is, Standards with respect to the management of zoos and the animals in them. Due to the widely differing nature of zoo collections, not every Standard will apply equally to all zoos.
2. Compliance with these Standards does not guarantee that the requirements of the Health and Safety at Work etc Act 1974 and other relevant legislation have been met. In particular, attention is drawn to the Approved Code of Practice and Guidance Note issued by the Health and Safety Commission, relating to safety, health and welfare standards for employers and persons at work in zoos. Zoo operators are strongly advised to acquaint themselves with these requirements and other relevant legislation including that on transport of animals, fire prevention and food hygiene.

Interpretation of terms used

3. The following terms as defined here are used in these Standards and in associated documentation.
 - ‘animal’ means any mammal, bird, reptile, amphibian, fish, insect or other multi-cellular organism that is not a plant or fungus;
 - ‘animal training’ is the modification of an animal’s behaviour by a human carer to achieve a goal, using appropriate rewards;
 - ‘circus’ means a place where animals are kept or introduced wholly or mainly for the purpose of performing tricks or manoeuvres at that place;
 - ‘enclosure’ means any accommodation provided for zoo animals;
 - ‘enclosure barrier’ means a physical barrier to contain an animal within an enclosure;
 - ‘keeper’ includes any person employed under the direction of an operator or an appointed agent ;
 - ‘the list’ means the list compiled by the Secretary of State under section 8 of the Zoo Licensing Act 1981 of persons responsible for the inspection of animals in zoos, advising on their keeping and welfare, and management of zoos generally;
 - ‘pet shop’ means premises for whose keeping as a pet shop a licence is required under the Pet Animals Act 1951;
 - ‘stand-off barrier’ means a physical barrier set back from the outer edge of an enclosure barrier in order to provide further distance between the public and exhibited animals;

- 'taxonomic category' means a group or assemblage of species recognised as an entity in scientific classification;
- 'wild animal' means any animal not normally domesticated in Great Britain;
- "Zoo" is defined under section 21 of the Zoo Licensing Act 1981 as an establishment where wild animals are kept for exhibition to the public otherwise than for purposes of a circus and otherwise than in a pet shop; and this Act applies to any zoo to which members of the public have access, with or without charge for admission, on more than seven days in any period of 12 consecutive months". Following implementation of the EU Zoos Directive (on or before 9 April 2002) the definition will become "all permanent establishments where live animals of wild species are kept for exhibition to the public for 7 or more days a year, with the exception of circuses, pet shops and establishments which Member States exempt from the requirements of this Directive on the grounds that they do not exhibit a significant number of animals or species to the public and that the exemption will not jeopardise the objectives of this Directive".

Animal Welfare in the Zoo Environment

4. The five principles below, described in more detail in subsequent sections, provide a framework for the Secretary of State's Standards of Modern Zoo Practice. These five principles are based on the 'Five Freedoms' drawn up for livestock by the Farm Animal Welfare Council.

PROVISION OF FOOD AND WATER

5. Both food and water are basic needs. The method of food presentation, the frequency of feeds and the nutritional balance must be taken into account. Food should be presented in a manner and frequency commensurate with the natural behaviour of the species, as well as its nutritional requirements, which may vary according to season.

PROVISION OF A SUITABLE ENVIRONMENT

6. An environment consistent with species requirements must be provided. This should include shelter from rain, heat, cold and shade as appropriate. For example, animals that dig and root must be provided with suitable substrates, and climbers with appropriate three dimensional environments. A balance must be struck between hygiene and the species' biological requirements.

PROVISION OF ANIMAL HEALTHCARE

7. Injury: The provision of an enclosure designed to minimise the risk of injury is required. The design should allow animals to get away from each other. In mixed species' exhibits, care should be taken that one species cannot injure another. Enclosures should be designed to minimise the risk of predators entering the exhibit.
8. Disease: Curative and preventive veterinary medicine should be provided. Every effort must be made to provide a correct diet and suitably hygienic environment from which pathogens are excluded or controlled.

PROVISION OF AN OPPORTUNITY TO EXPRESS MOST NORMAL BEHAVIOUR

9. Animals should be allowed the opportunity to express most normal behaviour, taking into account current enrichment and husbandry guidelines.

PROVISION OF PROTECTION FROM FEAR AND DISTRESS

10. Particular areas to look at are: group composition, sex ratios and numbers of animals in an enclosure and space and furniture in both indoor and outdoor areas. Zoo animals are often confined for long periods in indoor area and the group composition should reflect this situation.
11. Enclosure design should allow for as much normal behaviour as possible, and provide areas of escape from other animals and the public.
12. Animals often benefit from mixed species environments. However, inter-species conflict can cause stress and this needs to be monitored, recorded and reviewed, including safety from potential predators.

SECTION 2

Secretary of State's Standards

1. Provision of Food and Water

- 1.1 Food provided must be presented in an appropriate manner and must be of the nutritive value, quantity, quality and variety for the species, and its condition, size and physiological, reproductive and health status.
- 1.2 Fresh, clean drinking water of sufficient quantity must be available at all times for all animals requiring it.
- 1.3 Supplies of food and drink to be kept and prepared under hygienic conditions, in particular –
 - a) food and drink must be protected against dampness, deterioration, mould or from contamination by insects, birds, vermin or other pests;
 - b) supplies of perishable food and drink, other than those brought into the premises fresh on a daily basis, should be kept, where appropriate, under refrigeration;
 - c) preparation of food and, where appropriate, drink should be undertaken in a separate area suitably designed and constructed, and used for no other purpose;
 - d) staff should be instructed to observe strict standards of personal hygiene and should conform to good hygiene practice in the preparation of food, having due regard to the risk of cross contamination between equipment, utensils and surfaces;
 - e) receptacles for food and drink should not to be used for any other purposes.
- 1.4 The natural behaviour of the animals, particularly social aspects, should be considered when offering food and drink. Feeding and drinking receptacles, when used, should be of appropriate design and placed so as to be accessible and available to every animal kept in an enclosure.

(See Appendix 8 – Specialist Exhibits)

- 1.5 Feeding methods should be safe for animals and staff.
- 1.6 Although the Protection of Animals Acts 1911 to 1964 do not prohibit the feeding of animals with live prey, the live feeding of vertebrate prey should be avoided save in exceptional circumstances, and then only under veterinary advice. Where any live prey must be used, its welfare must be considered as well as any potential injury which might be caused to the predator.
- 1.7 Food and drink, and feeding and drinking receptacles when used, should be placed in positions which minimise the risks of contamination from soiling by the animals, wild birds, rodents or other pests.

- 1.8 Food, water and other drinking receptacles, where used, should be regularly cleaned.
- 1.9 Self-feeders, where used, should be inspected twice daily to ensure that they are working effectively and do not contain caked or unfit food. Water lines should also be checked twice a day.
- 1.10 Uncontrolled feeding of animals by visitors should not be permitted. Where controlled feeding occurs, it should be on a selective basis only, with suitable food sold, provided or approved by the operator. The quantity supplied per day must be managed to avoid over feeding.
- 1.11 Uneaten food must be removed as appropriate to maintain hygiene.
- 1.12 Veterinary or other specialist advice in all aspects of nutrition must be obtained and followed.
- 1.13 A record of all diets must be maintained.

2. Provision of a Suitable Environment

- 2.1 The temperature, ventilation, lighting (both levels and spectral distribution) and noise levels of enclosures must be suitable for the comfort and well-being of the particular species of animal at all times. In particular:
 - a) consideration must be given to the special needs of pregnant and newly-born animals;
 - b) newly-arrived imported animals should be allowed to become fully acclimatised into their new environment. In some cases, this may be a gradual process;
 - c) tanks for aquatic animals need to be adequately aerated, according to the number kept in each tank, and must be heated or cooled according to the needs of the species. Environmental parameters (e.g. salinity, water quality) must be suitable for the species;
 - d) indoor housing must protect against extremes of sunlight, heat, draughts and cold, and provide appropriate humidity;
 - e) where appropriate, salinity and other physical limits (e.g. water quality) must be suitable for the species.

(See Appendix 8 – Specialist Exhibits)

- 2.2 Animals in outdoor enclosures must be provided with sufficient shelter for their comfort and well-being. Refuge areas must be provided for nervous animals to escape the permanent gaze of the public. Enclosures must also be designed to allow for animals' normal defence reactions and appropriate 'flight' or escape distances.
- 2.3 Enclosures and barriers to enclosures must be maintained in a condition which presents no likelihood of harm to animals. In particular:
 - a) any defect noted in an enclosure barrier or in any appliances or equipment within animal enclosures likely to cause harm must be repaired, or replaced or the animal relocated immediately and recorded on keepers' daily record sheets;

- b) any defect likely to cause harm to animals must be rectified at once. If this is not possible, the animals should be removed from the possibility of any contact with the source of the danger until rectified;
 - c) any vegetation capable of harming animals must be kept out of reach;
 - d) water-filled and dry moats used for the confinement of animals must provide a means of escape back to the enclosure for animals falling into them;
 - e) any natural materials (e.g. plants and their products, such as seeds or fruit) or any introduced non-natural materials (e.g. paint, chemicals, treated substrates and treated water) should be assessed for toxicity to the species held before use.
- 2.4 All plant and fixed equipment, including electrical apparatus, must be installed and maintained in such a way that they do not present a hazard to animals, and their safe operation cannot be disrupted by them.
- 2.5 Where environmental quality is dependent on external utilities, adequate backup facilities must exist in case of failure.
- 2.6 Adequate provision must be made for servicing, maintenance and uninterrupted operation of life-support systems.
- 2.7 Tools and other portable equipment must not be left unattended in places where they could cause animals harm, provide a means of escape, or serve as missiles.
- 2.8 Rubbish likely to cause harm in animal enclosures must be cleared as soon as possible.
- 2.9 Proper standards of hygiene, both in the personal hygiene of staff and in enclosures and treatment rooms should be maintained. In particular:
- a) special attention must be given to the management and appropriate cleaning of enclosures and equipment within them, to reduce the risk of disease. In the case of aquatic animals, there should be regular monitoring of water quality;
 - b) suitable cleaning agents must be readily available, along with supplies of water and the appropriate safe means to apply them;
 - c) veterinary advice must be obtained and followed regarding the routine cleaning and sanitation requirements of enclosures or other areas. Particular care must be taken if an infectious disease is identified in any animal.
- 2.10 The drainage of all enclosures should be capable of removing efficiently all excess water.
- 2.11 Any open drains, other than those carrying surface water, must be outside enclosures.

3. Provision of Animal Health Care

ROUTINE OBSERVATION

- 3.1 The condition, health and behaviour of all animals should be checked at least twice daily by the person or persons in direct charge of their care.
- 3.2 Any animals which give cause for concern must be thoroughly assessed as to whether they are unduly distressed, sick or injured. Where necessary they must receive immediate attention and treatment.
- 3.3 A daily record must be kept by the person or persons in direct charge of the animals, indicating changes to the prescribed diet, health checks carried out, any unusual behaviour or activity or other problems, and remedial actions taken.

ENCLOSURES

- 3.4 Enclosures must be of a size and design, and animals must be so managed as to:
 - a) avoid animals within herds or groups being unduly dominated by individuals;
 - b) avoid the risk of persistent and unresolved conflict between herd or group members, or between different species or age groups in mixed exhibits;
 - c) ensure that the physical carrying capacity of the enclosure and/or system is not over-burdened;
 - d) prevent an uncontrolled build-up or spread of parasites and other pathogens;
 - e) remove any refuse and allow drainage of waste water.
- 3.5 Trees within or near animal enclosures must be regularly inspected and lopped or felled as necessary to avoid animals being harmed by falling branches, toxicity or trauma. Trees and climbing plants must be pruned to prevent their aiding animal escape.
- 3.6 Distance or barriers between animals and between enclosures and visitors must be sufficient to minimise transmission of disease or potential pathogens.

VETERINARY CARE

(See Appendix 5 – Veterinary Facilities)

- 3.7 A comprehensive programme of care must be established and maintained under the supervision of a veterinary surgeon who is familiar with current practice in the care of zoo animals, particularly in the types maintained in the collection. He or she must make arrangements to meet the ethical responsibilities of veterinary cover, set out in Guide to Professional Conduct of the Royal College of Veterinary Surgeons.
- 3.8 Where a zoo uses a local veterinary practice for basic cover, supported by a specialist (or a specialist supported by a local veterinary practice), adequate advance arrangements must be made to allow early contact and discussion between all parties whenever necessary, and particularly for emergency cases.

- 3.9 The veterinary surgeon should be responsible for, or actively involved in, the following:-
- a) routine inspections of the collection;
 - b) directing or carrying out treatment of all sick animals;
 - c) administration of vaccines, worming and other aspects of preventive medicine;
 - d) health monitoring of animals including submission of blood and other samples for laboratory examination;
 - e) safe and proper collection, preparation and dispatch of diagnostic and other samples. (Where these tasks are to be carried out by someone other than the veterinary surgeon, a suitably qualified or appropriately trained member of zoo staff should be nominated to carry out the task e.g. a laboratory technician or veterinary nurse);
 - f) training of zoo personnel in health and hygiene;
 - g) ensuring that post-mortem examinations of animals are carried out where necessary;
 - h) supervision of quarantine premises and other such tasks required by law or as part of good zoo veterinary practice;
 - i) the nutrition and the design of diets;
 - j) planning and exhibit design;
 - k) the establishment of written procedures to be followed in the event of the accidental use of dangerous drugs.
- 3.10 The level of veterinary facilities must be consistent with the welfare needs of the animals.
- 3.11 Comprehensive records must be kept – where possible on computer – and be made available to Inspectors covering the following:
- a) preventive medicine;
 - b) clinical medicine and surgery;
 - c) pathological findings from ante-mortem testing. Results of post-mortem examination and testing.
- 3.12 There must be systems for regular review, by the relevant veterinary and curatorial staff, of clinical, behavioural and pathological records and mortality. Husbandry and preventive medical practices must be reviewed where problems become apparent.
- 3.13 Zoo management must ensure that the zoo, or a local hospital, or their veterinarian has readily available antidotes to potentially toxic veterinary products used at the zoo.
- 3.14 A member of staff must be readily available at all times to take decisions regarding the euthanasia of sick animals on veterinary advice. There must be provision of an effective humane method of euthanasia and standard written protocols should be set down.

- 3.15 Adequate facilities must be available either at the zoo or within a reasonable distance for the post-mortem examination of all species held at the zoo.
- 3.16 Dead animals must be handled in a way which minimises the risk of transmission of infection.
- 3.17 Animals that die at the zoo should be examined post-mortem in accordance with veterinary advice. Where appropriate, samples for diagnosis or health monitoring should be taken for laboratory examination.
- 3.18 Retained samples must be stored in conditions advised by the veterinary surgeon and away from animal feeding substances. The establishment of a reference collection should be encouraged.

ISOLATION & CONTAINMENT

- 3.19 Dedicated accommodation, off-show where necessary, should be available for the isolation and examination of newly arrived animals, and for the quarantine and care of unduly distressed, sick or injured animals.
- 3.20 Facilities should be available for hand-rearing and nursing animals.
- 3.21 Newly-arrived animals should be kept isolated as long as is necessary to ensure proper examination, acclimatisation and quarantine before introduction to other animals in the collection.

(See Appendix 4 – Animal Transactions)

- 3.22 Particular attention must be paid to hygiene in the quarters where isolated or quarantined animals are kept.
- 3.23 Protective clothing and utensils used by staff in the isolation area must be used, cleaned and stored only in that area.

SANITATION AND CONTROL OF DISEASE

- 3.24 Clinical waste and refuse must be regularly removed and disposed of in a manner approved by the Local Authority.
- 3.25 A safe and effective programme for the control or deterrence of pests and vermin and where necessary predators, must be established and maintained throughout the zoo.
- 3.26 Health risks posed by the use of power hoses on animal waste must be minimised.
- 3.27 Staff must be instructed to report in confidence any medical condition or disability which might affect his/her capacity to manage the animals in a safe and competent manner.

SPECIALIST TECHNIQUES

- 3.28 Specialist techniques used on animals to make them safe for exhibit or to allow them to be exhibited in a particular way (e.g. pinioning waterfowl) must be kept under continual review. Current legislation or codes of practice must be followed.

(See Appendices: 2 – Ethical Review Process; and 8 – Specialist Exhibits)

4. Provision of Opportunity to Express Most Normal Behaviour

- 4.1 Captive breeding should be encouraged where appropriate and a policy should exist covering all species kept, and be subject to continual review. Appropriate control measures should be put in place to prevent over population.
- 4.2 Zoos must consult fully and keep up-to-date information on biology and husbandry, especially when considering the keeping of species that they have not housed before, or when planning new housing for species already kept.
- 4.3 Accommodation should take account of the natural habitat of the species and seek to meet the physiological and psychological needs of the animal.
- 4.4 Enclosures should be equipped in accordance with the needs of the animals with bedding material, branchwork, burrows, nesting boxes, pools, sub-strates and vegetation and other enrichment materials designed to aid and encourage normal behaviour patterns and minimise any abnormal behaviour. Facilities must take into account growth in animals and must be capable of satisfactorily providing for their needs at all stages of their growth and development.
- 4.5 Animals of social species should normally be maintained in compatible social groups. They should only be kept isolated for the benefit of the conservation and welfare needs of the group, and where this is not detrimental to the individual specimen.
- 4.6 Animals of different taxa should not normally be allowed to inter-breed. Where practised for justifiable reasons, it should never compromise the genetic integrity of animals within a managed conservation breeding programme.
- 4.7 Where a hybrid animal is transferred to another collection, the recipient organisation must be informed that the animal is a hybrid. If practical, the animal should be permanently sterilised prior to transfer.

5. Provision of Protection From Fear and Distress

- 5.1 Animals must be handled and managed only by, or under the supervision of, appropriately qualified or experienced staff. Handling must be done with care, in order to protect the animals well-being, and avoid unnecessary discomfort, stress or physical harm.
- 5.2 Any direct physical contact between animals and the visiting public must only be for restricted periods of time and under conditions consistent with animals' welfare, and not likely to lead to their discomfort.
- 5.3 Animals must not be provoked for the benefit of the viewing public.

(See Appendix 6 – Animal-Contact areas)

- 5.4 Animals which may interact in an excessively stressful way must not be maintained in close proximity.
- 5.5 Suitable, separate if appropriate, accommodation for pregnant animals and animals with young should be available in order to minimise unnecessary stress.
- 5.6 Animals temporarily accommodated away from others should not be separated for such a period of time that there would be difficulties in their re-introduction to the group.
- 5.7 Animals destined for rehabilitation (e.g. casualty animals) must not be on public display if this is likely to cause stress or compromise their eventual release.
- 5.8 Smoking by zoo staff and visitors must be prohibited except in designated areas.

6. Transportation and Movement of Live Animals

- 6.1 Surplus zoo stock should only be passed on to responsible persons who have the appropriate facilities, resources and expertise to ensure the welfare of the animals. Where necessary, the appropriate licences for the keeping and management of the species must be held.
- 6.2 Facilities suitable for lifting, crating and transportation of all the types of animals kept within the zoo to destinations both inside and outside the zoo should be readily available.
- 6.3 Zoos must ensure that they comply fully with the requirements of the Convention on International Trade in Endangered Species (CITES) which governs the import, export, sale and other commercial use – including display – of species listed on its Appendices. CITES is implemented within the EU by way of two Regulations which in many respects are stricter than CITES itself. Further information on the CITES Regulations is reproduced in the bibliography. Other considerations to be taken into account when animals are moved to accommodation outside the zoo include:
 - a) transport must conform with all other current Regulations, including MAFF and IATA provisions.

- b) the accommodation the animal is being moved to, and the animals it is to be mixed with, must not compromise the welfare of that individual or the other animals.

(See Appendix 4 – Animal Transactions)

- 6.4 Catching and transportation techniques must take account of the animal's temperament and escape behaviour in order to minimise injury, damage and distress.
- 6.5 Any animal taken outside the zoo must be in the personal possession of the operator of the zoo, or of competent persons acting on his/her behalf, and adequate provision must be made for its and the public's safety and well-being.

(See Appendices: 4 – Animal Transactions and; Appendix 7 – Training of Animals)

- 6.6 All animals taken outside the zoo must be kept securely at all times. Animals should be kept away from direct contact with persons other than the zoo operator or competent persons acting on his/her behalf, unless the zoo operator is satisfied that the animal is not likely, when under control, to suffer distress or cause injury or to transmit or contract disease. Zoo operators should exercise caution and discretion in the case of the removal of all animals from the zoo, since their behaviour may become less predictable when away from their usual enclosures.

7. Conservation, Education and Research

(See also Appendix 3 – Conservation, Education and Research)

PRINCIPLES

- 7.1 Although recognised as an important feature of UK zoos, conservation, education and research will become subject to legislative control in Britain when the EU Zoos Directive comes into force. The Directive will make it a formal requirement for the first time that zoos implement the following conservation measures:
 - a) participating in research from which conservation benefits accrue to the species, and/or training in relevant conservation skills, and/or the exchange of information relating to species conservation and/or, where appropriate, captive breeding, repopulation or reintroduction of species into the wild and;
 - b) promoting public education and awareness in relation to the conservation of biodiversity, particularly by providing information about the species exhibited and their natural habitats.

(See Appendix 1 – The EC Zoos Directive and Zoo Closures)

- 7.2 Zoos should establish ethical review processes or seek appropriate help in planning and implementing their conservation, education and research strategies.

(See Appendix 2 – Ethical Review Process)

CONSERVATION WITHIN AND BEYOND THE ZOO

- 7.3 Where the relevant species are held, a zoo must be an active participant in recognised species management programmes. The programme must contribute something beyond a basic interpretation of conservation in the wild.
- 7.4 Zoos should demonstrate measurable performance in conservation, education and research. Areas to be examined will include:
- overall conservation and education policy, and how this relates to the World Zoo Conservation Strategy;
 - type and level of input into international conservation programmes;
 - the educational role of the zoo as set out in any mission statement;
 - whether there is a written education and research plan and how it applies to different sections of the zoos visitors.

EDUCATION

- 7.5 A zoo must have a written education strategy and an active education programme.
- 7.6 Suitable facilities should be available for education purposes.
- 7.7 Accurate information about the species exhibited must be available. This should include, as a minimum, the species name (both scientific and common), its natural habitat, some of its biological characteristics and details of its conservation status.

RESEARCH

- 7.8 Zoos should be able to demonstrate that they encourage research. Research can be developed through forging links with Higher Education Institutions. Full details of such projects should be available on request.
- 7.9 In any research carried out, care must be taken to comply with all relevant legislation and be subject to ethical review. Protocols, licenses (if held) and associated publications should be available at inspections.

8. Public Safety in the Zoo

PRINCIPLES

- 8.1 Section 5.(7) of the Zoo Licensing Act states 'The authority shall not attach to a licence a condition which relates only or primarily to the health, safety or welfare of persons working in the zoo.' These are dealt with under separate Health and Safety legislation.
- 8.2 Points regarding the containment of hazardous animals are particularly important to the animals' welfare, as actions following escapes may result in the injury or death of the animal in order to guard public safety.

- 8.3 Risk assessments should be undertaken where appropriate and significant findings should be available for examination by the Inspector.

INSURANCE

- 8.4 Zoo operators must have insurance cover which covers them and every other person under a contract of service or acting on their behalf, against liability for any damage or injury which may be caused by any of the animals, whether inside or outside the zoo, including during transportation to other premises. Any upper limit on the sum insured must be set at an adequate but realistic level.

ENCLOSURES

- 8.5 Other than when under the control of authorised staff, animals kept in the zoo must be maintained at all times in enclosures or, in the case of free-running animals, within the perimeter of the zoo.
- 8.6 All animals should be kept in enclosures so constructed as to avoid escape. Gates and doors to enclosures must be securely locked so as to prevent unauthorised opening.
- 8.7 Barriers must be designed, constructed and maintained to contain animals within enclosures. Enclosures must be free from any vegetation or other items which would aid escape.
- 8.8 Gates and doors to enclosures must be at least as strong, and as effective in containing the animals, as the rest of the enclosure barriers. In particular, gates and doors should be designed and maintained so as to prevent animals from lifting them from their hinges or unfastening the securing device.
- 8.9 Gates and doors to animal enclosures where the public are admitted, and any enclosure or stand-off barrier, must be designed, constructed and maintained so as not to trap or otherwise injure visitors, particularly children or those with disabilities.

(See Appendix 6 – Animal Contact areas)

- 8.10 Animals which can climb or jump should be kept in enclosures secure enough to prevent them from escaping. Digging or burrowing hazardous animals must be kept in enclosures so constructed as to avoid escape underneath barriers.
- 8.11 Viewing panels used in enclosures should be able to withstand attacks by animals.

(See Appendix 8 – Specialist Exhibits)

- 8.12 Where fences are used to enclose animals, the supporting posts must be firmly fixed into the ground. Fence material should be sufficiently secured to supporting posts in such a way that the weight of the animal enclosed could not detach it from the support nor dislodge the supporting posts.

MANAGEMENT AND MAINTENANCE

- 8.13 Buildings, structures and areas to which the public have access must be maintained in safe condition.

- 8.14 The visiting public should not be allowed to enter any buildings or other areas of the zoo premises which could present an unreasonable risk to their health and safety.

(See Appendix 6 – Animal Contact Areas)

- 8.15 Areas where visitors are encouraged to go should have even, non-slip, surfaces, or be grassed, to avoid the risk, as far as is reasonably practicable, of visitors falling. Since grassed slopes may be slippery, consideration must be given to creating steps, paths or fitting rails.
- 8.16 Where a flight of steps is used as a means of access for visitors within the premises, a handrail should also be provided. Consideration should be given to providing shallow gradients for pushchairs and disabled access.
- 8.17 Trees within areas where visitors are likely to be walking or sitting should be regularly inspected and lopped or felled as appropriate to avoid visitors being harmed by falling branches. Similarly, vegetation such as nettles and thistles should be controlled to avoid injury to visitors.
- 8.18 Where a walkway passes over an animal enclosure it should be designed, constructed and maintained to ensure that it is safe. It should also be maintained, sited and protected so as to withstand contact by animals.

PROTECTION OF PUBLIC

- 8.19 Every person licensed to use a fire-arm must undergo training. Every trained operator should undergo periodic refresher training and practice. Such training should be recorded and available for inspection.
- 8.20 Fire-arms, ammunition and darting equipment, where provided, must be:
- a) available for immediate use
 - b) used by licensed and trained operators only;
 - c) cleaned and maintained as recommended by the manufacturer;
 - d) kept securely under lock and key when not in use or under maintenance.
- 8.21 Appropriate staff must be trained in drug handling, risks, side effects, human risks if misused, and emergency protocols.

FREE-RANGING SPECIES

- 8.22 Section 14 of the Wildlife and Countryside Act 1981 prohibits the deliberate release or permitting to escape into the wild of non-indigenous species. This is particularly important if free-ranging species are kept in the zoo but not confined in enclosures.
- 8.23 The EC Zoos Directive requires that zoos are active in ‘...preventing the escape of animals in order to avoid possible ecological threats to indigenous species’.

- 8.24 Zoos must take into account the Wildlife and Countryside Act 1981 where there are free-flying psittacine birds or birds of prey in flying displays. Zoos must be aware of the legislation and take every precaution to prevent escapes. Particular points to note are:
- bird of prey centres who use birds in flying demonstrations should train birds sufficiently to ensure their return;
 - where possible, transmitters should be used to help zoo staff to locate birds which have strayed.
 - Zoos which allow psittacines to free-fly should encourage them to remain on site by providing roosting areas, nestboxes, and feeding points.
 - Enough staff should be available to retrieve birds when lost.

(See Appendix 8.7 – Birds of Prey)

ESCAPES

- 8.25 The perimeter boundary, including access points, should be designed, constructed and maintained to discourage unauthorised entry and, so far as is reasonably practicable, as an aid to the confinement of all the animals within the zoo.
- 8.26 Zoos must have systems in place to minimise the risks of theft, malicious damage or release of animals by intruders entering the grounds out of hours.
- 8.27 Zoo operators must assess whether any danger may arise in the event of an animal escaping from its enclosure, and consider the possible or likely attempted escape route from the zoo if this were to happen.
- 8.28 Every effort must be made, so far as it is reasonably practicable, to effect the recovery, live or dead, of any escaped animals.
- 8.29 The procedures to be adopted in the event of escapes within or from the zoo (or of accidental or unauthorised releases) of any animal should be brought to the attention of, and available to, all members of staff in a written document.

- 8.30 Procedures relating to escapes of animals should be established and include the following:
- the reporting of every escape by the quickest possible means to the most senior member of staff available;
 - the response to an escape in all situations; for example, whether daytime staff are on duty, whether visitors are present, and whether more than one animal has escaped;
 - what needs to be done in the event of an escape; including recapturing the animal, protecting visitors, alerting the police.
 - the control of visitors, including reassurance, ushering into buildings, closing doors and windows, evacuating the zoo;
 - the security of the perimeter barrier, involving the closure of all points of access to, and exit from, the zoo;
 - the provision of fire-arms and darting equipment to tranquillise or kill escaped animals, precise details of which to be discussed and agreed by the zoo operator and the local police;
 - the provision of adequate equipment for members of any recapture party, including, where necessary, vehicle protection.
- 8.31 A member of staff should be readily available at all times to take decisions regarding euthanasia of escaped animals.
- 8.32 The zoo must establish a clear chain of responsibility, which must be written and up to date. It must be notified to all staff, and posted on notice-boards in staff areas.
- 8.33 The zoo must be responsible for the selection of the appropriate fire-arm or darting equipment to deal with escaped animals.
- 8.34 Zoo operators must ensure that all members of staff are familiar with emergency procedures when animals escape. In particular, emergency drills must be carried out at least four times a year, recorded and regularly reviewed.
- 8.35 All escapes must be recorded and detailed reports made. Risk assessments must be continually reviewed in the light of experience. The standard licence condition 6 in Department of the Environment Circular 11/88 (Welsh Office 14/88) requires notification to the local authority as soon as possible, and, in any case, not later than 24 hours following escape from the confines of the zoo of any non-domestic animal.
- 8.36 Zoos must consider the potential risks of releasing parasites, diseases or non-native plants and animals through effluent water and other routes. Waste water should be appropriately treated to ensure that this does not occur.

- 8.37 Where used to contain animals, moats (whether wet or dry) must be surrounded by fences, walls, hedges or shrubbery sufficient to prevent the public from approaching too close to the edge.
- 8.38 Barbed, razor wire or electrified fences should be beyond the reach of members of the public.
- 8.39 Stand off barriers must be provided and be designed, where necessary, to ensure public safety.
- 8.40 Safety barriers should be designed to prevent children either from getting through, under or over them. They should also be designed to discourage visitors sitting on them.
- 8.41 An adequate number of clearly visible safety signs, providing warning by means of a symbol, words, or a combination of symbol and words, should be displayed at each enclosure containing any species of hazardous animal which is likely to cause injury.

EXITS

- 8.42 Exits should be suitably located and adequately signed.
- 8.43 Each exit must be kept clear and be capable of being easily opened from inside to allow the release of visitors from the zoo. All such gates should be capable of being closed and secured to prevent the escape of animals.

SIGNS

- 8.44 Suitable and, where appropriate multi-lingual, warnings and information should be provided where animals and visitors may come into contact.
- 8.45 An adequate number of safety signs (in accordance with British Standard BS 5378 and, where appropriate, the Health and Safety (Safety Signs and Signals) Regulations 1996), giving warning of the hazard either by symbol or a combination of symbol and words, should be provided on any necessary electrified fence.
- 8.46 Warning should be given of all edges where a person might fall. Such edges must be guarded by a barrier capable of preventing children from falling.
- 8.47 Any buildings where a hazard exists should be kept locked. Warning notices should be displayed to indicate that access is either unsafe or not permitted.
- 8.48 Other areas should be clearly defined, e.g. by means of barriers and warning notices; or, where access is allowed to vehicles operated by zoo staff, by notices and road markings.
- 8.49 Zoos should consider the use of symbol-based signs wherever practicable to assist, for example, foreign visitors and children.
- 8.50 Safety signs on any electrified section of perimeter fence should face both outwards and inwards.

9. Stock Records

- 9.1 Records must be kept and maintained of all individually recognisable animals and groups of animals in the zoo. Where possible, animals should be individually identifiable.
- 9.2 The records must be kept either on a card index or computer, or other type of retrieval system from which information can be quickly examined.
- 9.3 Records must be kept up to date and be available on site for six years. Provision should be made for long-term archiving in a secure format.
- 9.4 The records must provide the following information:
 - a) identification and scientific name;
 - b) origin (i.e. whether wild or captive-born, including identification of parents, where known, and previous location/s, if any);
 - c) dates of entry into, and disposal from, the collection and to whom;
 - d) date, or estimated date, of birth or hatching;
 - e) sex (where known);
 - f) any distinctive markings, including tattoos, freeze-brands, rings or microchips;
 - g) clinical data, including details of and dates of any treatment given;
 - h) behavioural and life history data;
 - i) date of death and the result of any post-mortem examination and laboratory investigations;
 - j) where an escape has taken place, or damage or injury has been caused to, or by, an animal to persons or property, the reason for such escape, damage or injury must be recorded and a summary of remedial measures taken to prevent recurrence should be provided;
 - k) food and diets.

- 9.5 In addition to the individual records, an annual stocklist of all animals must be kept. A copy must be forwarded to the local authority no later than 1 April of the year following that to which it relates. The stocklist must include the following:
- a) common and scientific names of the species;
 - b) total in the collection at 1 January;
 - c) number of arrivals into the collection from all sources during the year;
 - d) number of births or hatchings within the collection during the year;
 - e) number which died within 30 days of birth/hatching;
 - f) number which died at other times, including culls;
 - g) number that departed the collection, including sales, breeding loans, etc.;
 - h) total remaining in the collection at 31 December;
 - i) the sex of each animal, where known, must be recorded – e.g. 1.2.3 indicates one male, two females and three unsexed;
 - j) the records should be set out in columns for ease of compilation and reference, e.g.:

Common Name	Scientific Name	Group at 1.1.2000	Arrive	Born	Death within 30 days of birth	Death	Depart	Group at 31.12.2000
White-naped Crane	Grus vipio	2.1.1	0.2.1	0.0.2	0.0.1	1.0.0	0.1.0	1.2.3

10. Staff and Training

(See also Appendix 9 – Staff & Staff Training)

- 10.1 Number of staff and their experience and training must be sufficient to ensure compliance with the Standards at all times, taking due allowance for holidays, sickness and other absences.
- 10.2 A list must be maintained of all staff authorised to work with the animals, together with lines of responsibility and levels of expertise, training, and qualifications.
- 10.3 A suitably competent member of staff must always be available and in charge.
- 10.4 All animal staff must be competent for their individual responsibilities and given the opportunity to undergo formal training to achieve appropriate qualifications.
- 10.5 Continuous in-house staff training must be a regular aspect of the zoo.

- 10.6 The zoo operator must make every effort to ensure that his/her staff do not have any convictions under the Zoo Licensing Act 1981 or a background of the ill-treatment of animals under any other animal welfare or conservation legislation.

11. Public Facilities

FIRST-AID

- 11.1 First-aid equipment must be readily accessible on the premises.
- 11.2 First aid points must be adequately signed.
- 11.3 An adequate number of staff trained in first-aid must be available during the zoo's normal operating hours
- 11.4 Written instructions must be provided for staff in the provision of health care and the procedures to be followed in the event of an incident involving any venomous animal and a visitor or staff member.
- 11.5 These instructions must include immediate action to be taken and required information on a pre-prepared form for forwarding to the local hospital which would include:
- the nature of the bite or sting and the species inflicting it;
 - the specification, for cross-reference purposes, of the anti-venom which accompanies the patient;
 - the telephone number of the nearest poisons centre (usually London or Liverpool);
 - the telephone number of the zoo and of an appropriate senior staff member;
 - the telephone number of the appropriate specialist that must be contacted;
 - where applicable, the medical records of the member of staff;
 - details of the vet or any staff involved in handling venomous species.

(See Appendix 8.3 – Venomous species)

TOILETS

- 11.6 Adequate, properly equipped and maintained toilet facilities must be provided.
- 11.7 Clean water for washing must be provided along with soap and means of drying hands.

PARKING

- 11.8 Zoo operators must ensure, in liaison with the Local Authority and the police where necessary, that parking facilities are sufficient to meet the anticipated needs of visitors to the zoo.

PROVISIONS FOR PARTICULAR NEEDS

- 11.9 Suitable shelter and seats should be provided for use, in particular, by elderly people and parents with young children.
- 11.10 Arrangements should be made to meet the reasonable needs of special-needs visitors, including the disabled.

12. Display of Zoo Licence

- 12.1 The current Zoo Licensing Act licence or a copy of it, including the conditions must be displayed at each public entrance of the zoo.

APPENDIX 1

The EC Zoos Directive & Zoo Closures

- 1.1 Council Directive 1999/22/EC relating to the keeping of wild animals in zoos entered into force on 29 March 1999. The Directive provides for the licensing and inspection of zoos and for good standards of animal care, and sets the framework for the participation of zoos in conservation, research and education.
- 1.2 National legislation will need to be brought into line with the Directive by 9 April 2002. Pending implementation, advice is offered to zoos and inspectors on the requirements that will apply once the Directive is translated into domestic legislation.
- 1.3 The Directive will require of Member States to ensure that all zoos:
 - ‘participate in research from which conservation benefits accrue to the species, and/or training in relevant conservation skills, and/or the exchange of information relating to species conservation and/or, where appropriate, captive breeding, repopulation or reintroduction of species into the wild;’
 - ‘promote public education and awareness in relation to the conservation of biodiversity, particularly by providing information about the species exhibited and their natural habitats;’
 - ‘accommodate their animals under conditions which aim to satisfy the biological and conservation requirements of the individual species, inter alia, by providing species-specific enrichment of the enclosures; and maintaining a high standard of animal husbandry with a developed programme of preventive and curative veterinary care and nutrition;’
 - ‘prevent the escape of animals in order to avoid possible ecological threats to indigenous species and preventing intrusion of outside pests and vermin;’
 - ‘keep up-to-date records of the zoo’s collection appropriate to the species recorded.’
- 1.4 Britain has had a zoo licensing system for two decades and with it an established system of licensing and inspection backed up by the Secretary of State’s Standards of Modern Zoo Practice (made under section 9 of the Zoo Licensing Act 1981). Nevertheless, implementation of the Directive will involve some changes in the British legislation. A brief explanation of some of the significant differences is given below.
- 1.5 Since the 1981 Act had no conservation requirement, the new obligation for zoos to fulfil to participate in the conservation of biodiversity may be a departure for some. However, many zoos already have extensive programmes in this field.

- 1.6 As there are small differences in definitions in the Directive and the Zoo Licensing Act 1981, the Act will need to be amended. Major issues that will need to be addressed include references to 'live wild animals' and 'permanent' establishments in the Directive, and the limit of 6 days (one less than in the Act) on which a collection may be open to the public without requiring a licence.
- 1.7 The Directive refers to 'exemption' from its provisions that will not jeopardise the objectives of the Directive. This may necessitate a review of existing exemptions and may lead to a change in approach to dispensations.

Closure of Zoos

- 1.8 One significant addition to controls by the EC Zoos Directive is its provisions for the closure of a zoo. While revocation of a licence is provided for under the Zoo Licensing Act, the Directive adds potential flexibility by providing for partial closure in the case of breach of conditions, and for the closure of an unlicensed zoo.

- 1.9 The most significant innovation however, is that the licensing authority carries a responsibility for the animals if a zoo is closed. The provision is as follows:

'In the event of a zoo or part thereof being closed, the competent authority shall ensure that the animals concerned are treated or disposed of under conditions which the Member State deems appropriate and consistent with the purposes and provisions of this Directive.'

- 1.10 There are various ways of satisfying this requirement in relation to financial security, continuity and succession. One option is an industry led rescue package which minimises the financial burden by:
 - relocating stock- many small zoos have a significant percentage of animals on loan. These could be returned;
 - relocating genetically important stock through TAGS / EEPS
 - in exceptional circumstances, euthanasia of stock that cannot be relocated.

APPENDIX 2

Ethical Review Process

- 2.1 There is an increasing tendency towards committees or groups of people serving as 'review' and 'audit' bodies on ethical issues. Zoos should be aware of the importance of ethics and have their own policy for dealing with ethical issues.
- 2.2 A large body of knowledge has been built up relating to ethics and review committees. Much of this stems from human medicine circles, where ethical review is a pre-requisite for most clinical studies, and the scientific research community, where ethical evaluation of projects involving animals is the norm. Establishments licensed under the Animals (Scientific Procedures) Act 1986 (ASPA) were required to have an ethical review process in place from 1 April 1999.
- 2.3 Zoos can benefit from independent assessment. In some cases there is merit in having a committee that looks at all ethical issues, both human and animals. These should include, for example, matters such as whether zoo staff should be required to be routinely vaccinated to prevent zoonotic transmission of contagious diseases, or to evaluate facilities for disabled people.
- 2.4 Zoos should have some form of ethical review process, particularly in situations where the use of animals (e.g. acquisition, management or disposal for conservation, education or research) may be in conflict with the best welfare interests of the animal or animals involved. Other issues that might be addressed include:
 - In what circumstances an animal should be euthanased;
 - whether waterfowl in enclosures should be pinioned;
 - adequacy of procedures;
 - transfer policy;
 - culling policy;
 - research projects;
 - compliance with conservation and educational policies.
- 2.5 A large zoo should consider the establishment of its own ethics committee, but this may not be practicable for smaller establishments. They may instead opt for access to ethical advice from another committee or individuals. In some cases an ethics adviser may be appropriate.
- 2.6 Whatever choice is made, the following points are important:-
 - the committee must not be perceived as merely an agent of the management: it should have independence and, at the very least, provide advice to the zoo operator;

- the committee should not consist only of scientists –although they may be able to advise on practicalities and research, they are not necessarily qualified to judge what is ethically acceptable.
 - Where possible, junior staff from the zoo and members of the local community should be represented on the committee.
 - the committee's work should be carried out in as open a way as possible, bearing in mind the need, on occasions, to respect confidentiality.
 - the committee itself should be subject to review, with formal arrangements for changes to membership, rotation of chairman, and co-option of persons with particular skills.
- 2.7 The question of ethical review is one that is likely to confront zoos more and more frequently in the coming years. However, zoos of the future will be better able to justify their existence and the work they do if they have a system in place that permits their activities to be scrutinised independently and impartially.

APPENDIX 3

Conservation, Education and Research

- 3.1 Inspectors should assess conservation, educational and research standards and advise on performance against them.

Conservation

- 3.2 In accordance with the World Zoo Conservation Strategy, zoos have a responsibility to operate in a manner which uses the Earth's natural resources in a sustainable way. This can be achieved by increasing awareness of conservation, biodiversity and sustainable use issues. These will need to conform to the requirements of EC Zoos Directive when it is implemented.
- 3.3 While valuable contributions can be made by providing fund raising opportunities for organisations which are directly involved in conservation activities, in itself, this does not mean a zoo is meeting its conservation responsibilities. The contribution to conservation in the wild may be within Great Britain or overseas but it will not sufficient just to seek donations. There are a variety of ways of contributing, including:-

WITHIN BRITAIN

- providing habitat or aids to native species in the zoo (e.g. nestboxes for birds, vegetation mounds for grass snakes).
- by restricting the use of herbicides and insecticides.
- co-operating with other bodies in the establishment of reserves, the management of habitats (e.g. pond maintenance), and the approved translocation and protection of threatened animals or plants.
- encouraging environmentally responsible behaviour by visitors

OVERSEAS

- forging partnerships with foreign zoos and other bodies which are active in areas relevant to the conservation of indigenous wildlife. Assistance can be provided in terms of funding, advice, donation of materials, secondment of staff or offers of provision of training. Potential for involvement will vary with the size of the establishment but no matter how small, at the very minimum, all should consider participating in species management programmes.

Education

- 3.4 A modern zoo must contribute in as many ways as possible to the education of visitors. They can, for example, use graphics and other devices to provide information and raise awareness.

Inspectors should be familiar with the education standards expected in member zoos of the European Association of Zoos and Aquaria and the Federation of Zoos. Points to consider include:

- That zoo education is broader than in schools and should be targeted at all visitors.
- Educational material should, where possible, be linked to National Curricula.
- Methods of interpretation for visitors to the zoo should include signs, graphics, activities, interactive displays and demonstrations.
- Zoos should be encouraged to participate in zoo education networks.

Research

- 3.5 Modern zoos can, and often do, carry out research. Participating in research from which conservation benefits accrue is one of the options available to zoos to implement the conservation measures required by the EC Zoos Directive.
- 3.6 Research should be within the scope of any collection. This need constitute no more than collecting and collating information for statistical purposes. Record keeping should therefore be comprehensive and carried out in a systematic way. Where possible, zoos should use standard protocols for data collection to enable analysis. Data collection will usually be carried out by zoo staff, but there may be scope to involve volunteers, research workers or students. Data on specimens can be made available to outside projects.
- 3.7 Most zoo based research causes no harm to the animals involved, forms part of the routine management and requires no intervention with the animals in order to collect data. However, even apparently harmless research (eg dietary manipulation, blood sampling) requires careful thought and planning and should be subject to independent assessment.

(see Appendix 2 Ethical Review Process.)

- 3.8 The Animals (Scientific Procedures) Act 1986 (ASPA) specifies that a regulated procedure (ie one required to be carried out under licence), is 'any experimental or other scientific procedure... which may have the effect of causing the animal pain, suffering, distress or lasting harm'. The performance of such research requires licensing of the project and the person carrying out the work and is subject to periodic visits to the establishment by a Home Office Inspector.
- 3.9 Few zoos in the UK carry out research covered by the ASPA. But because the Act is very broad in its scope, zoos should be aware that even relatively harmless studies on animals might be subject to such controls. Visiting scientists need to be advised about the legislation before embarking on research work. If there is any doubt the zoo operator should consult the Home Office.
- 3.10 Research is of very limited value if the results are not made available to others, especially where they can help to influence the welfare, health or conservation of animals. Data needs, at the very least, to be readily available on request; preferably they should also be published.

APPENDIX 4

Animal Transactions

(see also Appendix 2 – Ethical Review Process)

- 4.1 The Animal Transaction Policy of the Federation of Zoological Gardens of Great Britain and Ireland should be complied with where appropriate.

Transport of Live Animals

- 4.2 Arrangements for transport must comply with the Welfare of Animals (Transport) Order 1997; the Convention on International Trade in Endangered Species of Flora and Fauna (CITES); and the Guidelines on Transport and the Regulations of the International Air Transport Association (IATA), and any other relevant regulations.

Animal Acquisition

- 4.3 In general, the acquisition of animals from the wild is to be discouraged unless there are justifiable reasons for doing so. If this option is necessary, an ethics and conservation policy should take into account:
- the legality of the acquisition;
 - the need for so doing;
 - the collection methods, including ensuring that they are environmentally acceptable and safeguard the welfare of the animal.
- 4.4 When receiving animals, collections should be capable of providing appropriate levels of husbandry based on the Five Principles.

Disposal of Live Animals

- 4.5 Surplus stock is any individual that a collection no longer wishes to house, for any reason. When disposing of such stock operators should ensure they are only passed to persons with the appropriate facilities, resources and expertise conforming with the Five Principles. Precautions should also be taken to ensure that recipients are likely to safeguard the animal's welfare in any subsequent transactions.
- 4.6 If animals bred in zoos are sold as pets to the general public, a licence is required from the local authority under the Pet Animals Act 1951.

Animals intended for release

- 4.7 The guidelines of the Reintroduction Specialist Group of the Species Survival Commission of the World Conservation Union (IUCN) should be followed when considering or undertaking the release of animals into the wild. Consideration should also be given to using other recognised guidelines such as those of the British Wildlife Rehabilitation Council.
- 4.8 Animals intended for release present special challenges in comparison with those staying in the zoo. For example, health care may need to be different and exposure to stressors may be necessary, as care and facilities in recipient country may fall below standard in the UK. Zoos involved in release programmes should make every effort to conform as closely as possible to the IUCN standards and reconcile these as far as possible with the legitimate needs of the project. Particular attention should be paid to the suitability of any temporary care facilities.

Euthanasia

- 4.9 Euthanasia is an acceptable procedure only if an animal cannot be provided with captive conditions which meet the Five Principles, or it cannot be released into the wild. Although breeding for conservation purposes is to be encouraged, species for which there is marginal or no conservation value should be carefully assessed on whether to allow them to breed, and, if not, appropriate action taken to prevent stock from increasing unnecessarily. In the main, measures should be taken to control unwanted or unnecessary breeding, are preferable to euthanasia of healthy stock.
- 4.10 Euthanasia may be justifiable under certain conditions, which include the following:
- If, in the opinion of a vet, an animal is suffering from an incurable disease, or severe pain or suffering which cannot be alleviated.
 - If a zoo has to close, euthanasia may be the only option for some animals and the most humane for others.
 - If the animal poses a serious and unavoidable threat to human safety (e.g. because it has escaped).
 - Culling of surplus stock (including unacceptable sex ratios) where over-crowding compromises the welfare of the animals so that it is impractical to maintain them within the Five Principles.
- 4.11 It is important that a modern zoo has a policy, with appropriate protocols, to ensure humane and timely euthanasia to minimise suffering. This information should be made available to Inspectors and form part of the audit process. It should be capable of demonstrating that zoo operators have:
- a) information and guidance from their veterinary surgeon on euthanasia, including emergency methods;
 - b) facilities for the humane despatch of animals of all the species kept, including for killing casualties under emergency conditions
 - c) support and advice on public relations aspects of the killing of animals.

APPENDIX 5

Veterinary Facilities

Veterinary services

- 5.1 When the Zoos Directive is implemented there will be an obligation upon zoos to have '....a developed programme of preventive and curative veterinary care and nutrition'.
- 5.2 In assessing the level of veterinary services needed, the over-riding factor must be animal health and welfare. The consulting veterinary surgeon will often be in the best position to assess the requirement, but it is important that operators have access to and make use of the best veterinary knowledge. Special-interest veterinary associations exist and may be able to provide help in locating specialist advice.
- 5.3 Continuing Professional Development (CPD) is now available, for example the Certificate and Diploma in Zoological Medicine, with specialisms in zoo and wildlife medicine, and in fish health and production. It is essential that zoo veterinarians make every effort to be up-to-date and to participate, when possible, in further formal training. It is also important that full advantage is taken of the availability of other specialists, such as those with expertise in veterinary dermatology, ophthalmology, cardiology, and human medicine.
- 5.4 In order to provide comprehensive veterinary care, a zoo may choose to use a local veterinary surgeon for basic cover, supported by a specialist. In both cases, adequate provision must be made for early contact and discussion when needed.
- 5.5 The level of veterinary service should be appropriate to the size and type of the collection. Over and above emergency calls, there should be sufficiently frequent regular advisory visits to assess general health and preventative veterinary practices. A minimum recommended frequency for different types of collections is as follows:-
 - a) Large zoos – weekly.
 - b) Medium sized zoos – 2 weekly.
 - c) Large bird parks – monthly.
 - d) Large aquaria, small bird parks – 2 monthly
 - e) Medium sized aquaria (especially with other animals), specialist reptile exhibits, small and mixed zoos – 3 monthly.
 - f) Small aquaria, butterfly houses, small parks aviaries, museum-type vivaria, small falconry centres – 6 monthly.
- 5.6 It may be feasible to extend an emergency visit into a regular visit provided that it occurs at an appropriate interval from the previous regular visit.

- 5.7 Definitions of the different type of zoos are difficult to arrive at, and it is at the inspector's discretion to decide into which category any particular zoo should fall.

On-site Facilities

- 5.8 Adequate facilities should be available at the zoo for routine or emergency examination of animals. Where these are basic, specialised clinical facilities should be available within a reasonable distance. There must be adherence to both legal standards and codes of practice relating to radiography, storage and use of drugs and firearms.
- 5.9 Where a full veterinary service is not available at the zoo, a dedicated treatment room should be provided at the premises and be available at all times for use for the routine examination of animals. There should be minimum facilities of an examination table, hot and cold running water, heating, ventilation, lighting and power. The room should be of sufficient size for the purpose, have washable floor and wall surfaces, and be maintained in a clean condition with adequate drainage.
- 5.10 Facilities should be available for the isolation and treatment of aquatic animals where these form part of the zoo collection. These should include separate holding tanks of appropriate dimensions to cope with the full range of species within the collection and the different water types (temperate, tropical, freshwater and seawater). Systems of catching up and moving sick fishes to the treatment facility should be in place, particularly for large fishes. Treatment tanks should be isolated from other water systems within the zoo or aquarium.
- 5.11 Facilities should be available for collecting, restraining, treating and, if necessary, for administering a general anaesthetic, for euthanasia and for the after-care of all species kept at the zoo. These should be made available to the veterinary surgeon within a period which minimises unnecessary suffering to sick animals.
- 5.12 Where a full-time resident veterinary service is located at the zoo, the facilities must be adequately equipped for the reasonable and foreseeable veterinary needs of the collection.
- 5.13 All animal drugs, vaccines and other veterinary products should be kept safely under lock and key with access by authorised persons only. Regular inspection by the veterinary surgeon to remove out-of-date drugs should be carried out. Full records of drug stock, usage and disposal should be kept.
- 5.14 Medicinal products should only be administered under the direction and control of a veterinary surgeon.
- 5.15 All unwanted or contaminated veterinary equipment must be disposed of safely. For example equipment should not be left in places where it could be reached by any animal and sharp instruments such as syringes and needles should be disposed of as specified in current legislation e.g. in rigid containers or incinerated after use.

Post-mortem Facilities

- 5.16 Normally animal carcasses should be quickly and safely removed to a professional veterinary laboratory. Where this is not possible, facilities should be provided for conducting post-mortem examinations and processing resulting samples in a safe and hygienic manner. If immediate post-mortem examinations are not possible, then in consultation with the veterinary surgeon, refrigerated facilities for storage need to be provided pending removal in a suitable insulated container to a post-mortem laboratory. Specimens should not be frozen unless specifically requested by the veterinary surgeon. In the case of animals which rapidly degenerate e.g. fish, where rapid diagnosis is essential, it is acceptable for post mortems to be carried out on site by suitably trained non-veterinary staff.
- 5.17 Facilities provided on the premises for post-mortem examinations should be suitably equipped for the species in the collection.
- 5.18 Following post-mortem examinations conducted on the zoo premises, carcasses and organs should be disposed of swiftly and in accordance with the Animals By-Products Order 1999.
- 5.19 Whenever possible, carcasses of interesting animals or important species should be offered to a recognised scientific institution. Museums in particular will often welcome such material and make it available for study, thus extending the scientific and educational role of the specimen. Sometimes there is a conflict between the requirements of the museum and the need for a full post-mortem examination of the animal. In such cases a careful decision has to be made as to which takes priority. Post-mortem techniques that minimise damage to the carcass have been devised and can often be used in such circumstances.
- 5.20 Museums usually require skins but not soft tissue. Zoos should be aware of this and endeavour to retain soft tissue for pathological examination or deposit in a reference collection.

APPENDIX 6

Animal Contact Areas

Introduction

- 6.1 There are advantages and disadvantages in having animal contacts areas, both for the public and animals. The benefits include:
- the public may gain a better understanding and awareness of the species by being in closer contact and not having to view the animals in a conventional caged environment. As a result, the public's appreciation of the zoo and its educational value may be enhanced
 - controlled handling of suitable animals can be an important learning experience eg. what does a snake feel like?
 - the animals may be allowed into larger and more complex areas that would be possible in the more conventional cage/enclosure
 - the presence of the public may prove an enriching experience for the animals
- 6.2 However, direct contact may present dangers to the public and cause stress or injury to the animals. The purpose of this appendix is to provide guidance so that the optimum environment and experience is encouraged, both for the animals and the public.
- 6.3 All situations where the public and animals are in direct physical contact should be subject to regular risk assessment before the activity commences, and review. Where the risk assessment indicates that controls are required to reduce the risk, then steps will need to be taken to tighten controls. (see the Health & Safety Executive Code Of Practice on Zoos).

General provisions

- 6.4 Zoo operators should exercise caution and discretion in the removal of even non-hazardous animals from enclosures, since the behaviour of all animals is less predictable when away from their usual environment.
- 6.5 All walk through exhibits, whether for hazardous or non-hazardous species, should have clearly delineated areas distinguishing public areas from those for the animals. There should be appropriate signs, supervision and barriers to ensure that the public do not enter the animal only areas.
- 6.6 Particular care should be taken to avoid injury to visitors when animals are used for rides.

- 6.7 Hazardous animals should not be allowed out of their usual enclosures for the purpose of direct contact with the public, except where the zoo operator is satisfied that such animals are not, when under control, likely to cause injury or transmit disease. This should be judged on a case-by-case basis once an adequate risk assessment has been carried out, and procedures developed to control risks to visitors and animals to an acceptable level.
- 6.8 Where hazardous animals are allowed out of their usual enclosures, or the public into their enclosures, an appropriate number of authorised and experienced members of staff must accompany the animal or animals.

(see Appendix 12 Dangerous Animal Categorisation)

- 6.9 The zoo must have adequate hand-washing and sanitising facilities, close to the contact point and obviously signposted. These should provide with running water, soap and disposable towels or hot air blowers.
- 6.10 Supervisors should ensure that, following contact with animals, children wash their hands. Prominent signs should remind parents or accompanying adults of this.
- 6.11 There must be adequate staff supervision in all contact areas. This should be commensurate with the type of animal and degree of risk, and to ensure the welfare of the animal. At all times whilst the public have access to the contact area there must be an appropriate number of staff on hand to ensure the welfare of the animals is not compromised by excessive handling.
- 6.12 If children are in contact with, or feeding animals, prominent signs must warn them not to place their faces against the animals, nor to put their hands in their own mouths afterwards.
- 6.13 Signs should be displayed prohibiting the public from taking any unauthorised food into animal-contact areas and warning of the risks of animal bites.

Walk-through exhibits

- 6.14 In walk-through exhibits with exotic herbivores/primates, the following points should be noted:
- Animals should be regularly and thoroughly screened for any zoonotic diseases, with particular reference to viruses in primates;
 - Public entry should be controlled in groups;
 - Number of group visits per day should be limited;
 - When more than five people are admitted at one time, staff must ensure that the public are counted in and out;
 - Staff to visitor ratios should be adequate. Staff members should carry an appropriate implement for possible defence of the public, and a radio linked to a control point.
 - The public must be informed as to what is unacceptable behaviour;

- Where appropriate, facilities must be provided for secure storage of possessions;
- Feeding of animals by visitors should not be permitted, except where strictly controlled by staff;
- The public should not be eating or carrying food;
- Members of the public who may have eaten recently should be requested to wash their hands;
- Flash photography should be controlled;
- Trained first aiders should be available;
- Parties should be asked to consider any health problems they have which may be transmittable to the animals.

Diving experience exhibits

- 6.15 It has become commonplace for the larger public aquaria to allow sports and hobby divers to dive in shark tanks.
- 6.16 If this practice is permitted, it must be subject to the same provisions that are applied to other animal-contact situations and in particular to walk-through exhibits with hazardous species.
- 6.17 Encouragement should be given to read the guidelines being prepared by the Aquarium Divers Association once completed.

Touch-pools

- 6.18 Point to note on touch pool exhibits are:
- a) Touch pools that permit direct-access should be continually supervised;
 - b) If supervision by a staff member is not continuous, the exhibit must be designed so that the depth and breadth of the exhibit make it impossible for the public to reach the animals, or there should be protection by a barrier or cover;
 - c) Animals used in touch-pools must be rotated throughout the day to allow animals a quiet period to minimise stress;
 - d) Staff must be properly trained in the handling and care of the species held and the management of visitors around the touch pool;
 - e) There must be continual assessment of the protocols used;
 - f) There must be an adequate educational contribution from the experience to justify it;

- g) Specific records must be kept of animal use, illness and deaths.
- h) Aquatic invertebrates should not normally be taken out of the water;
- i) Removal of stings from rays to make them safe for display in open touch pool type exhibits should not be permitted.

Drive-through enclosures

- 6.19 Where dangerous animals are kept in drive-through enclosures, entry and exit to the enclosures should be through a system of double gates, with sufficient space between to allow the gates to be securely closed to the front and rear of any vehicle which may enter the enclosures.
- 6.20 In the case of dangerous carnivores, the access gates should be protected by fencing positioned at right angles to the perimeter fence on each side of the roadway within the enclosure, be of the same standard as that for the main enclosure barrier and extending back from the access for a distance of at least 25 metres.
- 6.21 Double gates should be designed and maintained so that, where hazardous animals are within or have access to the enclosure secured by the gates, one gate cannot be opened until the other has been securely closed. Provided no danger to the public is thereby caused, provision may be made for this arrangement to be overridden in the event of an emergency.
- 6.22 For other hazardous animals (except those grazing or hoofed animals where a cattle grid would be sufficient to contain them) single entry and exit gates, supervised at all times, should be provided.
- 6.23 Access points between enclosures should be controlled to prevent animals entering from adjoining enclosures.
- 6.24 Electronic pressure pads, where used, should be designed and installed to ensure that in the event of their failure, any gate they control will close automatically or otherwise operate to ensure that animals are safely secured within their enclosures.
- 6.25 Gates which are mechanically operated should have an alternative method of control so they can be opened and closed manually in the event of an interruption of the power supply or other emergency, or should be designed to close automatically when subject to power failure.
- 6.26 Operators of mechanically-operated gates should have a clear, unobstructed view of the gates under their control and of the area in the vicinity of those gates.
- 6.27 A one-way road system should be used to assist the traffic flow and thus reduce the risk of accidents. Stopping should only be permitted at places where the road is at two vehicles wide;
- 6.28 Where dangerous carnivores and primates and any other hazardous wild animal are kept:

- a) Access to vehicles without a solid roof should be prohibited.
 - b) No vehicle should be allowed access unless a rescue vehicle capable of effecting its recovery is immediately available; and
 - c) Notices, which are readily visible and easy to read, should be displayed to warn visitors whilst in the enclosure to :
 - stay in the vehicle at all times;
 - keep all doors locked;
 - keep windows and sun-roof closed;
 - sound the horn or flash the headlights and await the arrival of a rescue vehicle if their vehicle breaks down.
- 6.29 Continuous observation by trained staff should be maintained over the entire area of each enclosure containing any hazardous animal. Staff working in emergency vehicles, gate control and observation towers and elsewhere within the enclosure should keep in touch by electronic means. A back-up system (using, where appropriate, whistles, horns or flags) should be rehearsed and be ready for situations when equipment is inoperative.
- 6.30 The supervising staff member should be armed with an appropriate firearm, and be trained in its use so that a hazardous animal can be killed in an emergency if this will save human life or injury. He or she should be authorised to act in the event of an emergency.

APPENDIX 7

Training of Animals

General Provision

- 7.1 There are three main reasons why animals are trained in zoos:
- To assist in their captive management, such as compliance with routine husbandry;
 - To improve their welfare, for example, by training to facilitate routine veterinary procedures to be carried out without the need for an anaesthetic; and
 - To participate in educational talks and demonstrations.
- 7.2 The objective of training must always be clearly defined in the context of:
- Animal welfare
 - Keeper safety
 - Public safety
- 7.3 All training programmes should provide a net welfare benefit to the animal.
- 7.4 Training methods should be based on positive reinforcement. Where negative reinforcement is used, it must never compromise the welfare of the animal. Written protocols should be established in zoological collections, which clarify approved, and where appropriate non-approved, training methods.
- 7.5 When animals are being trained there should be adequate facilities to separate them from groups to off-show, non-public areas.
- 7.6 Records must be kept and made available for inspection of all abnormal, unpredictable or otherwise significant behavioural irregularities for each animal at each training session and each demonstration.
- 7.7 Where public educational demonstrations are carried out, all trainers and the person responsible for exhibiting the demonstration must be registered under the Performing Animals (Regulation) Act 1925. This is not necessary if training procedures are limited to animal handling and veterinary tasks.
- 7.8 There must be adequate supervision of training and display by a senior member of staff with specific responsibility for doing so.

Use of animals in demonstrations outside the zoo

- 7.9 Section 22. (2) of the Zoo Licensing Act states 'For the purpose of the said Act an animal shall be...treated as kept in a zoo when it is elsewhere in the personal possession of the operator of the zoo, or of competent persons acting on his behalf.'
- 7.10 Although interpretation of the legislation is a matter for the Courts, it is generally held as exempting a zoo from the requirements of the Dangerous Wild Animals Act 1976 (and thus the need to apply for permission from local authorities to bring the animal into their area) when animals are taken, for example, to film studios.
- 7.11 Zoos must ensure that they have a certificate issued under Article 10 of Council Regulation (EC) No 338/97 for Annex A CITES specimens that are to be used or displayed commercially. However an Article 10 certificate is not required if a zoo has a separate certificate issued under Article 30 of Commission Regulation (EC) No 939/97. Article 30 certificates enables all zoo animals to be used or displayed commercially where they are being primarily used for breeding or research and educational purposes of benefit to the conservation of the species. A separate Article 10 certificate is required if the zoo intends to sell any Annex A specimens other than to a zoo issued with an Article 30 certificate.
- 7.12 Zoo operators who take animals to other locations for commercial or other purposes must make it clear to the other individuals or organisations concerned the circumstances under which the animals are provided and may be used. This must accord with the zoo's policy statement on such arrangements.
- 7.13 This policy statement should clearly set out that:
- The health and welfare of the animals will not be prejudiced;
 - That accommodation is adequate for the species and commensurate with the time to be spent away from normal accommodation.
- 7.14 The user organisation should clearly understand that the designated member of the zoo's staff accompanying the animals (or such other person as the zoo may designate,) will have the absolute right to say for how long and for what purposes the animals may be used.
- 7.15 Whilst the comments regarding direct contact between public and animals made earlier may well apply, the operator should ensure that appropriate guidelines for the use of animals are followed. For example, the Animal Filming & Training Commission (AFTC) guidelines are well accepted within the industry and should serve as an acceptable Standard.

APPENDIX 8

Specialist Exhibits

- 8.1 The Zoo Licensing Act applies to all wild animals kept in zoos. These Standards therefore apply to species that may have very different environmental requirements.
- 8.2 Whilst basic rules apply to the management of all species – and the Five Freedoms are appropriate to all living animals – there is often a need for more specific guidelines when Inspectors are faced with less familiar animals.
- 8.3 The following guidance notes have therefore been drawn up. They should be read in conjunction with the appropriate management guidelines and other published data. At this stage only some specialist exhibits are covered; in the course of time there is likely to be further guidance.
- 8.4 Zoos and Inspectors are encouraged to make full use of the latest Taxon Advisory Group or Federation of Zoos Guidelines and other sources when assessing exhibits. Zoos and experts in many parts of the world are developing guidelines and these should be referred to.

(See Appendix 13 – Bibliography)

8.1 Invertebrates

- 8.1.1 While some collections contain only invertebrates, more often they form part of larger zoos. However, many of the Standards that can readily be applied, or adapted, to other collections are of limited relevance to invertebrates.
- 8.1.2 Invertebrates should be kept within their preferred body temperature (PBT) range or allowed access to a temperature gradient. Where doubt exists, a choice of habitats, with different temperatures and relative humidities (and where appropriate different substrates) should be available.
- 8.1.3 Contact with potentially toxic chemicals must be avoided. These include insecticides, disinfectants and heavy metals (which can prove lethal to molluscs).
- 8.1.4 Water quality is important to many invertebrates – not only those that are totally aquatic but also those that live or breed in damp places and/or require high levels of humidity.
- 8.1.5 Although, as with other species, hygiene is important, care has to be taken to consider the requirements of different species. Where this knowledge is not available within the collection, specialist advice may need to be sought.
- 8.1.6 Health screening should be carried out upon arrival of new invertebrates into the collection, particularly for wild-caught stock. A quarantine area and/or isolation facilities are desirable.

- 8.1.7 Veterinary guidance on invertebrates is developing apace. Methods of treating individual animals, especially arthropods, and diagnostic tests and disease prevention measures for colony animals are more effective than previously. Personnel responsible for invertebrate collections should, therefore, view veterinary assistance as important in keeping animals healthy. Not all veterinary surgeons are knowledgeable about invertebrates, however; specialised advice may be required.
- 8.1.8 The 'Notes for Inspectors' produced by the Federation of Zoos should be available to operators of invertebrate collections. In addition to aiding inspections, these provide useful information about the care of these diverse animals.

8.2 Reptiles and Amphibians

- 8.2.1 Under prevailing climatic conditions in Britain, most species of non-native reptiles and amphibians require a controlled environment for survival in captivity. Some of these environments may require water. Animals may be kept in fully controlled vivaria, or in open enclosures inside a larger controlled climate space. Some species may be comfortable outdoors during periods of good weather. Controlled environments must provide all of the animal's needs for heat, humidity, light and photoperiod, air and water quality. Because of high environmental temperatures, attention to hygiene and disease control are especially important.

TEMPERATURE

- 8.2.2 Vivaria must provide a thermal gradient around the preferred body temperature of the species of animal kept. Natural daily and seasonal variations should be provided. Heat sources must be designed and fitted to prevent injury to the animal. Sources must be thermostatically controlled or regularly adjusted in response to a clearly visible monitoring system (thermometer, thermocouple etc.). Installation of a constant readout system is encouraged, so that fluctuations can be recognised retrospectively.
- 8.2.3 For more tolerant animals, such as crocodylians, open enclosures in heated rooms are sufficient, provided the temperature can be monitored at the animal's level. Safe local sources of more intense heat (heat pads, basking lamps) should be provided where appropriate for the species. Pools may need to be heated separately. The requirements for most reptiles are within the range 20-35°C however, most tortoises and crocodylians need water temperatures in the range 26-32°C.

HUMIDITY

- 8.2.4 Relative humidity (RH) is a function of temperature, moisture content of the air and ventilation. As temperature and moisture in the exhibit are usually fixed, control of humidity through altering ventilation is preferred, and should be possible. Hide structures can be used to provide local humid areas. Measurement of relative humidity should be continuous if possible, but daily readings are acceptable. RH range for most reptiles varies from 50-80% depending on the natural habitat of the species. The majority of amphibians require a higher range, typically 65-95%. Many features of the exhibit may affect the RH, including pools, spraying and the presence of plants.

LIGHTING

- 8.2.5 Lighting should be appropriate in strength, photoperiod and type for the species held. Ultraviolet (UV) light from full spectrum sources is essential for many species when not available naturally. Most glazing materials do not transmit natural UV light. UV light sources have a limited life and must be replaced regularly, and records kept. Generally, the local photoperiod should be followed, unless there are specific species requirements, for example, breeding.

AIR QUALITY

- 8.2.6 There should be sufficient ventilation to maintain air quality and RH in the exhibit without compromising temperature control. This is facilitated by keeping vivaria within suitably ventilated warm rooms.

WATER QUALITY

- 8.2.7 Pools large enough for full immersion are required by many reptiles and amphibians, and for reproduction in many species of amphibians. Water quality is normally maintained in smaller pools by regular replacement of the water and cleaning of the pool surface. Attention should be given to sudden temperature change and the risk of introducing toxic disinfectant residues during this procedure. Larger pools for semi or fully aquatic species should have water treatment facilities and quality should be monitored on a regular basis, as for aquaria. Fully aquatic species need sufficient space for comfortable swimming and to allow sufficient exercise. Beaching areas should be provided where appropriate. Transmission of pathogens between exhibits via communal water systems and tools is a major risk, and should be avoided.

FURNITURE AND SUBSTRATES

- 8.2.8 For normal display purposes, naturalistic exhibits should be used with substrates appropriate to the natural habitat of the species. As confinement increases pressure on substrates, they should be changed regularly and not allowed to become contaminated. Waste and uneaten food should be removed daily. Basking and concealment sites and rough surfaces to aid sloughing should be provided. Climbing material should be provided for arboreal species. Where animals are kept outdoors, care should be taken to avoid the risk of flooding or of animals burrowing or climbing out. More natural planting and substrates are possible. Predator and pest control are particularly important under these circumstances.

SPACE REQUIREMENTS

- 8.2.9 General comments about the space needs of all animals apply to reptiles and amphibians. However, it must be remembered that many reptiles grow quickly in early life and often continuously thereafter, and so frequently outgrow their enclosures. If enclosures are not large enough to accommodate the future growth of the species exhibited, there must be a clear plan for its future accommodation.

SERVICE AREAS

- 8.2.10 Service passages should be large enough for comfortable working and handling of the animals. Access to enclosures should not be so awkward as to restrict observation or cleaning. Service areas must be kept free of clutter particularly where venomous species are held (see Appendix 9.3). Handling and catching equipment should be readily available close to enclosures, and there should be handwashing facilities for staff.

FEEDING

- 8.2.11 Live feeding of vertebrate prey is to be discouraged (see Standard 6). Where it has to be undertaken, feeding must be observed and live prey not left in the enclosure. Balanced diets which meet all the nutritional needs are essential, as for all species, and vitamin and/or mineral supplements are also often necessary. Provision of drinking water may not be straightforward in some species. Cloud and rainforest reptiles may only drink from droplets on vegetation and desert species may lick surface condensation. Dechlorination of drinking water may improve palatability.

RECORDS

- 8.2.12 Records must be kept of all individual animals. In addition to the normal information, these need to cover environmental parameters, feeding, sloughing and egg-laying.

8.3 Venomous Species

- 8.3.1 Zoos keeping venomous species of reptile, amphibian, fish or invertebrates must ensure that sufficient trained staff for management are available at all times.
- 8.3.2 Venomous animals should be kept in walled enclosures (with suitable means of ventilation) or in enclosures where the walls are of adequate height and design to prevent non-flying animals from escaping.
- 8.3.3 Service areas for non-aquatic venomous species should be secure with the equivalent of a lock-gate system. Service areas should be free of routes of escape, for example into cavity walls.
- 8.3.4 Tanks or vivaria containing venomous species should be individually marked with warning signs in the service area. Vivaria must be kept individually locked and access available only to authorised persons.
- 8.3.5 Appropriate staff training must be given, and a written protocol made available on action to be taken in the case of escape or bites. Regular practices must be carried out and recorded, and audits of protocols conducted.
- 8.3.6 The appropriate up-to-date anti-venom must be held either at the zoo, and should accompany a bitten or stung patient to hospital; or be held at the appropriate hospital. It must be kept in strict accordance with the manufacturer's instructions. The location of anti-venom and hospitals should be decided on the basis of specialist medical advice and recorded in a written risk assessment.

- 8.3.7 Local medical authorities should be made aware in advance of any zoo keeping venomous species. This should be regularly updated by the zoo concerned. The appropriate medical authorities should be consulted and made aware of the procedure to be followed by the zoo in the event of incidents involving venomous bites and stings. A list of specialist help and contact details must be available and readily accessible in case of an emergency.

(see appendix 14 – Dangerous Animals Document)

8.4 Pinnipeds and marine birds

- 8.4.1 As with other aquatic species, there can be difficulties in inspecting facilities for marine mammals and birds. These guidelines are intended to assist inspectors with limited marine mammal experience. Further reference may be made to the UK Marine Mammal TAG Pinniped Husbandry Guidelines (Federation of Zoos, in prep.) and the Penguin Husbandry Manual (American Zoo and Aquarium Association, 1994).

ACCOMMODATION SPACE

- 8.4.2 Attention should be given to the adequate provision of both land and water space. In general more active species, such as sealions, need more land space, but all groups are primarily aquatic and should be provided with the maximum possible water space. No specific provisions are needed for breeding, with the exception of nest holes for some penguins and ledges for seabirds, but the risk of drowning in young pinniped pups, particularly sealions and fur seals (which cannot swim at birth), must be noted. Male pinnipeds tend to harass females after birth, and provision for separate accommodation for mother and pup is needed. The design of land space should avoid the loss of penguin eggs by immersion.

CONSTRUCTION

- 8.4.3 Sea bird droppings are particularly destructive and surfaces need to be highly resistant. All land areas should be designed to allow water and waste run off to drain without contaminating the pool, as far as practicable. Pool and land surfaces should have a durable, non-toxic, non-porous and waterproof finish, and should be coloured to reduce glare. In the case of pinnipeds, pool walls should be smooth to prevent injury. Land surfaces with sand, pebbles or vegetation are acceptable, provided cleansing and drainage are to an acceptable standard.

TEMPERATURE, LIGHT AND VENTILATION

- 8.4.4 Environmental temperatures should be appropriate for the species. Most species of marine mammals and seabirds can be comfortably kept in the UK, so long as shade is provided for exceptionally harsh or hot weather. Antarctic ice-dwelling penguin species need year-round cooling and require specialised closed environment exhibits with low temperatures, filtered air and high ventilation rates. High reflective light levels in pinniped exhibitions should be avoided because of the risk of eye discomfort and disease.

WATER MANAGEMENT

- 8.4.5 The aim of water management is to provide a safe and appropriate environment for the species, bearing in mind that the particular requirements for closed systems differ greatly from open water. Marine species produce large amounts of highly nitrogenous waste, which reacts with chemicals to produce noxious byproducts and acts as an ideal substrate for microorganisms.
- 8.4.6 Marine species are adapted to salt water and the provision of a salt water environment is beneficial. Baikal seals are adapted to fresh water.
- 8.4.7 Operators should set written parameters for water quality using published guidelines and should make sufficient measurements and keep records to show that these are consistently met. Any chemicals used in this process should be capable of being readily measured in water and should be non-toxic and non-irritant at concentrations applied. The safety of incoming water, where this is not from a mains source, should be regularly checked. If on-line monitoring of water parameters (such as salinity, pH, chlorine and temperature) are not incorporated in the system, measurements should, as a guide, be taken at the following frequencies: –

temperature	daily
salinity	daily
chlorine etc	2 – 4 times daily
pH	2 – 4 times daily
ozone/redox	continuous
bacteria	monthly

- 8.4.8 The inspectors should thoroughly investigate the training and level of understanding of water systems and their monitoring by zoo staff.
- 8.4.9 There should be clear precautions and instructions for protecting the animals, staff and the public in the event of fire. These may include electrical/water hazards, chemical leakage or overdosage, plant failure, fire and water loss. Such precautions will generally include the facility to drain pools quickly, provide separate temporary accommodation for animals, and evacuation plans. Where separate pools are available for quarantine purposes, they must include a separate water system.
- 8.4.10 The method of disposal of waste water from closed or fill-and-empty systems should be regularly examined as to environmental and public safety.

NUTRITION AND VETERINARY CARE

- 8.4.11 Preparation and storage of food and the use of appropriate supplements to counteract nutritional inadequacy are particularly important in piscivorous species. If animals are scatter fed, the risks from deteriorating fish must be considered and uneaten food removed. Salt supplementation may be required if fresh water is used in pools. There should be adequate facilities for handling the animals safely should the need arise. This may involve training and use of physical restraint devices. The restraint and anaesthetic requirements for marine mammals differ substantially from those for terrestrial species. Preventive treatment against avian malaria is required for outdoor penguins in the summer.

PUBLIC SAFETY

- 8.4.12 Marine mammals and penguins bite. All of them can reach much farther than it appears, and penguins, sealions and fur seals can climb and also leap from water. Barriers around pools and land areas should take this into account. Where visitor contact is possible with penguins outside their enclosures, there must be adequate staff supervision.

(See appendix 13 Dangerous Animals Document)

8.5 Public Aquaria

WATER QUALITY

- 8.5.1 Although water quality requirements of different species vary it is important that certain basic parameters are monitored and recorded, and that due care is taken to cater for particular species requirements.

- 8.5.2 Water quality monitoring should be carried out as routine:

for new exhibits or ones that have undergone major servicing, daily monitoring should include temperature, salinity (as ppt or as SG in salt water tanks), pH, total ammonia (to assess un-ionized ammonia), and nitrite; and, on a weekly basis, periodically dissolved oxygen and nitrate.

after a one month period, if a tank is stable, tests can be carried out weekly rather than daily

at all times, there must be provision of sufficient water treatment equipment to ensure the maintenance of water quality within set parameters to meet species specific requirements.

- 8.5.3 Public aquaria should use professional standard water quality test kits. There should be some quality control of test procedures, either by parallel sampling or calibration against set standards.
- 8.5.4 Aquarists should have access to on-site laboratory facilities, such as basic microscopy, and be trained in sample collection.
- 8.5.5 Specific water quality tolerances and requirements vary considerably, but typical maintenance ranges for water in the tank would be:

	Marine	Freshwater
NH ₃	<0.05 ppm	<0.1ppm
Carbonate hardness	6500 mg/L most	<200 mg/L
Nitrite	<0.1 ppm	
Nitrate	<20 ppm	
O ₂	>6 mg/L	>6 mg/L
PH	7.9-8.4	6.5-9
Redox	340+/-20 mV	
Salinity	27.5-32 ppt	5-9 sometimes used in therapy
Specific gravity	1.022-1.025	
Temperature – temperate	<15 °C	<15°C
– tropical	23-26°C	23-26 °C

VETERINARY SURGEON

8.5.6 The veterinary surgeon should be familiar with current practice regarding veterinary care of fish, especially the species with which he or she is expected to deal. He or she should be responsible for, or actively involved in, the following:

- routine visits; (see appendix 5 – Veterinary Facilities)
- staff training in disease recognition and basic lab techniques;
- directing or carrying out treatment of sick animals;
- preparing a set of treatment protocols for aquarium tanks.

DIVERS

8.5.7 Aquarium divers must operate to current HSE Approved Codes of Practice. Divers must also receive training about the behaviour and requirements of the species with which they are diving.

8.5.8 Feeding techniques vary; for example, some institutions favour stick-feeding of sharks, but hand-feeding may be acceptable if risk assessments have been carried out and insurers agree.

8.6 Waterfowl

8.6.1 Most non-domestic waterfowl are given the freedom of a pen and not contained overnight. Exclusion of predators such as foxes, cats and smaller mammals is an important part of waterfowl management. This will include use of predator-proof fencing (essential to exclude foxes), electric fencing, trapping and shooting. Care should be taken in selecting species for open-topped enclosures.

8.6.2 Wild waterfowl that visit the collection can present dangers in the form of disease or contamination of water supplies. Allowance has to be made for this when planning enclosures or setting stocking densities.

- 8.6.3 Pens for waterfowl must be carefully designed and smaller areas may need to be at least 50% water. Less water is acceptable for geese which graze. Birds must be able to enter and leave the water without difficulty: therefore, edges should be sloping with a gradient of one in three or less. Perimeter fences should be 2 metres high (preferably 3m) and buried to approximately 0.5m. A pulsed electric fence to deter predators is essential if the fence is less than 2m high.
- 8.6.4 Water is essential for most species if they are to perform their normal behavioural repertoires. Water may be static but systems that allow for inflow/outflow are to be preferred, so long as they do not encourage the spread of pathogenic organisms from one pen to another. Water quality is important; areas for waterfowl need careful planning. Vegetation provides shelter, protection and shade and can protect birds from chilling and frostbite. Tropical species may require indoor, sometimes heated, accommodation.
- 8.6.5 Areas of grass may be essential for some species, e.g. Branta and Anser geese, swans, shelducks, sheldgeese and grazing ducks (widgeon species, Falcated Teal, Baikal Teal). When grass is in short supply supplementary feeding with pellets may be necessary. Waterfowl vary in their dietary requirements but a mixture of layers pellets (the smaller size for smaller ducks) and wheat provides an acceptable supplement – or primary source of nutrients for most of the less specialised species.
- 8.6.6 Mixing of species has to be considered very carefully. Some waterfowl are aggressive or territorial and best kept apart. Others are sociable and will live together as a group, but care is needed to ensure an appropriate sex ratio. Very careful thought is needed before mixing waterfowl with other species of animal, such as mammals; deer, antelope and other ungulates can damage waterfowl, or be a source of long-term stressors. Exclusion fencing, fixed 30 cm above the ground, may allow waterfowl to escape from interference.
- 8.6.7 Pinioning of birds is legal in the UK (so long as they are not on agricultural land) but should not be undertaken lightly. Collections should have an ethical policy and code of practice regarding pinioning and be prepared to defend it. (see Appendix 2 – Ethical Review Process)
- 8.6.8 Other points particular to waterfowl include:
- the availability of nestboxes;
 - incubation, brooding and facilities for grain storage;
 - provision of grit (soluble and insoluble).
- 8.6.9 Breeding facilities for waterfowl may, depending on the species, include nestboxes and nesting material). Nestbox design is all-important: the size and position of the opening can make a great deal of difference to breeding success. Hybridisation should be avoided by not mixing similar species in the same pen.
- 8.6.10 There are human health and safety considerations in the keeping of waterfowl. Ponds can be a source of infectious organisms. Electric fences must be positioned such that the public can not come into contact with them and pond edges must be fenced where necessary.

- 8.6.11 Advice on the keeping of waterfowl is available from a number of organisations including the British Waterfowl Association and the Wildfowl and Wetlands Trust.

8.7 Birds of Prey

- 8.7.1 Birds of Prey (Falconiformes and Strigiformes) are kept in a variety of ways and for a variety of reasons, These include:

- Aviaries, where birds enjoy relative freedom of movement, and are kept for display and or captive breeding.
- Demonstration birds, tethered or not, that are free flown regularly for the general public.
- Homing of the occasional permanently disabled wild bird, for educational or captive breeding purposes.
- Sick or injured wild birds, kept for treatment and rehabilitation.

- 8.7.2 Each of these categories of keeping brings with it particular requirements in terms of good management. Some of these are outlined below: other relevant information is to be found in various codes of practice and publications, details of which are listed in Appendix 14.

AVIARIES

- 8.7.3 Birds of prey kept in aviaries are generally managed in a similar way to other birds. Particular points to note are:

- Choice of species. Some species, such as accipiters, are by temperament less well suited to zoos. Their nature makes them very difficult to house and manage and they should only be kept in specialist collections.
- Food. Whole animal diets are needed, or meat that has been properly supplemented. No food type should be used exclusively. All birds of prey must have access to clean drinking and bathing water daily.
- Aviary design. Enclosures should provide suitable vantage points for the species, as many raptors prefer to be up high. Perching should be appropriate for the species housed. Sizes should reflect the flying capabilities of the species. For example large vultures are unable to land lightly and so need enough space to land without causing injury. Most birds of prey are more settled in pens with at least one solid wall. Retreats may be necessary for more nervous individuals.
- Mixing genera is rarely a good idea, and if done, should be managed with extreme care. Knowledge of the individual birds and experience in dealing with birds of prey in general is essential.

DEMONSTRATION BIRDS

8.7.4 Tethering. Birds of prey kept as demonstration birds are subject to restraint by tethering for part of their lives, so that they can be free-flown for the public. Important considerations are:

- Flying. Birds that are tethered must be flown at least four times a week unless tethered for medical treatment. No bird should be tethered permanently. All birds should be given the opportunity to fly or move around freely during part of the year.
- Rest and Moulting. All collections should allow sufficient aviary space to rest working birds and allow them to moult.
- Birds not be tethered. Owls and vultures, particularly the New World vultures should not be kept tethered. They can easily be trained to fly from pens and this is the preferred way to house them.
- Safety at Night. Tethered birds are very vulnerable to attack by other wild animals, so they should be well protected at night. Birds that are put away at night should be placed in areas that meet appropriate welfare standards under section 8 of the Wildlife & Countryside Act 1981 and should not be left shut in for unreasonably long periods. Unless ill, owls in particular should not be shut away in boxes at night.
- Flying Areas. Flying areas should be free of hazards for birds and should not be close to cages containing animals that might catch or kill a bird should it alight on or in the cage. Taking birds to and from the demonstration area should be made as safe and stress free as possible by travelling in a suitable vehicle. Flying areas should not be directly adjacent to, or in view of tethered birds.
- Staffing. Staff should be well versed in training methods, weight reduction issues, handling techniques, and maintenance of equipment and birds. They should also be capable of passing on the correct and up to date information about the birds to the watching public.
- Escape. Birds that are free-flown are always at risk of being lost. If not found, most demonstration birds will eventually die. Such incidents can be reduced by good training, experienced handlers and by ensuring that all birds being flown wear telemetry for radio tracking.

DISABLED WILD BIRDS

8.7.5 Permanently injured wild birds of prey will sometimes come into a collection and can be useful either as an educational bird, or, with the rarer species, as a part of a captive-breeding program.

- Individual needs. The welfare and quality of life of these birds should be paramount. Badly injured birds, however rare, which are not capable of living a reasonable life should be euthanased. Birds which are too nervous to be displayed in public should not be kept on public display. Permanently disabled birds should not be tethered.

- **Housing.** Often these birds are either unable to fly and or land properly. Perching should reflect the ability of the bird in question.
- **Pairing.** When paired with non-injured birds, aggression levels will need to be monitored, as injured bird will be less able to cope.

NB There are other legal requirements specific to many native species which should be adhered to.

SICK OR INJURED WILD BIRDS

- 8.7.6 Sick or injured wild birds should not, in theory, form an integral part of any zoo or collection. However, given the definition of a zoo under the Zoo Licensing Act, some establishments which tend casualties and have more than 7 public open days a year will be subject to the licensing requirements of the Act and liable to inspections. Some particular points relating to such collections are:
- **Disease Control.** Sick or injured birds are more prone to disease than healthy animals. Health monitoring and hygiene needs therefore need to be rigorous, in order to minimise risks to other birds, staff and visitors.
 - **Welfare.** Most of the birds will have come in from the wild and will already be stressed. Exposure to the public will exacerbate this. It is therefore strongly recommended that save in exceptional circumstances, recovering wild birds should not be displayed to the general public.
 - **Accommodation.** Facilities must cater for injured birds' special needs. Birds destined for release may need to be kept under conditions where they can retain their escape behaviour, gain confidence and fitness in flight and behave naturally.
- 8.7.7 The requirements for owls (nocturnal birds of prey) closely mirror those described above, with some differences. The Owl TAG has produced its own guidelines and these should be used for reference.
- 8.7.8 Some birds of prey in zoos may be subject to control under several different pieces of legislation, for example the Wildlife and Countryside Act 1981 and CITES. Legislation concerning welfare, animal health, travel, and veterinary treatment may be relevant. It is important for operators to understand which legislation applies to zoos.

APPENDIX 9

Staff & Staff Training

Training

9.1 Continuous in-house staff training and development (eg Investors in People) should be a standard feature of the zoo. Typical topics include:

- animal husbandry;
- animal welfare;
- health and safety and first aid;
- action in emergencies, escape, illness;
- safety procedures;
- emergency euthanasia;
- basic sampling for health monitoring and diagnosis;
- food hygiene;
- diseases especially emerging ones such as Bovine Spongiform Encephalopathy (BSE), Salmonella Enteritidis, Escherichia coli 157, Hantaan virus;
- diving hazards;
- management of species used in animal-contact areas;
- in situ and ex situ conservation;

Staff

9.2 The zoo operator must make every effort to ensure that his/her staff do not have any convictions under the Zoo Licensing Act 1981 or a background of the ill-treatment of animals under any animal welfare or conservation legislation including:

- the Protection of Animals Acts 1911 to 1964;
- the Protection of Animals (Scotland) Acts 1912 to 1964;
- the Pet Animals Act 1951;
- the Protection of Birds Acts 1954 to 1967;

- the Animal Boarding Establishments Act 1963;
- the Riding Establishments Act 1964 and 1970;
- the Breeding of Dogs Act 1973;
- the Dangerous Wild Animals Act 1976;
- the Endangered Species (Import and Export) Act 1976;
- the Wildlife and Countryside Act 1981;
- the Control of Trade in Endangered Species (Enforcement) regulations 1997.

APPENDIX 10

Zoo Licensing Act 1981

Pre-Inspection Audit

Date

Although completion of this form is not obligatory, doing so will save time at the inspection and help keep down fees.

In addition to the documents you are requested to attach, you may be required to produce evidence to support any one of the answers on this form.

DETAILS OF INSTITUTION	
Name and Address of Institution	
Telephone Numbers	
Fax	
e-mail	
Website	
Name of Director	
Short history	
Year of founding	
Parent Institution (if any)	
Source(s) of funding eg visitors, local authority etc	
Type of Business (eg Partnership, Registered Charity)	
Ownership of organisation/grounds	
Governing body	
Chairman of Governing body	
Do you have a master plan/business plan? If so please enclose a copy	
Mission statement	
List of staff members and their titles and qualifications. (State if full or part-time)	Attach
Submit a copy of the organisation's organisational chart	Attach
Plan of park/zoo Attach	
Hours of operation Summer Winter	
Entrance Fees and Categories	
Attendance Figures for past three years	
Does your institution own or operate another zoological park or off-premises breeding facility or other animal holding facilities?	

DETAILS OF INSTITUTION <i>continued</i>	
If yes, please give details	
Please supply your most recent Animal Inventory List	Attach
Is your institution a member of ISIS?	
If YES Do you use ARKS? SPARKS? REGASP? MEDARKS? Other computer databases?	
Records What arrangements are made for holding current animal records? Does your institution keep duplicates of animal records? If so where are they stored? How are old records archived? Are they readily accessible to <i>bona fide</i> enquirers? Please list which methods of animal markings your institution uses and taxa used for: Transponder Tattoo Ear tags Rings Other	
Are daybooks kept to record condition and health of all animals? Please summarise the reporting structure.	
What is your contingency plan for the animals in the event of closure or loss of income for a sustained period of time?	
Zoo Operations Under what circumstances, if any, do you feed live vertebrate?	
Is feeding of animals by visitors permitted? How is this controlled?	
Is expert advice sought and taken regarding nutrition? If so from whom and where?	
What is the smoking policy for zoo staff?	

DETAILS OF INSTITUTION <i>continued</i>	
<p>Animal Husbandry and Veterinary Care</p> <p>Who is your veterinary surgeon?</p> <p>If none, who is your veterinary officer/adviser?</p> <p>Are others involved in giving specialist animal health advice to the collection? If so give details</p> <p>Describe your veterinary programme, including frequency of visits and the sort of work normally performed.</p>	
<p>Briefly describe the veterinary facilities that you have on site.</p>	
<p>Do any of your vets take part in relevant Continuing Professional Development? If so, please give details.</p>	
<p>Does your institution undertake routine examination of animals including parasite checks and a programme of preventive medicine, including vaccinations?</p>	<p>Please attach a summary of the examination</p>
<p>Please give details of equipment and drugs for restraint;</p>	
<p>What arrangements are made for <i>post-mortem</i> examination of animals?</p>	
<p>What system do you have for regular review for clinical and pathological records?</p>	
<p>Do you keep up-dated records of animal diets?</p>	
<p>How do you collaborate with other zoos and other organisations in the exchange of husbandry information for the species that you keep. If so, please provide details.</p>	

DETAILS OF INSTITUTION <i>continued</i>	
Health and Safety	
What risk assessments are routinely carried out:	
Feeding practices	
Staff-animal interactions	
Venomous species	
Animal-contact situations	
Escapes/release of animals	
Visitor areas (slopes, steps etc)	
Staff use of equipment	
Others	
Does the zoo have an accident book? Please provide a copy of your written emergency procedures. How are staff members made aware of all emergency procedures? Please provide the written reports of emergency drills for the past 12 months	Attach Attach
Are staff trained to handle other emergencies?	
How are all staff made aware of potentially zoonotic disease risks?	
Is an accident-reporting procedure in operation (RIDDOR)?	
Is zoo health and safety policy written and understood by all staff and volunteers?	
Is the escape procedure written and available to all staff?	
Is a qualified tree surgeon retained to inspect and attend to trees which may cause injury or aid escape.	
Give details of the vermin and predator control programme.	
Is there a procedure for reporting staff illness?	
Is there a procedure for reporting maintenance needs?	
How often are enclosures, fences and stand-off barriers checked for damage and maintained	
How often are electrical systems and equipment checked and maintained?	

DETAILS OF INSTITUTION <i>continued</i>	
Are there procedures in place to ensure that any defects identified by checks are remedied?	
Security	
How is the collection protected on a 24-hour basis	
Please give details of firearms (including capture equipment and captive bolt guns) and access to them	
Is the use of firearms practised and recorded?	
CONSERVATION	
Are you a member of the World Conservation Union (IUCN)?	
Do you have a copy of the World Zoo Conservation Strategy – if yes, how does it influence your planning?	
Which version of the IUCN Red Data List do you use?	
EX SITU CONSERVATION	
Species Management Groups Are you represented on, or do you have links with any groups.	
Give details of and number of years of involvement with any of the following groups:	
Conservation Breeding Specialist Group (CBSG) Please give details	
European Endangered Species Programmes (EEPs) List EEPs your organisation takes part in List EEPs or Taxon Advisory Groups your organisation chairs	
Joint Management of Species Programmes List JMSPs your organisation takes part in List JMSPs your organisation chairs Do you contribute to any other species management programmes? Is so, please give details	

DETAILS OF INSTITUTION <i>continued</i>	
Studbooks	
Do you maintain studbooks? – If so, please give details of species	
International	
Regional	
Do you maintain studbook species. If so: How often do you report to the Studbook Keeper? List species	
Do you have an Animal Collection Plan – if so please attach. Are you in the process of preparing one, in which case when will it be available? If you have not got an animal collection plan how do you decide what species to keep?	Attach
IN-SITU CONSERVATION	
What resources does your zoo put into in-situ conservation: (a) Personnel (b) Financial (c) Other	
Have you collected funds for or supported financially any in-situ projects in the last three years? If yes, please list projects and nature of support	
Are you or have you been directly involved in any in situ projects, either by funding or more direct participation over the past three years? If so please give details.	
OTHER CONSERVATION ACTIVITIES	
Do you contribute to conservation in other ways? If so, please give details.	

DETAILS OF INSTITUTION <i>continued</i>	
EDUCATION	
List and briefly outline the major elements of the zoos education programme and policy or existing plan be attached	
<p><i>Education staff numbers</i></p> <p>Paid Training scheme Volunteer</p>	
<p><i>Facilities</i></p> <p>Classrooms (number) Lecture theatre (number) Library Other</p>	
<p><i>Levels of education provided – tick which appropriate</i></p> <p>Nursery Primary Secondary University Adult Other</p>	
<p><i>Local Authority links:</i></p> <p>Staff Finance Curricula development Liaison</p>	
<p>Is your zoo a member of any zoo education network (eg British and Irish Zoo Educators)?</p> <p>If so, please give details</p>	
How do you ensure the consistency and effectiveness of your education programme (eg. inspections, feed-back sheets, visitor surveys)?	
Teaching aids (including publications) – please give details and provide examples	
Give details of membership and links with groups concerned with environmental education.	
Informal educational aids – give details of what is used eg. labels, listening posts, public demonstrations, internal and external lectures etc	
Staff Training	
Are your staff required to take the National Extension College correspondence course in Zoo Animal Management?	

DETAILS OF INSTITUTION <i>continued</i>	
Do you organise your own staff training? – If so, state briefly how this is done.	
Do you provide training for other organisations? If so, please provide details.	
What qualifications do your education staff have? Please list by staff member.	
RESEARCH	
List and briefly outline the major elements of the zoos research policy programme	
What resources does the zoo put into research: (a) Personnel (b) Financial (c) Other Are research projects involving animals subject to ethical scrutiny?	
Briefly outline your ethical review process	
Please append details of any research carried out, during the last three years, by or on behalf of the zoo by (a) zoo staff (b) other organisations	
Has your zoo recieved any research grants? – If so, please give details	
Please list any scientific publications over the last three years by: (a) staff (b) others using your collection	
Do you have links with Higher Education Institutions? If so, what are these links?	

APPENDIX 11

Zoo Licensing Act 1981

Inspection Report

Date

Name of applicant or current licence holder		Number
Full postal address		
Postcode	Telephone number	Date of last inspection
	Facsimile number	Type of last inspection

Type of Inspection today <i>Tick</i>	Statutory composition of inspection team
Full new application.	DETR nominees
Full renewal	2 listed via DETR, 1 LA vet, option of <2 more from LA
Full periodical	2 listed via DETR, 1 LA vet, option of <2 more from LA
Full informal (annual intermediate)	1 competent LA appointee Licensing/HSE/Vet
Special	Any number of competent authorised LA appointees
Clause 14 (2) dispensation, periodical	1 or more DETR appointees
Clause 14 (2) dispensation, informal	1 competent LA appointee

Name & designation of Inspector	Signature	Name(s) of Zoo Representative(s)

Copies:

- Original to Local Authority;
- 1st copy to applicant/operator
- 2nd copy to DETR

Purpose of next *inspection*
Timing of next inspection

ASSESSMENT OF THE PRE-INSPECTION AUDIT

Section	Assessment	Other Notes
Details of Institution		
Records		
Zoo Operations		
Veterinary Care		
Health and Safety Issues		
Security		
Risk Assessments		
Conservation		
Education		
Research		
Staff Training		

RESULTS OF INSPECTION

	Yes	No	N/A	Notes
<p>1 Provision of food and water</p> <p>1 Is food appropriate for the species/individual supplied?</p> <p>2 Is natural feeding behaviour adequately catered for by established practices?</p> <p>3 Are feeding methods safe for staff and animals?</p> <p>4 Are supplies of food and water:</p> <ul style="list-style-type: none"> kept hygienically? prepared hygienically? supplied to the animal hygienically? <p>5 Is feeding by visitors permitted and properly controlled?</p>				
<p>2 Provision of suitable environment</p> <p>1 Are temperature, ventilation, lighting and noise levels appropriate?</p> <p>2 Do animal enclosures have sufficient shelter?</p> <p>3 Do animal enclosures provide sufficient space?</p> <p>4 Are backup facilities for life support systems adequate?</p> <p>5 Is the cleaning of the accommodation satisfactory?</p> <p>6 Is the standard of maintenance of buildings and fences adequate?</p> <p>7 Is all drainage effective & safe?</p>				
<p>3 Provision of animal health care</p> <p>1 Are observations of condition and health made and recorded?</p> <p>2 Do all animals receive prompt and appropriate attention when problems are noted?</p> <p>3 Are enclosures designed and operated in such a way that social interaction problems are avoided?</p>				

	Yes	No	N/A	Notes
<p><i>On-site facilities</i></p> <p>4 Are catch-up & restraint facilities adequate?</p> <p>5 Are on-site veterinary facilities adequate?</p> <p>6 Is darting equipment satisfactory?</p> <p>7 Are controlled drugs used & recorded satisfactorily?</p> <p><i>Veterinary Care</i></p> <p>4 Is a satisfactory programme of veterinary care established and maintained?</p> <p>5 Are appropriate veterinary records kept?</p> <p>6 Are medicines correctly kept?</p> <p>7 Are appropriate antidotes available?</p> <p>8 Are post-mortem arrangements satisfactory?</p> <p><i>Quarantine</i></p> <p>9 Is adequate reserve accommodation available for isolation of animals for assessment, treatment, recovery etc?</p> <p><i>Sanitation</i></p> <p>10 Does it appear that general sanitation and pest control are effective?</p> <p>11 Is transport and movement equipment in good order?</p>				
<p>4 Provision of an opportunity to express most normal behaviour</p> <p>1 Does accommodation appear adequately to meet the biological and behavioural needs of the animals?</p> <p>2 Are active efforts made to enrich animal environments where necessary or advantageous?</p> <p>3 Are enclosure barriers effective in containing animals?</p> <p>4 Will the perimeter deter unauthorised entry and aid the confinement of zoo stock?</p> <p>5 Are animals kept within the perimeter of the zoo?</p> <p>6 Is captive breeding properly managed?</p>				

	Yes	No	N/A	Notes
<p>5 Provision of protection from fear & distress</p> <p>1 Are animals handled only by or under the supervision of appropriately qualified staff?</p> <p>2 Is physical contact between animals and the public consistent with the animals' welfare?</p> <p>3 Are interactions between animals such that they are not excessively stressful?</p>				
<p>6 Conservation, Education & Research</p> <p>1 Are on-site education facilities commensurate with the collection and adequate for the purposes?</p> <p>2 Are the conservation efforts adequate?</p> <p>3 Are the research efforts adequate?</p>				
<p>7 Public safety</p> <p>1 Are adequate provisions made to contain hazardous animals within enclosures?</p> <p>2 Do stand-off barriers appear adequate?</p> <p>3 Are adequate warning signs provided?</p> <p>4 Does maintenance of buildings appear adequate ?</p> <p>5 Are exits clearly marked and accessible?</p> <p>6 Do public areas and walkways appear safe?</p>				
<p>8 Records</p> <p>1 Are daily diaries maintained?</p> <p>2 Are animal stock records clear and up-to-date?</p> <p>3 Are annual inventories maintained and submitted to the Local Authority?</p> <p>4 Are animal source and destination records kept?</p> <p>5 Are archived records secure?</p>				

	Yes	No	N/A	Notes
<p>9 Miscellaneous</p> <p>1 Do staff numbers appear adequate?</p> <p>2 Are effective risk assessments carried out where appropriate?</p> <p>3 Is adequate Public Liability Insurance current?</p> <p>4 Are toilet facilities adequate and serviced?</p> <p>5 Are the reasonable needs of disabled met?</p> <p>6 Are prohibited areas appropriately signed?</p> <p>7 Is an accident reporting and recording system in use?</p> <p>8 Is a First Aid Policy in effect?</p>				
<p>Associated legislation</p> <p>1 Is electrical equipment routinely serviced?</p> <p>2 Have fire precautions been agreed and implemented?</p> <p>3 Is refuse disposed of correctly?</p>				
<p>Compliance check</p> <p>1 Is current licence on display at entrance?</p> <p>2 Have there been any escapes since last Inspection?</p> <p>3 Have there been any significant accidents?</p> <p>4 Have existing licence conditions been met?</p>				

THE FOLLOWING SPACE IS PROVIDED FOR:

- ADDITIONAL NOTES AND COMMENTS ON THE ANSWERS TO THE EARLIER QUESTIONS
- RECOMMENDATIONS (OTHER THAN IN RESPECT OF GRANT OR REFUSAL OF A LICENCE AND ANY SPECIFIC CONDITIONS RECOMMENDED FOR A LICENCE ñ FOR WHICH SEE OVER).
- ANY GENERAL REMARKS WHICH THE INSPECTING TEAM MAY WISH TO RECORD

INSPECTING TEAM'S RECOMMENDATION TO THE LOCAL AUTHORITY

Having inspected

on:

The inspecting team make the following recommendation:

- It is recommended that a licence be refused.
- It is recommended that the above collection be licensed in accordance with the Act subject to the Standard Conditions
- It is recommended that the above collection be licensed in accordance with the Act subject to the Standard Conditions and the following additional conditions:

(delete as necessary)

Signed.

CHAPTER 12

Dangerous Animal Categorisation

Animal Kinds, with Respect to Danger to Members of the Public Visiting Zoological Gardens

Categorisation of animal kinds, according to likely ferocity and ability to cause harm to people are shown according to risk levels:

Category '1' Common name 1 Greater Risk

Category '2' Common name 2 Less Risk

Category '3' Common name 3 Least Risk

Category '1' (Greater Risk)

- 1.1 Those kinds of animals which, by their natural ferocity and their natural ability to cause harm, depending on the circumstances of possible encounter (see 1.4 and Note 3 below), are likely to present hazards when not separated from members of the public visiting zoological gardens.
- 1.2 Animals in Category '1' species must either be separated from the public by a barrier of suitable design in order to prevent physical contact between the animals and members of the public within their designated areas, or, with the prior approval of the Licensing Authority, are provided with adequate supervision to allow the public and the animals to be in the same area without hazard.
- 1.3 The responsibility for any relaxation of the need to provide non-touch barriers (i.e. prevent direct contact between animal and public) for Category '1' species lies with the Licensing Authority, acting upon the advice of Inspectors nominated by the Secretary of State.
- 1.4 Animals in Category '1' may only be taken out of their enclosures and into the same areas as members of the public, or the public into the animals' enclosures, if the operator of the zoological gardens, being the keeper of the animals, has reason to believe, by virtue of the animals' ages, sexual states, supervision, training, individual histories, enclosure size and design, or other relevant matters, and having satisfied the Licensing Authority that he has such reason that the animals, being under the supervision of authorised and experienced members of staff, will not cause injury to the public.

Category '2' (Less Risk)

- 2.1 Those kinds of animals which are either less ferocious or less capable of causing injury, or both, than those kinds listed in Category '1', but which warrant a higher level of caution than Category '3'.
- 2.2 Animals in Category '2' species would normally be separated from the public by a barrier, but this barrier need not, of necessity, prevent all physical contact between the animals and members of the public, though it should be such as to render negligible any risk involved. The responsibility for assessing the kind of barriers needed for Category '2' species lies with the operator of the Zoological Garden, who must take into account the behaviour of the individual animals and of other factors as are relevant to each situation.
- 2.3 Some category '2' species, given adequate space and refuge, may be maintained as free-ranging, free-flying or walk-through exhibits. In these circumstances the operator must be able to satisfy the Licensing Authority, citing relevant experience, that it is reasonable that the species involved can be safely exhibited in the manner proposed. The operator also must be able to satisfy the Licensing Authority that the individual animals in such exhibits are unlikely to cause harm to members of the public.
- 2.4 The operator of the zoological garden, keeping an animal in a Category '2' which has behaved in a way which has caused injury, or was likely to have caused injury or transmitted disease, is obliged to treat that animal as if in a Category '1' species.

Category '3' (Least Risk)

- 3.1 Those kinds of animals which are either not naturally ferocious or are not able to inflict appreciable injury, or both, and therefore do not present a hazard to members of the public visiting zoological gardens.
- 3.2 The 'keeper' of any individual animal in a Category '3' species which has behaved in a way which has caused injury, or was likely to have caused injury or transmit disease, is obliged to treat that animal as if in a Category '1' species.

THE FOLLOWING NOTES ARE ADDITIONAL TO THE ABOVE AND ARE INTENDED TO HELP INSPECTORS TO INTERPRET THE CATEGORISATIONS AND THE LISTINGS.

- Note 1 This list is intended to indicate the level of hazard to members of the public from animals kept in premises licensed under the Zoo Licensing Act, 1981. It should not be interpreted as indicating the level of hazard from animals encountered in any other circumstances. In particular it should not be used to indicate the level of hazard from animals kept in homes, circuses, pet shops and other places not covered by the Zoo Licensing Act, 1981, which are subject to the Dangerous Wild Animals Act, 1976, for which a separate schedule exists.

- Note 2
- a Category '1' species may only be exhibited to the public in the absence of non-touch barriers with the prior approval of the Licensing Authority.
 - b Category '2' species may, under certain circumstances be exhibited to the public in the absence of non-touch barriers. Though prior approval by the Licensing Authority is not required, the operator of the Zoological Garden must be able to provide the Licensing Authority with precedents and other relevant information which show the practice to be safe. In cases of doubt, or where there is no precedent, the operator should seek the advice of a suitably knowledgeable member of the Zoos Forum (who may if necessary, consult the Federation of Zoological Gardens of Great Britain and Ireland).
 - c Where Category '2' species are exhibited without non-touch barriers e.g. in walk-through areas, areas with no stand-off barriers, exhibits involving public handling, free flying displays the details of the practices being followed must be recorded in writing and be made available to the Inspectors under the Zoo Licensing Act, 1981 and the Local Authority, at the time of any subsequent inspection.
- Note 3
- The likelihood of bites, pecks, scratches, etc. caused by any individual animal which is in unusual circumstances (for example which is being injudiciously held, or cornered), is not to be taken as a measure of the natural ferocity of a species.
- Note 4
- In some species, e.g. those which live in herds, there is a greater likelihood of attack and injury from the leading animals (usually the leading males) than from other members of the group, especially in any breeding season. Extra caution is required at such times. In mammal species in which the young accompany the females, nursing females are likely to present a higher level of risk than at other times. Birds defending eggs and hatchlings are likely to present a higher level of risk than at other times.
- Note 5
- Animals normally domesticated in Britain have not been included in this list. Attention is drawn to the possibility that individuals in such species may be very dangerous.
- Note 6
- In most species, the young do not present the same order of hazard as might be expected from adults (except in the case of venomous animals). Whilst in some instances hand-reared animals are safer than naturally reared animals, this is not always so, particularly with species of wild ungulates and many species of birds. Because of their very small size; young of many hazardous invertebrate species require more stringent security than the larger adults. Unless otherwise stated in the list below, the age, size or sex of a specimen of a Category 1 species cannot be used to justify treating it as a lower category of risk, except with the prior approval of the Licensing authority (see 1.3, 1.4 and note 2a above)

- Note 7 The list below is intended to embrace all known extant species of mammals, birds, reptiles and amphibians, though no attempt has been made to do more than list the kinds of fish and invertebrates which are thought to present significant hazards in zoological gardens and aquaria. Any variation in classification and nomenclature may not be taken to imply that the categorisation of a species has changed. It is not intended that the full list of kinds included in Category '3' is to be issued, but that it should be available for reference. In the cases of Fishes and Invertebrates, an exhaustive review of all possible kinds has not been undertaken.
- Note 8 Hybrid animals should be placed in the same category as the more hazardous of the parent species.
- Note 9 The phrase 'natural ferocity' is intended to indicate the likelihood of a harmful occurrence taking place.
- Note 10 The phrase 'natural ability to cause harm' is intended to indicate the magnitude of the consequences of a harmful occurrence.
- Note 11 In the case of bird species listed in Category '2' (Less Risk), attention is drawn to the hazard of injury from beaks, and talons, in particular in the case of birds which are tethered in mews, e.g. Birds of Prey and Parrots. Such birds should, when unsupervised, be separated by a non-touch barrier from members of the public.
- Note 12 a Attention is drawn to the hazard of all zoonotic infections, but with particular emphasis to the possible higher risks of humans contracting *Chlamydia* infection from some birds, including parrots and related species, and *Salmonella* and similar infections from some reptiles, including tortoises, if they are closely handled.
- b It is also stressed that the higher primates are more closely related to man and may, therefore, be more likely to carry zoonotic diseases. The risk of serious disease being carried in this manner is greater in imported animals than in long-established groups. There is also the risk of higher primates acting as intermediaries in the transfer of disease from one human to another.
- Note 13 Attention is drawn to the possibly higher risk of humans contracting rabies from many mammalian species, should the disease become indigenous. The risk from newly imported animals is controlled under quarantine regulations and is outside the scope of these provisions.

CATEGORISATIONS AND LISTINGS

Class Mammalia

Order MONOTREMATA

Family Tachyglossidae

<i>Tachyglossus</i>	Short-nosed Echidna)	3	Least Risk
<i>Zaglossus</i>	Long-nosed Echidna)		

Family Ornithorhynchidae

<i>Ornithorhynchus</i>	Platypus		3	Least Risk
------------------------	----------	--	---	------------

Order MARSUPIALIA

Family Didelphidae

<i>Marmosa</i>	Mouse Opossums		3	Least Risk
<i>Monodelphis</i>	Short-tailed Opossums		3	Least Risk
<i>Lestodelphis</i>	Patagonian Opossum		3	Least Risk
<i>Metachirus</i>	Brown Four-eyed Opossums		2	Less Risk
<i>Didelphis</i>	Large Opossums		2	Less Risk
<i>Metachirops</i>	Philanders or Four-eyed Opossums		2	Less Risk
<i>Lutreolina</i>	Thick-tailed Opossum		2	Less Risk
<i>Chironectes</i>	Yapok or Water Opossum		2	Less Risk
<i>Caluromys</i>	Woolly Opossums		3	Least Risk
<i>Caluromysiops</i>	Black-shouldered Opossum		3	Least Risk
<i>Glironia</i>	Bushy-tailed Opossums		3	Least Risk

Family Microbiotheridae

<i>Dromiciops</i>	Colocolo		3	Least Risk
-------------------	----------	--	---	------------

Family Caenolestidae

<i>Caenolestes</i>)			
<i>Lestoros</i>)-	Shrew-opossums	3	Least Risk
<i>Rhyncholestes</i>)			

Family Dasyuridae

<i>Murexia</i>	Short-haired Marsupial Mice		3	Least Risk
<i>Neophascogale</i>	Long-clawed Marsupial Mice		3	Least Risk
<i>Phascalosorex</i>	Marsupial Mice		3	Least Risk
<i>Myoictis</i>	Three-striped Marsupial Mouse		3	Least Risk
<i>Planigale</i>	Planigales		3	Least Risk
<i>Antechinus</i>	Dibblers and Antechines		3	Least Risk
<i>Phascogale</i>	Wambengers		3	Least Risk
<i>Dasyercus</i>	Mulgara		3	Least Risk
<i>Dasyurus</i>	Quolls & Native Cats		2	Less Risk
<i>Sarcophilus</i>	Tasmanian Devil		1	Greater Risk
<i>Dasyuroides</i>	Kowari		2	Less Risk
<i>Ningau</i>	Ningaus		3	Least Risk
<i>Sminthopsis</i>	Dunnarts		3	Least Risk
<i>Antechinomys</i>	Kultarr or Wuhl-wuhl		3	Least Risk

<i>Family Myrmecobiidae</i>				
<i>Myrmecobius</i>	Numbat or Banded Anteater	3	Least Risk	
<i>Family Thylacinidae</i>				
<i>Thylacinus</i>	Tasmanian Wolf (probably extinct)	1	Greater Risk	
<i>Family Notoryctidae</i>				
<i>Notoryctes</i>	Marsupial Mole	3	Least Risk	
<i>Family Peramelidae</i>				
<i>Peroryctes</i>	}			
<i>Microperoryctes</i>	}			
<i>Perameles</i>	}			
<i>Echymipera</i>	}– Bandicoots	3	Least Risk	
<i>Rhynchomeles</i>	}			
<i>Isodon</i>	}			
<i>Chaeropus</i>	}			
<i>Family Thylacomyidae</i>				
<i>Macrotis</i>	Rabbit Bandicoots	3	Least Risk	
<i>Family Phalangeridae</i>				
<i>Trichosurus</i>	Brush-tailed Possums	2	Less Risk	
<i>Wyulda</i>	Scaly-tail Possum	3	Least Risk	
<i>Phalanger</i>	Phalangers	3	Least Risk	
<i>Family Burramyidae</i>				
<i>Cercatetus</i>)			
<i>Distoechurus</i>	}– Pygmy Possums	3	Least Risk	
<i>Acrobates</i>)			
<i>Burramys</i>)			
<i>Family Petauridae</i>				
<i>Gymnobelideus</i>	Leadbetter's Possum)		
<i>Petaurus</i>	Gliders)		
<i>Pseudocheirus</i>	Ringtail Possums	}–	3	Least Risk
<i>Schoinobates</i>	Greater Glider)		
<i>Dactylopsila</i>	Striped Possum)		
<i>Family Macropodidae</i>				
<i>Hypsiprymnodon</i>)			
<i>Potorous</i>)			
<i>Bettongia</i>)			
<i>Aepyprymnus</i>)			
<i>Caloprymnus</i>	}– Rat Kangaroos, Rock & Hare			
<i>Thylogale</i>) Wallabies	3	Least Risk	
<i>Petrogale</i>)			
<i>Peradorcas</i>)			
<i>Lagorchestes</i>)			
<i>Setonyx</i>)			
<i>Lagostrophus</i>)			

Family Macropodidae (continued)

Macropus

<i>M. rufus</i>	Red Kangaroo (adult males)	1	Special Kicking Risk
	(females & young)	2	Less Risk
<i>M. giganteus</i>	Great Grey Kangaroo(adult males)	1	Special Kicking Risk
	(females & young)	2	Less Risk
<i>M. fuliginosus</i>	Western Grey Kangaroo(adult males)	1	Special Kicking Risk
	(females & young)	2	Less Risk
<i>M. robustus</i>	Wallaroo or Euro(adult males)	1	Special Kicking Risk
	(females & young)	2	Less Risk
<i>M. antilopinus</i>	Antelope Kangaroo	2	Less Risk
<i>M. species</i>	Smaller Kangaroos	3	Least Risk

Wallabia)

Onychogalea)

Dendrolagus)– Wallabies & Tree Kangaroos 3 Least Risk

Dorcopsis)

Dorcopsulus)

Family Phascolarctidae

Phascolarctos Koala 2 Less Risk

Family Vombatidae

Vombatus Common Wombat 2 Less Risk

Lasiiorhinus Hairy-nosed Wombat 2 Less Risk

Family Tarsipedidae

Tarsipes Honey Possum 3 Least Risk

Order INSECTIVORA

Family Solenodontidae

Solenodon Solenodons 2 Less Risk

Family Tenrecidae

Tenrec)

Setifer)

Hemicentetes)

Dasogale)

Echinops)– Tenrecs 3 Least Risk

Oryzorictes)

Microgale)

Limnogale)

Geogale)

Potamogale)

Micropotamogale)

<i>Family Chrysochloridae</i>				
<i>Chrysochloris</i>)			
<i>Eremitalpa</i>)			
<i>Calcochloris</i>)			
<i>Cryptochloris</i>)–	Golden Moles	3	Least Risk
<i>Amblysomus</i>)			
<i>Chlorotalpa</i>)			
<i>Chrysospalax</i>)			
<i>Family Erinaceidae</i>				
<i>Echinosorex</i>		Moonrat	2	Less Risk
<i>Hylomys</i>		Lesser Moonrat	2	Less Risk
<i>Podogymnura</i>		Mindanao Moonrat	2	Less Risk
<i>Neotetracus</i>		Shrew-hedgehog	3	Least Risk
<i>Neohylomys</i>		Hainan Moonrat	2	Less Risk
<i>Erinaceus</i>)			
<i>Hemiechinus</i>)–	Hedgehogs	3	Least Risk
<i>Paraechinus</i>)			
<i>Family Soricidae</i>				
<i>Sorex</i>)			
<i>Microsorex</i>)			
<i>Soriculus</i>)			
<i>Neomys</i>)			
<i>Blarina</i>)			
<i>Blarinella</i>)			
<i>Cryptotis</i>)			
<i>Notiosorex</i>)			
<i>Megasorex</i>)			
<i>Crocidura</i>)–	Shrews	3	Least Risk
<i>Suncus</i>)			
<i>Feroculus</i>)			
<i>Solisorex</i>)			
<i>Paracrocidura</i>)			
<i>Sylvisorex</i>)			
<i>Myosorex</i>)			
<i>Diplomesodon</i>)			
<i>Anourosorex</i>)			
<i>Chimarrogale</i>)			
<i>Nectogale</i>)			
<i>Scutisorex</i>)			

<i>Family Talpidae</i>				
<i>Uropsilus</i>)			
<i>Desmana</i>)			
<i>Galemys</i>)			
<i>Talpa</i>)			
<i>Scaptomys</i>)–	Moles	3	Least Risk
<i>Neurotrichus</i>)			
<i>Scapanulus</i>)			
<i>Parascalops</i>)			
<i>Scapanus</i>)			
<i>Scalopus</i>)			
<i>Condylura</i>)			
<i>Order MACROSCELIDEA</i>				
<i>Family Macroscelididae</i>				
<i>Macroscelides</i>)			
<i>Elephantulus</i>)–	Elephant Shrews	3	Least Risk
<i>Petrodromus</i>)			
<i>Rhynchocyon</i>)			
<i>Order DERMOPTERA</i>				
<i>Family Cynocephalidae</i>				
<i>Cynocephalus</i>		Flying Lemur or Colugo	3	Least Risk
<i>Order CHIROPTERA</i>				
<i>Sub-order Megachiroptera</i>				
<i>Family Pteropodidae</i>				
<i>Eidolon</i>)			
<i>Rousettus</i>)			
<i>Lissonycteris</i>)			
<i>Myonycteris</i>)			
<i>Boneia</i>)			
<i>Pteropus</i>)			
<i>Pteralopex</i>)			
<i>Acerodon</i>)			
<i>Neopteryx</i>)			
<i>Styloctenium</i>)–	Fruit Bats	2	Less Risk
<i>Plerotes</i>)			
<i>Hypsignathus</i>)			
<i>Epomops</i>)			
<i>Epomophorus</i>)			
<i>Micropterus</i>)			
<i>Nanonycteris</i>)			
<i>Scotonycteris</i>)			
<i>Casinycteris</i>)			
<i>Cynopterus</i>)			
<i>Megaerops</i>)			

Family Pteropodidae continued

<i>Ptenochirus</i>)			
<i>Dyacopterus</i>)			
<i>Chironax</i>)			
<i>Latidens</i>)			
<i>Penthetor</i>)			
<i>Thoopterus</i>)			
<i>Aproteles</i>)			
<i>Sphaerias</i>)			
<i>Balionycteris</i>)			
<i>Aethalops</i>)			
<i>Haplonycteris</i>)			
<i>Alionycteris</i>)–	Fruit Bats	2	Less Risk
<i>Otopterus</i>)			
<i>Harpionycteris</i>)			
<i>Nyctimene</i>)			
<i>Paranyctimene</i>)			
<i>Eonycteris</i>)			
<i>Megaloglossus</i>)			
<i>Macroglossus</i>)			
<i>Syconycteris</i>)			
<i>Melonycteris</i>)			
<i>Nesonycteris</i>)			
<i>Notopteris</i>)			
<i>Sub-order Microchiroptera</i>				
<i>Family Rhinopomatidae</i>				
<i>Rhinopoma</i>		Mouse-tailed Bats	3	Least Risk
<i>Family Emballonuridae</i>				
<i>Emballonura</i>)			
<i>Coleura</i>)			
<i>Rhynchonycteris</i>)			
<i>Saccopteryx</i>)			
<i>Cormura</i>)			
<i>Peropteryx</i>)–	Old World Sheath-tailed Bats	3	Least Risk
<i>Peronymus</i>)			
<i>Centronycteris</i>)			
<i>Balantiopteryx</i>)			
<i>Taphozous</i>)			
<i>Diclidurus</i>)–	Old World Sheath-tailed Bats	3	Least Risk
<i>Depanycteris</i>)			
<i>Cyttarops</i>)			
<i>Family Craseonycteridae</i>				
<i>Craseonycteris</i>		Hog-nosed Bats	3	Least Risk

<i>Family Nycteridae</i>			
<i>Nycteris</i>	Slit-faced Bats	3	Least Risk
<i>Family Megadermatidae</i>			
<i>Megaderma</i>	False Vampires)		
<i>Macroderma</i>	Ghost Bat)–	3	Least Risk
<i>Cardioderma</i>	Heart-nosed Bat)		
<i>Lavia</i>	Yellow-winged Bat)		
<i>Family Rhinolophidae</i>			
<i>Rhinolophus</i>	Horseshoe Bats	3	Least Risk
<i>Family Hipposideridae</i>			
<i>Hipposideros</i>)		
<i>Asellia</i>)		
<i>Aselliscus</i>)		
<i>Anthops</i>)		
<i>Cloeotis</i>)– Old World Leaf-nosed Bats	3	Least Risk
<i>Rhinonycteris</i>)		
<i>Tricaenops</i>)		
<i>Coelops</i>)		
<i>Paracoelops</i>)		
<i>Family Noctilionidae</i>			
<i>Noctilio</i>	Bulldog Bats	3	Least Risk
<i>Family Mormoopidae</i>			
<i>Pteronotus</i>	Naked-backed Bats)	3	Least Risk
<i>Mormoops</i>	Ghost-faced Bats)		
<i>Family Phyllostomatidae</i>			
<i>Micronycteris</i>)		
<i>Bartionycteris</i>)		
<i>Macrotus</i>)		
<i>Lonchorhina</i>)		
<i>Macrophyllum</i>)		
<i>Tonatia</i>)		
<i>Mimon</i>)		
<i>Phyllostomus</i>)– New World Leaf-nosed Bats	3	Least Risk
<i>Phylloderma</i>)		
<i>Trachops</i>)		
<i>Chrotopterus</i>)		
<i>Vampyrum</i>)		
<i>Glossophaga</i>)		
<i>Monophyllus</i>)		
<i>Leptonycteris</i>)		
<i>Lonchophylla</i>)		
<i>Lionycteris</i>)		
<i>Anoura</i>)		
<i>Scleronycteris</i>)		

<i>Lichonycteris</i>)			
<i>Hylonycteris</i>)			
<i>Platalina</i>)			
<i>Choeroniscus</i>)			
<i>Choeronycteris</i>)			
<i>Musonycteris</i>)			
<i>Carollia</i>)			
<i>Rhinophylla</i>)–	New World Leaf-nosed Bats	3	Least Risk
<i>Sturnira</i>)			
<i>Uroderma</i>)			
<i>Vampyrops</i>)			
<i>Vampyrodes</i>)			
<i>Vampyressa</i>)			
<i>Chiroderma</i>)			
<i>Ectophylla</i>)			
<i>Artibeus</i>)			
<i>Enchisthenes</i>)			
<i>Ardops</i>)			
<i>Phyllops</i>)			
<i>Ariteus</i>)			
<i>Stenoderma</i>)			
<i>Pygoderma</i>)			
<i>Ametrida</i>)			
<i>Sphaeronycteris</i>)			
<i>Centurio</i>)			
<i>Brachyphylla</i>)			
<i>Erophylla</i>)			
<i>Phyllonycteris</i>)			
<i>Family Desmodontidae</i>				
<i>Desmodus</i>)			
<i>Diaemus</i>)–	Vampire Bats	1	Special Rabies Risk
<i>Diphylla</i>)			
<i>Family Natalidae</i>				
<i>Natalus</i>		Funnel-eared Bats	3	Least Risk
<i>Family Furipteridae</i>				
<i>Furipterus</i>)	Smoky Bats	3	Least Risk
<i>Amorphochilus</i>)			
<i>Family Thyropteridae</i>				
<i>Thyroptera</i>		Disc-Winged Bats	3	Least Risk

Family *Vespertilionidae*

- Myotis)
- Pizonyx)
- Lasionycteris)
- Eudiscopus)
- Pipistellus)
- Scotozous)
- Nyctalus)
- Glischropus)
- la)
- Vespertilio*)
- Laephotis*)
- Histiotus*)
- Philetor*)
- Tylonycteris*)
- Mimetillus*)
- Hesperotenus*)
- Glauconycteris*)
- Chalinolobus*)
- Scotoecus*)
- Nycticeius*)
- Rhogeesa*)
- Baeodon*)
- Scotomanes*)
- Scotophilus*)
- Otonycteris*)
- Lasiurus*)
- Dasypterus*)
- Barbastella*)
- Plecotus*)
- Idionycteris*)
- Euderma*)
- Miniopterus*)
- Murina*)
- Harpiocephalus*)
- Kerivoula*)
- Phoniscus*)
- Antrozous*)
- Lamingtona*)
- Nyctophilus*)
- Pharotis*)
- Tomopeas*)

Evening Bats

3

Least Risk

<i>Family Myzopodidae</i>				
<i>Myzopoda</i>	Madagascan Sucker-footed Bat	3	Least Risk	
<i>Family Mystacinidae</i>				
<i>Mystacina</i>	New Zealand Short-tailed Bat	3	Least Risk	
<i>Family Molossidae</i>				
<i>Tadarida</i>)			
<i>Xiphonycteris</i>)			
<i>Otomops</i>)			
<i>Neoplatymops</i>)			
<i>Sauromops</i>)			
<i>Platymops</i>)– Free-tailed Bats	3	Least Risk	
<i>Myopterus</i>)			
<i>Molossops</i>)			
<i>Eumops</i>)			
<i>Promops</i>)			
<i>Molossus</i>)			
<i>Cheiromeles</i>)			
<i>Order SCANDENTIA</i>				
<i>Family Tupaiidae</i>				
<i>Tupaia</i>)			
<i>Anathana</i>)			
<i>Dendrogale</i>)– Tree Shrews	3	Least Risk	
<i>Urogale</i>)			
<i>Ptilocercus</i>)			
<i>Order PRIMATES</i>				
<i>Family Cheirogaleidae</i>				
<i>Microcebus</i>)			
<i>Cheirogaleus</i>) Dwarf Lemurs &			
<i>Allocebus</i>) Mouse Lemurs	3	Least Risk	
<i>Phaner</i>)			
<i>Family Lemuridae</i>				
<i>Lemur</i>	Lemurs	2	Less Risk	
<i>Hapalemur</i>	Gentle Lemur	3	Least Risk	
<i>Varecia</i>	Ruffed Lemur	2	Less Risk	
<i>Lepilemur</i>	Weasel & Sportive Lemurs	2	Less Risk	
<i>Family Indriidae</i>				
<i>Avahi</i>	Woolly Indris	2	Less Risk	
<i>Propithecus</i>	Sifakas	2	Less Risk	
<i>Indri</i>	Indris	2	Less Risk	
<i>Family Daubentonidae</i>				
<i>Daubentonia</i>	Aye-Aye	2	Less Risk	

Family Lorisidae

Sub-family Lorisinae

Loris)

Nycticebus)– Lorises 3 Least Risk

Perodicticus)

Arctocebus)

Sub-family Galaginae

Galago)

Otolemur)– Bushbabies 3 Least Risk

Euoticus)

Galagoides)

Family Tarsiidae

Tarsius Tarsiers 3 Least Risk

Family Callitrichidae

Callithrix)

Cebuella)

Saguinus)– Marmosets & Tamarins 2 Less Risk

Leontopithecus)

Callimico)

Family Cebidae

Cebus Capuchin Monkeys
(adult males) 1 Greater Risk
(females & young) 2 Less Risk

Aotus Douroucouli 2 Less Risk

Callicebus Titis 2 Less Risk

Saimiri Squirrel Monkeys 2 Less Risk

Pithecia Sakis 2 Less Risk

Cacajao Uakaris 2 Less Risk

Chiropotes Sakis 2 Less Risk

Alouatta Howler Monkeys 1 Greater Risk

Ateles Spider Monkeys
(adult males) 1 Greater Risk
(females & young) 2 Less Risk

Brachyteles Woolly Monkeys
(adult males) 1 Greater Risk
(females & young) 2 Less Risk

Lagothrix Woolly Spider Monkeys
(adult males) 1 Greater Risk
(females & young) 2 Less Risk

<i>Family Cercopithecidae</i>			
<i>Sub-family Cercopithecinae</i>			
<i>Macaca</i>	Macaques	1	Greater Risk
<i>Cercocebus</i>	Mangabeys	1	Greater Risk
<i>Papio</i>	Baboons	1	Greater Risk
<i>Mandrillus</i>	Mandrill	1	Greater Risk
<i>Theropithecus</i>	Gelada	1	Greater Risk
<i>Cercopithecus</i>	Guenons	1	Greater Risk
<i>Miopithecus</i>	Talapoin Monkey	2	Less Risk
<i>Allenopithecus</i>	Allen's Monkey	1	Greater Risk
<i>Erythrocebus</i>	Patas Monkey	1	Greater Risk
<i>Sub-family Colobinae</i>			
<i>Colobus</i>	Colobus Monkeys	2	Less Risk
<i>Procolobus</i>	Olive Colobus	2	Less Risk
<i>Pygathrix</i>	Snub-nosed & Douc Langur	2	Less Risk
<i>Nasalis</i>	Proboscis Monkey	2	Less Risk
<i>Presbytis</i>	Langurs	2	Less Risk
<i>Family Pongidae</i>			
<i>Hylobates</i>	Gibbons	1	Greater Risk
<i>Pongo</i>	Orang-utan	1	Greater Risk
<i>Pan</i>	Chimpanzees	1	Greater Risk
<i>Gorilla</i>	Gorilla	1	Greater Risk
<i>Order EDENTATA</i>			
<i>Family Myrmecophagidae</i>			
<i>Myrmecophaga</i>	Giant Ant-eater	1	Greater Risk
<i>Tamandua</i>	Tamandua	2	Less Risk
<i>Cyclopes</i>	Pygmy or Silky Anteater	3	Least Risk
<i>Family Bradypodidae</i>			
<i>Bradypus</i>	Three-toed Sloths	1	Greater Risk
<i>Choloepus</i>	Two-toed Sloths	1	Greater Risk
<i>Family Dasypodidae</i>			
<i>Euphractus</i>	Six-banded Armadillo	3	Least Risk
<i>Zaedyus</i>	Pichi	3	Least Risk
<i>Priodontes</i>	Giant Armadillo	2	Less Risk
<i>Cabassous</i>	Broad-banded Armadillos	3	Least Risk
<i>Tolypeutes</i>	Three-banded Armadillos	3	Least Risk
<i>Dasybus</i>	Armadillos	3	Least Risk
<i>Chlamyphorus</i>	Fairy Armadillo	3	Least Risk
<i>Calyptophractus</i>	Burmeister's Armadillo	3	Least Risk
<i>Order PHOLIDOTA</i>			
<i>Family Manidae</i>			
<i>Manis</i>	Pangolins	3	Least Risk

Order LAGOMORPHA

Family Ochotonidae

Ochotona Pikas 3 Least Risk

Family Leporidae

Pentalagus)

Pronolagus)

Romerolagus)

Caprolagus)

Lepus)– Rabbits & Hares 3 Least Risk

Poelagus)

Sylvilagus)

Oryctolagus)

Nesolagus)

Order RODENTIA

Sub-order Sciuromorpha

Family Aplodontidae

Aplodontia Mountain Beaver 3 Least Risk

Family Sciuridae

Sciurus)

Syntheosciurus)

Microsciurus)

Sciurillus)– Squirrels 3 Least Risk

Prosciurillus)

Rheithrosciurus)

Tamiasciurus)

Funambulus)

Ratufa) Giant Squirrels 2 Less Risk

Protoxerus)

Epixerus)

Funisciurus)

Paraxerus)

Heliosciurus)

Myosciurus)

Callosciurus)

Sundasciurus)

Menetes)

Rhinosciurus)

Lariscus)

Dremomys)

Sciurotamias)

Glyphotes)

Nannosciurus)

Exilisciurus)

Family Sciuridae continued

<i>Atlantoxerus</i>)–	Squirrels, Marmots		
<i>Xerus</i>)	& Flying Squirrels	3	Least Risk
<i>Spermophilus</i>)			
<i>Marmota</i>)			
<i>Cynomys</i>)			
<i>Ammospermophilus</i>)			
<i>Tamias</i>)			
<i>Petuarista</i>)			
<i>Eupetaurus</i>)			
<i>Pteromys</i>)			
<i>Glaucomys</i>)			
<i>Aeromys</i>)			
<i>Hylopetes</i>)			
<i>Petinomys</i>)			
<i>Aeretes</i>)			
<i>Trogopterus</i>)			
<i>Belomys</i>)			
<i>Pteromyscus</i>)			
<i>Petaurillus</i>)			
<i>Iomys</i>)			

Family Geomyidae

<i>Geomys</i>)			
<i>Thomomys</i>)			
<i>Pappogeomys</i>)–	Pocket Gophers	3	Least Risk
<i>Orthogeomys</i>)			
<i>Zygogeomys</i>)			

Family Heteromyidae

<i>Perognathus</i>)			
<i>Microdipodops</i>)			
<i>Dipodomys</i>)–	Kangaroo Mice & Pocket Mice	3	Least Risk
<i>Liomys</i>)			
<i>Heteromys</i>)			

Family Castoridae

<i>Castor</i>		Beaver	2	Less Risk
---------------	--	--------	---	-----------

Family Anomaluridae

<i>Anomalurus</i>)			
<i>Idiurus</i>)–	Scaly-tailed Flying Squirrels	3	Least Risk
<i>Zenkerella</i>)			

Family Pedetidae

<i>Pedetes</i>		Spring Haas	3	Least Risk
----------------	--	-------------	---	------------

Sub-order Myomorpha

Family Muridae

Sub-family Hesperomyinae

Oryzomys)

Megalomys)

Wiedomys)

Neacomys)

Scolomys)

Nectomys)

Rhipidomys)

Thomasomys)

Phaenomys)

Chilomys)

Tylomys)

Otodylomys)— New World Rats & Mice 3 Least Risk

Nyctomys)

Otonyctomys)

Rhagomys)

Reithrodontomys)

Peromyscus)

Ochrotomys)

Baiomys)

Onychomys)

Akodon)

Abrothrix)

Bolomys)

Chroeomys)

Hypsimys)

Microxus)

Talpomys)

Thaptomys)

Cabreramys)

Zygodontomys)

Podoxymys)

Lenoxus)

Oxymycterus)

Juscelinomys)

Blarinomys)

Notiomys)

Kunsia)

Scapteromys)

Scotinomys)

Calomys)

Eligmodontia)

Sub-family Hesperomyinae continued

<i>Graomys</i>)			
<i>Andalgalomys</i>)			
<i>Pseudoryzomys</i>)			
<i>Phyllottis</i>)			
<i>Auliscomys</i>)			
<i>Irenomys</i>)			
<i>Chinchillula</i>)			
<i>Punomys</i>)			
<i>Neotomys</i>)			
<i>Reithrodon</i>)			
<i>Euneomys</i>)			
<i>Holochilus</i>)–	New World Rats & Mice	3	Least Risk
<i>Sigmodon</i>)			
<i>Andinomys</i>)			
<i>Neotomodon</i>)			
<i>Neotoma</i>)			
<i>Nelsonia</i>)			
<i>Xenomys</i>)			
<i>Ichthyomys</i>)			
<i>Anotomys</i>)			
<i>Daptomys</i>)			
<i>Rheomys</i>)			
<i>Neusticomys</i>)			
<i>Calomyscus</i>)			
<i>Sub-family Cricetinae</i>				
<i>Phodopus</i>)			
<i>Cricetus</i>)	Hamsters	3	Least Risk
<i>Cricetulus</i>)			
<i>Mesocricetus</i>)			
<i>Sub-family Spalacinae</i>				
<i>Spalax</i>)	Blind Mole-rats	3	Least Risk
<i>Sub-family Myospalacinae</i>				
<i>Myospalax</i>)	Asiatic Mole-rats	3	Least Risk
<i>Sub-family Lophiomyinae</i>				
<i>Lophiomyys</i>)	Crested Rat	3	Least Risk
<i>Sub-family Platacanthomyinae</i>				
<i>Platacanthomys</i>)	Spiny Dormice	3	Least Risk
<i>Typhlomys</i>)			

<i>Sub-family Nesomyinae</i>				
<i>Macrotarsomys</i>)			
<i>Nesomys</i>)			
<i>Brachytarsomys</i>)			
<i>Eliurus</i>)–	Madagascan Rats	3	Least Risk
<i>Gymnuromys</i>)			
<i>Hypogeomys</i>)			
<i>Brachyuromys</i>)			
<i>Mystromys</i>)			
<i>Sub-family Otomyinae</i>				
<i>Otomys</i>)–	Swamp Rats	3	Least Risk
<i>Parotomys</i>)			
<i>Sub-family Rhizomyinae</i>				
<i>Tachyoryctes</i>)			
<i>Rhizomys</i>)–	Mole-rats & Bamboo Rats	3	Least Risk
<i>Cannomys</i>)			
<i>Sub-family Microtinae</i>				
<i>Dicrostonyx</i>)			
<i>Synaptomys</i>)			
<i>Myopus</i>)			
<i>Lemmus</i>)			
<i>Clethrionomys</i>)			
<i>Eothenomys</i>)			
<i>Alticola</i>)			
<i>Hyperacrius</i>)–	Voles & Lemmings	3	Least Risk
<i>Dinaromys</i>)			
<i>Arvicola</i>)			
<i>Ondatra</i>)			
<i>Neofiber</i>)			
<i>Phenacomys</i>)			
<i>Pitymys</i>)			
<i>Microtus</i>)			
<i>Lagurus</i>)			
<i>Prometheomys</i>)			
<i>Ellobius</i>)			
<i>Sub-family Gerbillinae</i>				
<i>Gerbillus</i>)			
<i>Gerbillurus</i>)			
<i>Dipodillus</i>)			
<i>Microdillus</i>)			
<i>Tatera</i>)			
<i>Taterillus</i>)			
<i>Desmodillus</i>)			
<i>Desmodilliscus</i>)			

Sub-family Gerbillinae continued

<i>Pachyuromys</i>)–	Gerbils & Jirds	3	Least Risk
<i>Ammodillus</i>)			
<i>Sekeetamys</i>)			
<i>Meriones</i>)			
<i>Brachiones</i>)			
<i>Psammomys</i>)			
<i>Rhombomys</i>)			

Sub-family Dendromurinae

<i>Delanymys</i>)			
<i>Dendromys</i>)			
<i>Dendroprionomys</i>)			
<i>Deomys</i>)			
<i>Leimacomys</i>)–	African Climbing Mice	3	Least Risk
<i>Malacothrix</i>)			
<i>Megadendromus</i>)			
<i>Petromyscus</i>)			
<i>Steatomys</i>)			
<i>Prionomys</i>)			

Sub-family Cricetomyinae

<i>Beamys</i>)			
<i>Saccostomus</i>)–	African Pouched Rats	3	Least Risk
<i>Cricetomys</i>)			

Sub-family Murinae

<i>Hapalomys</i>)			
<i>Vernaya</i>)			
<i>Tokudaia</i>)			
<i>Vandeleuria</i>)			
<i>Micromys</i>)			
<i>Apodemus</i>)			
<i>Thamnomys</i>)–	Mice	3	Least Risk
<i>Carpomys</i>)			
<i>Mindanaomys</i>)			
<i>Batomys</i>)			
<i>Pithecheir</i>)			
<i>Hyomys</i>)			
<i>Conilurus</i>)			
<i>Zyzomys</i>)			
<i>Mesembriomys</i>)			
<i>Oenomys</i>)			
<i>Mylomys</i>)			
<i>Dasymys</i>)			
<i>Arvicanthis</i>)			
<i>Hadromys</i>)			

Sub-family Murinae continued

<i>Golunda</i>)			
<i>Pelomys</i>)			
<i>Lemniscomys</i>)			
<i>Rhabdomys</i>)			
<i>Hybomys</i>)			
<i>Millardia</i>)			
<i>Dacnomys</i>)			
<i>Eropeplus</i>)			
<i>Stenocephalemys</i>)			
<i>Rattus</i>)			
<i>Maxomys</i>)			
<i>Aethomys</i>)			
<i>Thallomys</i>)			
<i>Praomys</i>)			
<i>Limnomys</i>)			
<i>Stochomys</i>)			
<i>Tarsomys</i>)			
<i>Tryphomys</i>)			
<i>Leporillus</i>)			
<i>Leggadina</i>)			
<i>Pseudomys</i>)			
<i>Melomys</i>)			
<i>Pogonomelomys</i>)			
<i>Solomys</i>)			
<i>Uromys</i>)			
<i>Xenuromys</i>)			
<i>Malacomys</i>)			
<i>Haeromys</i>)			
<i>Chiromyscus</i>)			
<i>Diomys</i>)			
<i>Zelotomys</i>)			
<i>Muriculus</i>)			
<i>Mus</i>)			
<i>Colomys</i>)			
<i>Nesoromys</i>)			
<i>Crunomys</i>)			
<i>Macruromys</i>)			
<i>Lorentzimys</i>)			
<i>Lophuromys</i>)			
<i>Notomys</i>)			
<i>Mastacomys</i>)			
<i>Echinothrix</i>)			
<i>Melasmothrix</i>)–	Mice	3	Least Risk

Sub-family Murinae continued

Tateomys)
Acomys)
Uranomys)
Bandicota)
Nesokia)
Asinomys)
Lenomys)
Pogonomys)
Chiropodomys)
Mallomys)
Papagomys)
Phloeomys)
Crateromys)

Sub-family Hydromyinae

Chrotomys)
Celaenomys)
Crossomys)
Xeromys)–
Hydromys)
Parahydromys)
Neohydromys)
Leptomys)
Paraleptomys)
Pseudohydromys)
Microhydromys)–
Mayermys)
Rhynchomys)

Island Water Rats

3 Least Risk

Island Water Rats

3 Least Risk

Family Gliridae

Glis Fat or Edible Dormouse)
Muscardinus Hazel Dormouse)
Eliomys Garden Dormouse)
Dryomys Woolly and Forest Dormice)–
Glirurus Japanese Dormouse)
Myomimus Mouse-tailed Dormouse)
Graphiurus African Dormice)

3 Least Risk

Family Seleviniidae

Selevinia Desert Dormouse

3 Least Risk

Family Zapodidae

Sicista)
Zapus)
Eozapus)–
Napaeozapus)

Birch Mice

3 Least Risk

Jumping Mice

3 Least Risk

Family Dipodidae

Dipus)

Paradipus)

Jaculus)

Stylodipus)

Allactaga)– Jerboas 3 Least Risk

Alactagulus)

Pygeretmus)

Cardiocranius)

Salpingotus)

Euchoreutes)

Sub-order Hystricomorpha

Family Hystricidae

Thecurus Indonesian Porcupines 2 Less Risk

Hystrix Porcupines 2 Less Risk

Atherurus Brush-tailed Porcupine 2 Less Risk

Trichys Long-tailed Porcupine 2 Less Risk

Family Erithizontidae

Erithizon North American Porcupine 2 Less Risk

Coendou Tree Porcupine 2 Less Risk

Echinoprocta Amazon Porcupine 2 Less Risk

Chaetomys Thin-spined Porcupine 2 Less Risk

Family Caviidae

Cavia)

Kerodon)– Cavies 3 Least Risk

Galea)

Microcavia)

Dolichotis Mara 3 Least Risk

Family Hydrochoeridae

Hydrochoerus Capybara 2 Less Risk

Family Dinomyidae

Dinomys Paca-rana 2 Less Risk

Family Dasyproctidae

Cuniculus Pacas 2 Less Risk

Dasyprocta Agoutis)– 3 Least Risk

Myoprocta Acouchis)

Family Chinchillidae

Lagostomus Plains Viscacha)

Lagidium Mountain Viscachas)– 3 Least Risk

Chinchilla Chinchillas)

Family Capromyidae

Capromys Hutias 2 Less Risk

Plagiodontia Hispaniola Hutia 2 Less Risk

Myocastor Coypu 2 Less Risk

<i>Family Octodontidae</i>				
<i>Octodon</i>)			
<i>Octodontomys</i>)			
<i>Spalacopus</i>)–	Degus	3	Least Risk
<i>Aconaemys</i>)			
<i>Octomys</i>)			
<i>Family Ctenomyidae</i>				
<i>Ctenomys</i>		Tuco-tucos	3	Least Risk
<i>Family Abrocomidae</i>				
<i>Abrocoma</i>		Chinchilla Rats	3	Least Risk
<i>Family Echimyidae</i>				
<i>Proechimys</i>)			
<i>Hoplomys</i>)			
<i>Euryzygomatomys</i>)			
<i>Clyomys</i>)			
<i>Carterodon</i>)			
<i>Cercomys</i>)			
<i>Mesomys</i>)–	American Spiny Rats	3	Least Risk
<i>Lonchothrix</i>)			
<i>Isothrix</i>)			
<i>Diplomys</i>)			
<i>Echimys</i>)			
<i>Dactylomys</i>)			
<i>Kannabateomys</i>)			
<i>Thrinacodus</i>)			
<i>Family Thryonomyidae</i>				
<i>Thryonomys</i>		Cane Rats	3	Least Risk
<i>Family Petromyidae</i>				
<i>Petromus</i>		Rock Rat	3	Least Risk
<i>Family Bathyergidae</i>				
<i>Georychus</i>)			
<i>Cryptomys</i>)			
<i>Heliophobius</i>)–	Mole-rats	3	Least Risk
<i>Bathyergus</i>)			
<i>Heterocephalus</i>)			
<i>Family Ctenodactylidae</i>				
<i>Ctenodactylus</i>)			
<i>Pectinator</i>)–	Gundis	3	Least Risk
<i>Massoutiera</i>)			
<i>Felovia</i>)			

Order CARNIVORA

Family Canidae

Canis (wild species only)

<i>C. lupus</i>	Wolf	1	Greater Risk
<i>C. species</i>	Coyote, Jackals	2	Less Risk
<i>Alopex</i>	Arctic Fox	2	Less Risk
<i>Vulpes</i>	Common Foxes	2	Less Risk
<i>Dusicyon</i>	South American Foxes	2	Less Risk
<i>Nyctereutes</i>	Raccoon Dog	2	Less Risk
<i>Chrysocyon</i>	Maned Wolf	2	Less Risk
<i>Speothos</i>	Bush Dog	2	Less Risk
<i>Cuon</i>	Dhole	2	Less Risk
<i>Lycaon</i>	Hunting Dog	1	Greater Risk
<i>Otocyon</i>	Bat-eared Fox	2	Less Risk

Family Ursidae

<i>Tremarctos</i>	Spectacled Bear	1	Greater Risk
<i>Selenarctos</i>	Asiatic Black Bear	1	Greater Risk
<i>Ursus</i>	Brown and American Black Bears	1	Greater Risk
<i>Thalarctos</i>	Polar Bear	1	Greater Risk
<i>Helarctos</i>	Sun Bear	1	Greater Risk
<i>Melursus</i>	Sloth Bear	1	Greater Risk

Family Procyonidae

<i>Bassariscus</i>	Cacomistles	2	Less Risk
<i>Procyon</i>	Raccoons	2	Less Risk
<i>Nasua</i>	Coatis	2	Less Risk
<i>Nasuella</i>	Mountain Coati	2	Less Risk
<i>Potos</i>	Kinkajou	2	Less Risk
<i>Bassaricyon</i>	Olingo	2	Less Risk

Family Ailuropodidae

<i>Ailurus</i>	Red Panda	2	Less Risk
<i>Ailuropoda</i>	Giant Panda	1	Greater Risk

Family Mustelidae

Sub-family Mustelinae

<i>Mustela</i>	Minks, Stoats, Weasels	2	Less Risk
<i>Vormela</i>	Marbled Polecat	2	Less Risk
<i>Martes</i>	Martens	2	Less Risk
<i>Eira</i>	Tayra	2	Less Risk
<i>Galictis</i>	Grison	2	Less Risk
<i>Lyncodon</i>	Patagonian Weasel	2	Less Risk
<i>Ictonyx</i>	Zorilla	2	Less Risk
<i>Poecilictis</i>	Libyan Weasel	2	Less Risk
<i>Poecilogale</i>	White-naped Weasel	2	Less Risk
<i>Gulo</i>	Wolverine or Glutton	1	Greater Risk
<i>Mellivora</i>	Ratel	1	Greater Risk

Sub-family Mustelinae continued

<i>Meles</i>	Badger	2	Less Risk
<i>Arctonyx</i>	Hog Badger	2	Less Risk
<i>Mydaus</i>	Malay Badger	2	Less Risk
<i>Taxidea</i>	American Badger	2	Less Risk
<i>Melogale</i>	Ferret Badgers	2	Less Risk
<i>Mephitis</i>	Skunks	2	Less Risk
<i>Spilogale</i>	Spotted Skunks	2	Less Risk
<i>Conepatus</i>	Hog-nosed and South American Skunks	2	Less Risk

*Sub-family**Lutrinae*

<i>Lutra</i>	Otters	1	Greater Risk
<i>Pteronura</i>	Giant Otter	1	Greater Risk
<i>Aonyx</i>	Small-toothed Otters	1	Greater Risk
<i>Enhydra</i>	Sea Otters	1	Greater Risk

Family Viverridae

<i>Poiana</i>	African Linsang	2	Less Risk
<i>Genetta</i>	Genets	2	Less Risk
<i>Viverricula</i>	Small Indian Civet	2	Less Risk
<i>Osbornictis</i>	Water Civet	2	Less Risk
<i>Viverra</i>	Civets	2	Less Risk
<i>Prionodon</i>	Asiatic Linsangs	2	Less Risk
<i>Nandinia</i>	African Palm Civet	2	Less Risk
<i>Arctogalidea</i>	Small-toothed Palm Civet	2	Less Risk
<i>Paradoxurus</i>	Palm Civets	2	Less Risk
<i>Paguma</i>	Masked Palm Civets	2	Less Risk
<i>Macrogalidea</i>	Brown Palm Civet	2	Less Risk
<i>Arctictis</i>	Binturong	2	Less Risk
<i>Fossa</i>	Malagasy Civet	2	Less Risk
<i>Hemigalus</i>	Banded Palm Civets	2	Less Risk
<i>Chrotogale</i>	Owston's Civet	2	Less Risk
<i>Cynogale</i>	Otter Civet	2	Less Risk
<i>Eupleres</i>	Falanoucs	2	Less Risk
<i>Galidea</i>	Malagasy Mongoose	2	Less Risk
<i>Galidictis</i>	Malagasy Mongooses	2	Less Risk
<i>Mungotictis</i>	Malagasy Mongooses	2	Less Risk
<i>Salanoia</i>	Malagasy Mongooses	2	Less Risk
<i>Suricata</i>	Meerkat or Suricate	2	Less Risk
<i>Herpestes</i>	Mongooses	2	Less Risk
<i>Helogale</i>	Dwarf Mongooses	2	Less Risk
<i>Dologale</i>	Dwarf Mongooses	2	Less Risk
<i>Atilax</i>	Marsh Mongoose	2	Less Risk
<i>Mungos</i>	Banded Mongooses	2	Less Risk

Family Viverridae continued

<i>Crossarchus</i>	Kusimanse	2	Less Risk
<i>Liberiictis</i>	Kuhn's Kusimanse	2	Less Risk
<i>Ichneumia</i>	White-tailed Mongoose	2	Less Risk
<i>Bdeogale</i>	Mongoose	2	Less Risk
<i>Rhynchogale</i>	Mongoose	2	Less Risk
<i>Cynictis</i>	Mongoose	2	Less Risk
<i>Paracynictis</i>	Selous' Meerkat	2	Less Risk
<i>Cryptoprocta</i>	Fossa	2	Less Risk

Family Hyaenidae

<i>Proteles</i>	Aardwolf	3	Least Risk
<i>Crocuta</i>	Spotted Hyaena	1	Greater Risk
<i>Hyaena</i>	Hyaenas	1	Greater Risk

Family Felidae

<i>Felis</i>			
<i>F. concolor</i>	Puma	1	Greater Risk
<i>F. species (wild species)</i>	Wild Cats, Lynxes	1	Greater Risk
<i>Panthera</i>	Lion, Tiger, Leopard Jaguar	1	Greater Risk
<i>Neofelis</i>	Clouded Leopard	1	Greater Risk
<i>Acinonyx</i>	Cheetah	1	Greater Risk

*Order PINNIPEDIA**Family Otariidae*

<i>Arctocephalus</i>	Fur Seals	1	Greater Risk
<i>Callorhinus</i>	Northern Fur Seal	1	Greater Risk
<i>Zalophus</i>	California Sealion	1	Greater Risk
<i>Eumetopias</i>	Steller's Sealion	1	Greater Risk
<i>Otaria</i>	Southern Sealion	1	Greater Risk
<i>Neophoca</i>	Australian Sealion	1	Greater Risk

Family Odobenidae

<i>Odobenus</i>	Walrus	1	Greater Risk
-----------------	--------	---	--------------

Family Phocidae

<i>Phoca</i>	Common, Ringed, Caspian & Baikal Seal	1	Greater Risk
<i>Histiophoca</i>	Ribbon Seal	1	Greater Risk
<i>Pagophilus</i>	Harp Seal	1	Greater Risk
<i>Halichoerus</i>	Grey Seal	1	Greater Risk
<i>Erignathus</i>	Bearded Seal	1	Greater Risk
<i>Lobodon</i>	Crab-eating Seal	1	Greater Risk
<i>Ommatophoca</i>	Ross Seal	1	Greater Risk
<i>Hydrurga</i>	Leopard Seal	1	Greater Risk
<i>Leptonychotes</i>	Weddell Seal	1	Greater Risk
<i>Monachus</i>	Monk Seals	1	Greater Risk
<i>Mirounga</i>	Elephant Seals	1	Greater Risk
<i>Cystophora</i>	Hooded Seal	1	Greater Risk

<i>Order TUBULIDENTATA</i>				
<i>Family Orycteropidae</i>				
<i>Orycteropus</i>	Aardvark	2	Less Risk	
<i>Order HYRACOIDEA</i>				
<i>Family Procaviidae</i>				
<i>Dendrohyrax</i>	Tree Hyrax	2	Less Risk	
<i>Heterohyrax</i>	Rock Hyrax	2	Less Risk	
<i>Procavia</i>	Rock Hyrax	2	Less Risk	
<i>Order PROBOSCOIDEA</i>				
<i>Family Elephantidae</i>				
<i>Loxodonta</i>	African Elephant	1	Greater Risk	
<i>Elephas</i>	Asian Elephant	1	Greater Risk	
<i>Order SIRENIA</i>				
<i>Family Dugongidae</i>				
<i>Dugong</i>	Dugongs	3	Least Risk	
<i>Family Trichechidae</i>				
<i>Trichechus</i>	Manatees	3	Least Risk	
<i>Order PERISSODACTYLA</i>				
<i>Family Equidae</i>				
<i>Equus</i> (wild species)	Wild Horses, Asses and Zebras	1	Greater Risk	
<i>Family Tapiridae</i>				
<i>Tapirus</i>	Tapirs	2	Less Risk	
<i>Family Rhinocerotidae</i>				
<i>Rhinoceros</i>	Asiatic Rhinoceroses	1	Greater Risk	
<i>Dicerorhinus</i>	Sumatran Rhinoceros	2	Less Risk	
<i>Ceratotherium</i>	White Rhinoceros	1	Greater Risk	
<i>Diceros</i>	Black Rhinoceros	1	Greater Risk	
<i>Order ARTIODACTYLA</i>				
<i>Family Suidae</i>				
<i>Potamochoerus</i>	Bush Pig	1	Greater Risk	
<i>Sus</i> (wild species)	Wild Boar	1	Greater Risk	
<i>Phacochoerus</i>	Wart Hog	1	Greater Risk	
<i>Hylochoerus</i>	Giant Forest Hog	1	Greater Risk	
<i>Babirousa</i>	Babirusa	1	Greater Risk	
<i>Family Tayassuidae</i>				
<i>Tayassu</i>	Peccaries	1	Greater Risk	
<i>Catagonus</i>	Chaco Peccary	1	Greater Risk	
<i>Family Hippopotamidae</i>				
<i>Hippopotamus</i>	Hippopotamus	1	Greater Risk	
<i>Choeropsis</i>	Pygmy Hippopotamus	1	Greater Risk	

<i>Family Camelidae</i>				
<i>Lama</i>				
<i>L. guanicoe</i>	Guanaco	2	Less Risk	
<i>L. glama</i>	Llama	2	Less Risk	
<i>L. pacos</i>	Alpaca	2	Less Risk	
<i>Vicugna</i>	Vicuna	2	Less Risk	
<i>Camelus</i>	Camels	1	Greater Risk	
<i>Family Tragulidae</i>				
<i>Hyemoschus</i>	Water Chevrotain)–	3	Least Risk
<i>Tragulus</i>	Chevrotains)		
<i>Family Moschidae</i>				
<i>Moschus</i>	Musk Deer		3	Least Risk
<i>Family Cervidae</i>				
<i>Hydropotes</i>	Chinese Water Deer		3	Least Risk
<i>Muntiacus</i>	Muntjaks		3	Least Risk
<i>Elaphodus</i>	Tufted Deer		3	Least Risk
<i>Cervus</i>				
(larger species)	Red Deer, Wapiti, Sika Deer		1	Special Confined Risk
(other species)	Fallow Deer, etc.			
	(adult males)		1	Special Confined Risk
	(females and young)		2	Less Risk
<i>Elaphurus</i>	Pere David's Deer		1	Greater Risk
<i>Alces</i>	Moose, European Elk		1	Greater Risk
<i>Rangifer</i>	Caribou, Reindeer (adult males)		1	Greater Risk
	(females and young)		2	Less Risk
<i>Odocoileus</i>	Mule Deer, White-tailed Deer		2	Less Risk
<i>Blastocerus</i>	Marsh Deer		2	Less Risk
<i>Ozotoceros</i>	Pampas Deer		2	Less Risk
<i>Hippocamelus</i>	Guemals		2	Less Risk
<i>Mazama</i>	South American Brockets		2	Less Risk
<i>Pudu</i>	Pudu		3	Least Risk
<i>Capreolus</i>	Roe Deer (adult males)		1	Greater Risk
	(females and young)		2	Less Risk
<i>Family Giraffidae</i>				
<i>Okapia</i>	Okapi		2	Less Risk
<i>Giraffa</i>	Giraffe		1	Greater Risk
<i>Family Antilocapridae</i>				
<i>Antilocapra</i>	Pronghorn Antelope		2	Less Risk
<i>Family Bovidae</i>				
<i>Tragelaphus</i>				
<i>T. angasi</i>	Nyala (adult males)		1	Greater Risk
	(females and young)		2	Less Risk
<i>T. buxtoni</i>	Mountain Nyala (adult males)		1	Greater Risk
	(females & young)		2	Less Risk

Family Bovidae continued

<i>T. scriptus</i>	Bushbuck (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>T. spekei</i>	Sitatunga (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>T. oryx</i>	Eland	1	Greater Risk
<i>T. derbianus</i>	Giant Eland	1	Greater Risk
<i>T. strepsiceros</i>	Greater Kudu (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>T. imberbis</i>	Lesser Kudu (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>T. euryceros</i>	Bongo (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>Boselaphus</i>	Nilghai	2	Less Risk
<i>Tetracerus</i>	Four-horned Antelope	2	Less Risk
<i>Bubalus</i>	Anoas, Tamarau, Water Buffalo	1	Greater Risk
<i>Bos</i> (wild and larger exotic domestic species)			
	Ankole, Banteng, Gaur,		
	Yak (adult males)	1	Greater Risk
	others	2	Less Risk
<i>Synceros</i>	African Buffalo	1	Greater Risk
<i>Bison</i>	American Bison, Wisent	1	Greater Risk
<i>Kobus</i>			
<i>K. ellipsiprymnus</i>	Common Waterbuck (adult males)	1	Greater Risk
	(females & young)	2	Less Risk
<i>K. defassa</i>	Defassa Waterbuck (adult males)	1	Greater Risk
	(females & young)	2	Less Risk
<i>K. kob</i>	Kob (adult males)	1	Greater Risk
	(females & young)	2	Less Risk
<i>K. leche</i>	Red Lechwe (adult males)	1	Greater Risk
	(females & young)	2	Less Risk
<i>K. megaceros</i>	Nile Lechwe (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>K. vardonii</i>	Puku	2	Less Risk
<i>Cephalophus</i>	Duikers	2	Less Risk
<i>Sylvicapra</i>	Common Duiker	2	Less Risk
<i>Redunca</i>	Reedbuck	2	Less Risk
<i>Pelea</i>	Rhebok	2	Less Risk
<i>Hippotragus</i>			
<i>H. niger</i>	Sable Antelope (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>H. equinus</i>	Roan Antelope (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>Oryx</i>	Oryxes and Gemsbok	1	Greater Risk

Family Bovidae continued

<i>Addax</i>	Addax	2	Less Risk
<i>Connochaetes</i>	Wildevbeests or Gnus	1	Greater Risk
<i>Alcephus</i>	Hartebeests	2	Less Risk
<i>Damaliscus</i>	Bontebok, Blesbok, Topi, & Hunter's Hartebeest	2	Less Risk
<i>Oreotragus</i>	Klipspringer	3	Least Risk
<i>Madoqua</i>	Dik-diks	3	Least Risk
<i>Dorcatragus</i>	Beira Antelope	3	Least Risk
<i>Ourebia</i>	Oribi	3	Least Risk
<i>Raphiceros</i>	Steenbok and Gry-sbok	3	Least Risk
<i>Neotragus</i>	Dwarf Antelope, Suni & Royal Antelope	3	Least Risk
<i>Aepyceros</i>	Impala	2	Less Risk
<i>Antilope</i>	Blackbuck	2	Less Risk
<i>Antidorcas</i>	Springbok	2	Less Risk
<i>Litocranius</i>	Gerenuk	2	Less Risk
<i>Ammodorcas</i>	Dibatag	2	Less Risk
<i>Gazella</i>	Gazelles	2	Less Risk
<i>Procapra</i>	Chinese Gazelles	2	Less Risk
<i>Pantholops</i>	Tibetan Antelope or Chiru	2	Less Risk
<i>Saiga</i>	Saiga	2	Less Risk
<i>Nemorhaedus</i>	Gorals	2	Less Risk
<i>Capricornis</i>	Serows	2	Less Risk
<i>Oreamnos</i>	Rocky Mountain Goat	2	Less Risk
<i>Rupicapra</i>	Chamois	2	Less Risk
<i>Ovibos</i>	Musk Ox	1	Greater Risk
<i>Budorcas</i>	Takins	2	Less Risk
<i>Hemitragus</i>	Tahr (adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>Capra</i> (wild species)			
Tur, Markhor, Ibex, Wild Goats			
	(adult males)	1	Greater Risk
	(females and young)	2	Less Risk
<i>Ammotragus</i>	Aoudad or Barbary Sheep	1	Greater Risk
<i>Pseudois</i>	Bharal	2	Less Risk
<i>Ovis</i>	(large wild species) Argali, Bighorns	1	Greater Risk
	(small wild species) Mouflon, Urials	2	Less Risk

Family Platanistidae

<i>Pontoporia</i>	La Plata River Dolphin	3	Least Risk
<i>Inia</i>	Amazon River Dolphin or Boutu	3	Least Risk
<i>Lipotes</i>	White-flag or Yangtze River Dolphin	3	Least Risk
<i>Platanista</i>	Indian River Dolphins	3	Least Risk

<i>Family Delphinidae</i>			
<i>Steno</i>	Rough-toothed Dolphin	3	Least Risk
<i>Sotalia</i>	Tucuxi Dolphin	3	Least Risk
<i>Sousa</i>	Hump-backed Dolphins	3	Least Risk
<i>Stenella</i>	Striped and Spinner Dolphins	3	Least Risk
<i>Delphinus</i>	Common Dolphin	3	Least Risk
<i>Tursiops</i>	Bottle-nosed Dolphins	3	Least Risk
<i>Lissodelphis</i>	Right-whale Dolphins	3	Least Risk
<i>Lagenodelphis</i>	Fraser's Dolphin	3	Least Risk
<i>Lagenorhynchus</i>	White-sided Dolphins	3	Least Risk
<i>Peponocephala</i>	Melon-headed Dolphin	3	Least Risk
<i>Cephalorhynchus</i>	Piebald Dolphins	3	Least Risk
<i>Orcaella</i>	Irrawaddy River Dolphin	3	Least Risk
<i>Pseudorca</i>	False Killer Whale	1	Greater Risk
<i>Orcinus</i>	Killer Whale	1	Greater Risk
<i>Grampus</i>	Risso's Dolphin	2	Less Risk
<i>Globicephala</i>	Pilot Whales	2	Less Risk
<i>Feresa</i>	Pygmy Killer Whale	1	Greater Risk
<i>Family Phocoenidae</i>			
<i>Phocoena</i>	Common Porpoises	3	Least Risk
<i>Phocoenoides</i>	Dall's Porpoise	3	Least Risk
<i>Neophocoena</i>	Finless Porpoise	3	Least Risk
<i>Family Monodontidae</i>			
<i>Delphinapterus</i>	White Whale	3	Least Risk
<i>Monodon</i>	Narwhal (adult males)	2	Less Risk
	(others)	3	Least Risk
<i>Family Physeteridae</i>			
<i>Kogia</i>	Pygmy Sperm Whales	2	Less Risk
<i>Physeter</i>	Sperm Whale		Outside the scope of this listing
<i>Family Ziphiidae</i>			
<i>Tasmacetus</i>	Tasman whale	2	Less Risk
<i>Berardius</i>	Arnoud's & Baird's Beaked Whales	2	Less Risk
<i>Mesoplodon</i>	Beaked Whales	2	Less Risk
<i>Ziphius</i>	Cuvier's Beaked Whale	2	Less Risk
<i>Hyperoodon</i>	Bottle-nosed Whales	2	Less Risk
<i>Sub-order Mysticeti</i>			
<i>Family Eschrichtidae</i>	Grey Whale)	
<i>Family Balaenopteridae</i>	Rorquals and Humpback Whales)–	Outside the scope of this listing
<i>Family Balaenidae</i>	Right Whales and Bowhead)	
<i>Class Aves</i>			
<i>Order STRUTHIONIFORMES</i>			
<i>Family Struthionidae</i>			
<i>Struthio</i>	Ostrich	1	Greater Risk

Order RHEIFORMES			
Family Rheidae			
<i>Rhea</i>	Common Rhea	2	Less Risk
<i>Pterocnemia</i>	Darwin's Rhea	2	Less Risk
Order CASUARIIFORMES			
Family Casuariidae			
<i>Casuarius</i>	Cassowaries	1	Greater Risk
Family Dromaiidae			
<i>Dromaius</i>	Emu	2	Less Risk
Order PTERYGIFORMES			
Family Apterygidae			
	Kiwis	3	Least Risk
Order TINAMIFORMES			
Family Tinamidae			
	Tinamous	3	Least Risk
Order SPHENISCIFORMES			
Family Spheniscidae			
	Penguins	3	Least Risk
Order GAVIFORMES			
Family Gaviidae			
	Divers or Loons	3	Least Risk
Order PODICIPEDIFORMES			
Family Podicipedidae			
	Grebes	3	Least Risk
Order PROCELLARIIFORMES			
Family Diomedidae	Albatrosses)	
Family Procellariidae	Fulmars, Petrels)	
	and Shearwaters)–	3 Least Risk
Family Hydrobatidae	Storm Petrels)	
Family Pelecanoididae	Diving Petrels)	
Order PELICANIFORMES			
Family Phaethontidae	Tropic Birds	3	Least Risk
Family Pelecanidae			
<i>Pelecanus</i>			
<i>P. conspicillatus</i>	Australian Pelican	2	Less Risk
<i>P. crispus</i>	Dalmatian Pelican	2	Less Risk
<i>P. erythrorhynchus</i>	American White Pelican	2	Less Risk
<i>P. occidentalis</i>	Brown Pelican	2	Less Risk
<i>P. onocrotalus</i>	Great White Pelican	2	Less Risk
<i>P. philippensis</i>	Grey Pelican)	
<i>P. rufescens</i>	Pink-backed Pelican)	
Family Sulidae	Gannets and Boobies)–	3 Least Risk
Family Phalacrocoracidae	Cormorants)	
Family Anhingidae	Darters, Snake-Birds)	
	or Anhingas)	
Family Fregatidae	Frigate Birds)	

Order CICONIIFORMES

Family Ardeidae

Ardea

<i>A. cinerea</i>	Grey Heron	2	Special Pecking Risk
<i>A. herodias</i>	Great Blue Heron	2	Special Pecking Risk
	(includes Great White Heron)	2	Special Pecking Risk
<i>A. purpurea</i>	Purple Heron	2	Special Pecking Risk
<i>A. goliath</i>	Goliath Heron	2	Special Pecking Risk
<i>A. imperialis</i>	Great White-bellied Heron	2	Special Pecking Risk
<i>A. spp</i>	other <i>Ardea</i> species	3	Least Risk

Egretta

<i>E. alba</i>	Large (Great) Egret	2	Less Risk
<i>E. spp.</i>	other <i>Egretta</i> species		

Butorides

Green, Rufous-bellied)
& Striated Herons)

Ardeola

Pond and Squacco Herons)

Bubulcus

Cattle Egret)

Agamia

Chestnut-bellied Heron)

Pilherodius

Capped Heron)

Syrigma

Whistling Heron)

Cochlearius

Boat-billed Heron)–

3 Least Risk

Nycticorax

Night-Herons)

Gorsachius

Tiger-Bitterns)

Zonerodius

Forest Bittern)

Tigrisoma

Tiger-Herons)

Zebrilus

Zigzag Heron)

Ixobrychus

Little Bitterns)

Botaurus

Bitterns)

Dupetor

Black Bittern)

Family Balaenicipitidae

Shoebill or Whalehead)–

3 Least Risk

Family Scopidae

Hammerhead or Hammerkop)

Family Ciconiidae

Mycteria

Wood Stork

2 Special Pecking Risk

Ibis

Painted Storks (NB not Ibises)

2 Special Pecking Risk

Anastomus

Open-bill Storks

2 Special Pecking Risk

*Ciconia**C. abdimii*

White-bellied or Abdim's Stork

3 Least Risk

C. ciconia

White Stork

2 Special Pecking Risk

C. episcopus

White-necked Stork

2 Special Pecking Risk

C. nigra

Black Stork

2 Special Pecking Risk

Euxenura

Maguari Stork

2 Special Pecking Risk

Xenorhynchus

Black-necked Stork

2 Special Pecking Risk

Ephippiorhynchus

Saddle-bill Stork

2 Special Pecking Risk

<i>Family Ciconiidae continued</i>			
<i>Jabiru</i>	Jabiru	2	Special Pecking Risk
<i>Leptoptilos</i>	Marabou and Adjutant Storks	2	Special Pecking Risk
<i>Family Threskiornithidae</i>	Ibises and Spoonbills	3	Least Risk
<i>Family Phoenicopteridae</i>	Flamingoes	3	Least Risk
<i>Order ANSERIFORMES</i>			
<i>Family Anhimidae</i>	Screamers)–	3	Least Risk
<i>Family Anatidae</i>	Geese, Swans and Ducks)		
<i>Order FALCONIFORMES</i>			
<i>Family Cathartidae</i>			
<i>Cathartes</i>	Turkey & Yellow-headed Vultures	2	Less Risk
<i>Coragyps</i>	Black Vulture	2	Less Risk
<i>Sarcorhamphus</i>	King Vulture	2	Less Risk
<i>Vultur</i>	Andean Condor	1	Greater Risk
<i>Gymnogyps</i>	Californian Condor	1	Greater Risk
<i>Family Pandionidae</i>			
<i>Pandion</i>	Osprey	2	Less Risk
<i>Family Accipitridae</i>			
<i>Spilornis</i>	Serpent Eagles	2	Less Risk
<i>Aviceda</i>	Cuckoo Falcons & Lizard Hawks	2	Less Risk
<i>Leptodon</i>	Gray-Headed Kite	2	Less Risk
<i>Chondrohierax</i>	Hook-billed Kite	2	Less Risk
<i>Henicopernis</i>	Long-tail & Black Honey Buzzards	2	Less Risk
<i>Pernis</i>	Honey Buzzards	2	Less Risk
<i>Elanoides</i>	Swallow-tailed Kite	2	Less Risk
<i>Macheirhamphus</i>	Bat Hawk	2	Less Risk
<i>Gampsonyx</i>	Pearl Kite	2	Less Risk
<i>Elanus</i>	Kites	2	Less Risk
<i>Rostrhamus</i>	Kites	2	Less Risk
<i>Harpagus</i>	Kites	2	Less Risk
<i>Ictinia</i>	Kites	2	Less Risk
<i>Lophoictinia</i>	Square-tailed Kite	2	Less Risk
<i>Hamirostra</i>	Black-breasted Buzzard	2	Less Risk
<i>Milvus</i>	Black & Red Kites	2	Less Risk
<i>Haliastur</i>	Brahminy & Whistling Kites	2	Less Risk
<i>Haliaeetus</i>	Bald, Sea & Fish Eagles	2	Less Risk
<i>Ichthyophaga</i>	Grey-headed Fishing Eagle	2	Less Risk
<i>Gypohierax</i>	Palm-nut Vulture	2	Less Risk
<i>Neophron</i>	Hooded & Egyptian Vultures	2	Less Risk
<i>Gypaetus</i>	Bearded Vulture	2	Less Risk
<i>Gyps</i>	Vultures and Griffon Vultures	2	Less Risk
<i>Sarcogyps</i>	Indian Black Vulture	2	Less Risk
<i>Aegypius</i>	European Black & Lappet-faced Vultures	2	Less Risk
<i>Trigonoceps</i>	White-headed Vulture	2	Less Risk

Family Accipitridae continued

<i>Circaetus</i>	Snake Eagles	2	Less Risk
<i>Terathopius</i>	Bateleur	2	Less Risk
<i>Dryotriorchis</i>	Congo Snake Eagle	2	Less Risk
<i>Eutriorchis</i>	Madagascar Serpent Eagle	2	Less Risk
<i>Polyboroides</i>	African Harrier Hawk	2	Less Risk
<i>Geranospiza</i>	Crane Hawk	2	Less Risk
<i>Circus</i>	Harriers	2	Less Risk
<i>Melierax</i>	Chanting Goshawks	2	Less Risk
<i>Megatriorchis</i>	Doria's Hawk	2	Less Risk
<i>Erythrotriorchis</i>	Red Goshawk	2	Less Risk
<i>Accipiter</i>	Hawks, Sparrow Hawks & Goshawks	2	Less Risk
<i>Urotriorchis</i>	African Long-tailed Hawk	2	Less Risk
<i>Butastur</i>	Grey-faced Buzzard-Eagle	2	Less Risk
<i>Kaupifalco</i>	Lizard Buzzard	2	Less Risk
<i>Leucopternis</i>	Hawks	2	Less Risk
<i>Buteogallus</i>	Hawks	2	Less Risk
<i>Harpyhaliaetus</i>	Solitary Eagle	2	Less Risk
<i>Heterospizias</i>	Savannah Hawk	2	Less Risk
<i>Busarellus</i>	Black-collared Hawk	2	Less Risk
<i>Geranoaetus</i>	Black-chested Buzzard-Eagle	2	Less Risk
<i>Parabuteo</i>	Harris Hawk	2	Less Risk
<i>Buteo</i>	Buzzards	2	Less Risk
<i>Morphnus</i>	Crested Eagle	2	Less Risk
<i>Harpia</i>	Harpy Eagle	1	Greater Risk
<i>Harpyopsis</i>	New Guinea Harpy Eagle	1	Greater Risk
<i>Pithecophaga</i>	Monkey-eating Eagle	1	Greater Risk
<i>Ictinaetus</i>	Black Eagle	2	Less Risk
<i>Aquila</i>	Eagles	2	Less Risk
<i>Hieraaetus</i>	Eagles	2	Less Risk
<i>Spizastur</i>	Black-and-white Hawk-Eagle	2	Less Risk
<i>Lophaetus</i>	Long-crested Eagle	2	Less Risk
<i>Spizaetus</i>	Hawk-Eagles	2	Less Risk
<i>Stephanoaetus</i>	Crowned Eagle	2	Less Risk
<i>Oroaetus</i>	Black-and-Chestnut Eagle	2	Less Risk
<i>Polemaetus</i>	Martial Eagle	1	Greater Risk
<i>Family Sagittariidae</i>			
<i>Sagittarius</i>	Secretary Bird	2	Less Risk
<i>Family Falconidae</i>			
<i>Daptrius</i>	Caracaras	2	Special Pecking Risk
<i>Phalcoboenus</i>	Caracaras	2	Special Pecking Risk
<i>Polyborus</i>	Crested Caracara	2	Special Pecking Risk
<i>Milvago</i>	Milvago Caracaras	2	Special Pecking Risk
<i>Herpetotheres</i>	Laughing Falcon	2	Less Risk

<i>Family Falconidae continued</i>				
<i>Micrastur</i>	Forest Falcons)	2	Less Risk
<i>Spizapteryx</i>	Spot-winged Falconet)		
<i>Polihierax</i>	African Pygmy Falcon)–	3	Least Risk
<i>Microhierax</i>	Falconets)		
<i>Falco</i>	Kestrels and Falcons)	2	Less Risk
<i>Order GALLIFORMES</i>				
<i>Family Megapodidae</i>	Megapodes)	3	Least Risk
<i>Family Cracidae</i>				
<i>Ortalis</i>	Chachalacas)		
<i>Penelopina</i>	Black Chachalaca)		
<i>Penelope</i>	Guans)		
<i>Aburria</i>	Wattled & Piping Guans)		
<i>Chamaepetes</i>	Sickle-winged & Black Guans)–	3	Least Risk
<i>Oreophasis</i>	Horned Guan)		
<i>Nothothrax</i>	Nocturnal Curassow)		
<i>Crax</i>	Curassows)		
<i>Family Tetraonidae</i>	Grouse)		
<i>Family Phasianidae</i>	Partridges, Pheasants & Quails)		
<i>Family Numididae</i>	Guineafowl)–	3	Least Risk
<i>Family Meleagrididae</i>	Turkeys)		
<i>Family Opisthocomidae</i>	Hoatzin)		
<i>Order GRUIIFORMES</i>				
<i>Family Mesitornithidae</i>	Mesites)		
<i>Family Turnicidae</i>	Buttonquails & Hemipodes)–	3	Least Risk
<i>Family Pedionomidae</i>	Plains Wanderer)		
<i>Family Gruidae</i>				
<i>Grus</i>	Cranes)	2	Special Pecking Risk
<i>Anthropoides</i>	Blue & Demoiselle Cranes)	2	Special Pecking Risk
<i>Balearica</i>	Crowned Crane)	2	Special Pecking Risk
<i>Family Aramidae</i>	Limpkin)		
<i>Family Psophiidae</i>	Trumpeters)–	3	Least Risk
<i>Family Rallidae</i>	Rails, Crakes, Coots & Gallinules)		
<i>Family Heliornithidae</i>	Finfoots and Sungrebes)	3	Least Risk
<i>Family Rhynochetidae</i>	Kagu)	3	Least Risk
<i>Family Eurypigidae</i>	Sunbittern)	3	Least Risk
<i>Family Cariamidae</i>	Seriemas)	3	Least Risk
<i>Family Otidae</i>				
<i>Otis</i>	Great and Little Bustards)–	3	Least Risk
<i>Neotis</i>	Bustards)		
<i>Ardeotis</i>	Kori and Large Bustards)	2	Less Risk
<i>Chlamydotis</i>	Houbara Bustard)	2	Less Risk
<i>Eupodotis</i>	Bustards)–	3	Least Risk

<i>Family Otidae continued</i>				
Sypheotides	Lesser Florican)		
<i>Order CHARADRIFORMES</i>				
<i>Family Jacanidae</i>	Jacanas)		
<i>Family Rostratulidae</i>	Painted Snipe)		
<i>Family Haematopodidae</i>	Oystercatchers)		
<i>Family Charadriidae</i>	Plovers)		
<i>Family Scolopacidae</i>	Wading Birds (Snipe, Woodcock, & Sandpipers)–	3	Least Risk
<i>Family Recurvirostridae</i>	Avocets)		
<i>Family Dromadidae</i>	Crab Plover)		
<i>Family Burhinidae</i>	Thick-knees)		
<i>Family Glareolidae</i>	Coursers and Pratincoles)		
<i>Family Thinocoridae</i>	Seedsnipe)		
<i>Family Chionididae</i>	Sheathbills)		
<i>Family Stercorariidae</i>	Skuas)	2	Less Risk
<i>Family Laridae</i>	Gulls and Terns)		
<i>Family Rhynchopidae</i>	Skimmers)–	3	Least Risk
<i>Family Alcidae</i>	Auks)		
<i>Order COLUMBIFORMES</i>				
<i>Family Pteroclididae</i>	Sandgrouse)–	3	Least Risk
<i>Family Columbidae</i>	Pigeons and Doves)		
<i>Order PSITTACIFORMES</i>				
<i>Family Psittacidae</i>				
<i>Chalcopsitta</i>	Lories)		
<i>Eos</i>	Lories)		
<i>Pseudeos</i>	Dusky Lory)–	3	Least Risk
<i>Trichoglossus</i>	Lorikeets and Lories)		
<i>Lorius</i>	Lories)		
<i>Phigys</i>	Collared Lory)		
<i>Vini</i>	Lories)		
<i>Glossopsitta</i>	Lorikeets)		
<i>Charmosyna</i>	Lorikeets & Lories)–	3	Least Risk
<i>Oreopsittacus</i>	Whiskered Lorikeet)		
<i>Neopsittacus</i>	Lorikeets)		
<i>Probosciger</i>	Palm Cockatoo)	2	Less Risk
<i>Calaptorhynchus</i>	Cockatoos)	2	Less Risk
<i>Callocephalon</i>	Gang-gang Cockatoo)		
<i>Eolophus</i>	Galah)–	3	Least Risk
<i>Cacatua</i>	Cockatoos and Corellas)		
<i>Nymphicus</i>	Cockatiel)		
<i>Nestor</i>	Kaka & Kea)	2	Less Risk
<i>Micropsitta</i>	Pygmy Parrots)		
<i>Opopsitta</i>	Fig Parrots)		

Family Psittacidae *continued*

<i>Psittaculirostris</i>	Fig Parrots)		
<i>Bolbopsittacus</i>	Guaiabero)		
<i>Psittinus</i>	Blue-rumped Parrot)		
<i>Psittacella</i>	Parrots)		
<i>Geoffroyus</i>	Parrots)		
<i>Prioniturus</i>	Racket-tailed Parrot)		
<i>Tanygnathus</i>	Parrots)		
<i>Eclectus</i>	Eclectus Parrots)		
<i>Psittirichas</i>	Pesquet's Parrot)		
<i>Prosopelia</i>	Shining Parrots)		
<i>Alisterus</i>	King Parrots)–	3	Least Risk
<i>Aprosmictus</i>	Red-winged Parrots)		
<i>Polytelis</i>	Parrots)		
<i>Purpureicephalus</i>	Red-capped Parrot)		
<i>Barnardius</i>	Parrots)		
<i>Platyercus</i>	Rosellas)		
<i>Psephotus</i>	Parrots)		
<i>Cyanorhamphus</i>	Parakeets)		
<i>Eunymphicus</i>	Horned Parakeet)		
<i>Neophema</i>	Parrots)		
<i>Lathamus</i>	Swift Parrot)		
<i>Melopsittacus</i>	Budgerigar)		
<i>Pezoporus</i>	Ground Parrot)		
<i>Geopsittacus</i>	Night Parrot)		
<i>Strigops</i>	Kakapo)	2	Less Risk
<i>Coracopsis</i>	Vasa Parrots)	3	Least Risk
<i>Psittacus</i>	African Gray Parrot)	2	Less Risk
<i>Poicephalus</i>	Parrots)		
<i>Agapornis</i>	Lovebirds)–	3	Least Risk
<i>Loriculus</i>	Hanging Parrots)		
<i>Psittacula</i>	Parakeets)		
<i>Anodorhynchus</i>	Hyacinthine & Indigo Macaws)	2	Less Risk
<i>Cyanopsitta</i>	Little Blue Macaw)	2	Less Risk
<i>Ara</i>	Macaws)	2	Less Risk
<i>Aratinga</i>	Parakeets)		
<i>Nandayus</i>	Black-hooded Parrot)		
<i>Leptosittaca</i>	Golden-plumed Parrot)–	3	Least Risk
<i>Rhynchopsitta</i>	Thick-billed Parrot)		
<i>Cyanoliseus</i>	Burrowing Parrot)		
<i>Ognorhynchus</i>	Yellow-eared Parakeet)		
<i>Pyrrhura</i>	Parakeets)		
<i>Enicognathus</i>	Slenderbill & Austral Parakeets)		
<i>Miopsitta</i>	Monk Parakeet)		

Family Psittacidae continued

<i>Bolborhynchus</i>	Parakeets)		
<i>Forpus</i>	Parrotlets)		
<i>Brotogeris</i>	Parakeets)		
<i>Nannopsittaca</i>	Tepui Parrot)–	3	Least Risk
<i>Touit</i>	Parrotlets)		
<i>Pionites</i>	Parrots)		
<i>Gypopsitta</i>	Vulturine Parrot)		
<i>Hapalopsittaca</i>	Parrots)		
<i>Graydidascalus</i>	Short-tail Parrot)		
<i>Pionus</i>	Parrots)		
<i>Amazona</i>	Amazon Parrots		2	Less Risk
<i>Deropterus</i>	Red-fan Parrot)–	3	Least Risk
<i>Triclaria</i>	Blue-bellied Parrot)		
<i>Order CUCULIFORMES</i>				
<i>Family Musophagidae</i>	Turacos, Plainain-eaters)–	3	Least Risk
<i>Family Cuculidae</i>	Cuckoos)		
<i>Order STRIGIFORMES</i>				
<i>Family Tytonidae</i>				
<i>Tyto</i>	Barn Owls		2	Less Risk
<i>Pholidus</i>	Bay Owls		2	Less Risk
<i>Family Strigidae</i>				
<i>Otus</i>	Scops-Owls and Screech-Owls)–	3	Least Risk
<i>Lophostrix</i>	Crested Owl and Akun Scops-Owl)			
<i>Bubo</i>	Eagle-Owls: adults which are breeding or rearing young		1	Greater Risk
	other adults		2	Less Risk
<i>Ketupa</i>	Fish Owls		2	Less Risk
<i>Scotopelia</i>	Fishing Owls		2	Less Risk
<i>Pulsatrix</i>	Owls		2	Less Risk
<i>Sceloglaux</i>	Laughing Owl		2	Less Risk
<i>Nyctea</i>	Snowy Owl		2	Less Risk
<i>Surnia</i>	Hawk-Owl		2	Less Risk
<i>Glaucidium</i>	Owlets and Pygmy Owls)–	3	Least Risk
<i>Micrathene</i>	Elf Owl)		
<i>Uroglau</i>	Papuan Hawk-Owl)		
<i>Ninox</i>	Booboks & Hawk-Owls)		
<i>Athene</i>	Little & Burrowing Owls)		
<i>Ciccaba</i>	Owls)		
<i>Strix</i>	Owls)–	2	Less Risk
<i>Rhinoptynx</i>	Striped Owl)		
<i>Asio</i>	Owls)		
<i>Pseudoscops</i>	Jamaican Owl)		
<i>Nesasio</i>	Fearful Owl)		
<i>Aegolius</i>	Whet-Owls)		

<i>Family</i> Steatornithidae	Oilbird)		
<i>Family</i> Podargidae	Frogmouths)		
<i>Family</i> Nyctibiidae	Potos)–	3	Least Risk
<i>Family</i> Aegothelidae	Owlet Nightjars)			
<i>Family</i> Caprimulgidae	Nightjars)		
<i>Order</i> APODIFORMES				
<i>Family</i> Apodidae	Swifts)		
<i>Family</i> Hemiprocidae	Tree Swifts)–	3	Least Risk
<i>Family</i> Trochilidae	Hummingbirds)		
<i>Order</i> COLIIFORMES				
<i>Family</i> Coliidae	Colies or Mousebirds		3	Least Risk
<i>Order</i> TROGONIFORMES				
<i>Family</i> Trogonidae	Trogons		3	Least Risk
<i>Order</i> CORACIIFORMES				
<i>Family</i> Alcedinidae	Kingfishers)		
<i>Family</i> Todidae	Todies)		
<i>Family</i> Momotidae	Motmots)		
<i>Family</i> Meropidae	Bee-eaters)		
<i>Family</i> Leptosomatidae	Cuckoo Roller)–	3	Least Risk
<i>Family</i> Brachypteraciidae	Ground Rollers)		
<i>Family</i> Coraciidae	Rollers)		
<i>Family</i> Upupidae	Hoopoes)		
<i>Family</i> Phoeniculidae	Wood Hoopoes)		
<i>Family</i> Bucerotidae				
<i>Tockus</i>	Hornbills		2	Less Risk
<i>Berenicornis</i>	White-crested Hornbills		2	Less Risk
<i>Ptilolaemus</i>	White-throated Brown Hornbill		2	Less Risk
<i>Anorrhinus</i>	Bushy-crested Hornbill		2	Less Risk
<i>Penelopides</i>	Hornbills		2	Less Risk
<i>Aceros</i>	Hornbills		2	Less Risk
<i>Anthracoceros</i>	Hornbills		2	Less Risk
<i>Bycanistes</i>	Hornbills		2	Less Risk
<i>Ceratogymna</i>	Black-casqued and Yellow-casqued Hornbills		2	Less Risk
<i>Buceros</i>	Hornbill		2	Less Risk
<i>Rhinoplax</i>	Helmeted Hornbill		2	Less Risk
<i>Bucorvus</i>	Ground Hornbills		1	Greater Risk
<i>Order</i> PICIFORMES				
<i>Family</i> Galbulidae	Jacamars)		
<i>Family</i> Bucconidae	Puffbirds)		
<i>Family</i> Capitonidae	Barbets)		
<i>Family</i> Indicatoridae	Honeyguides)–	3	(Least Risk)
<i>Family</i> Ramphastidae	Toucans)		
<i>Family</i> Picidae	Woodpeckers)		

<i>Order PASSERIFORMES</i>				
<i>Sub-order Eurylaimi</i>				
<i>Family Eurylaimidae</i>	Broadbills)	3	Least Risk
<i>Sub-order Tyranni</i>				
<i>Family Dendrocolaptidae</i>	Woodcreepers)		
<i>Family Furnariidae</i>	Ovenbirds)		
<i>Family Formicariidae</i>	Antbirds)		
<i>Family Conopophagidae</i>	Gnateaters)		
<i>Family Rhinocryptidae</i>	Tapaculos)–	3	Least Risk
<i>Family Cotingidae</i>	Cotingas)		
<i>Family Pipridae</i>	Manakins)		
<i>Family Tyrannidae</i>	Tyrant Flycatchers)		
<i>Family Oxyruncidae</i>	Sharpbill)		
<i>Family Phytotomidae</i>	Plantcutters)		
<i>Family Pittidae</i>	Pittas)		
<i>Family Xenicidae</i> (<i>Acanthisittidae</i>)	New Zealand Wrens))		
<i>Family Philepittidae</i>	Asities & False Sunbirds)		
<i>Sub-order Menurai</i>				
<i>Family Menuridae</i>	Lyrebirds)–	3	Least Risk
<i>Family Atrichornithidae</i>	Scrub Birds)		
<i>Sub-order Passeres</i>				
<i>Family Alaudidae</i>	Larks)		
<i>Family Hirundinidae</i>	Swallows and Martins)		
<i>Family Motacillidae</i>	Wagtails and Pipits)		
<i>Family Campephagidae</i>	Cuckoo Shrikes & Minivets))		
<i>Family Pycnonotidae</i>	Bulbuls)		
<i>Family Irenidae</i>	Leafbirds & Fairy Bluebirds)		
<i>Family Laniidae</i>	Shrikes)		
<i>Family Vangidae</i>	Vangas)		
<i>Family Bombycillidae</i>	Waxwings, Silky Flycatchers & <i>Hypocolius</i>)–	3	Least Risk
<i>Family Dulidae</i>	Palm Chat)		
<i>Family Cinclidae</i>	Dippers)		
<i>Family Troglodytidae</i>	Wrens)		
<i>Family Mimidae</i>	Mockingbirds)		
<i>Family Prunellidae</i>	Accentors)		
<i>Family Turdidae</i>	Thrushes and Chats)		
<i>Family Timaliidae</i>	Babblers)		
<i>Family Chamaeidae</i>	Wrentit)		
<i>Family Paradoxornithidae</i>	Parrotbills)		
<i>Family Picathartidae</i>	Bald Crows or Picathartes))		
<i>Family Polioptilidae</i>	Gnatcatchers)		
<i>Family Sylviidae</i>	Old World Warblers)		

<i>Family</i> Regulidae	Kinglets and Tit-Warblers)		
<i>Family</i> Maluridae	Australian Wrens)	
<i>Family</i> Ephthianuridae	Australian Chats)	
<i>Family</i> Acanthizidae	Australian Warblers)	
<i>Family</i> Muscicapidae	Old World Flycatchers and Thick-heads))	
<i>Family</i> Aegithalidae	Long-tailed Tits)	
<i>Family</i> Remizidae	Penduline Tits)	
<i>Family</i> Paridae	Titmice)	
<i>Family</i> Hyposittidae	Coral-billed Nuthatch)	
<i>Family</i> Daphoenosittidae	Sitellas or Treerunners)		
<i>Family</i> Tichodromadidae	Wallcreeper)	
<i>Family</i> Sittidae	Nuthatches)	
<i>Family</i> Certhiidae	Treecreepers)	
<i>Family</i> Salpornithidae	Spotted Creepers)	
<i>Family</i> Rhabdornithidae	Philippine Creepers)	
<i>Family</i> Climacteridae	Australian Treecreepers)		
<i>Family</i> Dicaeidae	Flowerpeckers)	
<i>Family</i> Zosteropidae	White-eyes)	
<i>Family</i> Nectariniidae	Sunbirds)	
<i>Family</i> Promeropidae	Sugarbirds)	
<i>Family</i> Meliphagidae	Honeyeaters)	
<i>Family</i> Emberizidae	Buntings, American Sparrows, & Juncos)–)	3 Least Risk
<i>Family</i> Catamblyrhynchidae	Plush-capped Finch)	
<i>Family</i> Cardinalidae	Cardinal Grosbeaks)	
<i>Family</i> Thraupidae	Tanagers)	
<i>Family</i> Tersiidae	Swallow Tanager)	
<i>Family</i> Vireonidae	Vireos)	
<i>Family</i> Parulidae	New World Warblers)	
<i>Family</i> Drepanididae	Hawaiian Honeycreepers)	
<i>Family</i> Icteridae	Icterids)	
<i>Family</i> Fringillidae	Finches)	
<i>Family</i> Estrildidae	Waxbills & Manninkins)	
<i>Family</i> Ploceidae	Sparrows, Weavers, Whydahs & Indigo-Birds))	
<i>Family</i> Sturnidae	Starlings)	
<i>Family</i> Oriolidae	Orioles)	
<i>Family</i> Dicruridae	Drongos)	
<i>Family</i> Callaeidae	Wattlebirds)	
<i>Family</i> Grallinidae	Mudnest-Builders)	
<i>Family</i> Artamidae	Wood Swallows)	
<i>Family</i> Cracticidae	Butcherbirds & Currawongs))	
<i>Family</i> Ptilonorhynchidae	Bowerbirds)	

<i>Family Paradisaeidae</i>	Bird of Paradise)		
<i>Family Corvidae</i>				
<i>Platylophus</i>	Crested Malay Jay)		
<i>Platysmurus</i>	Black-crested Magpie)		
<i>Gymnorhinus</i>	Pinon Jay)		
<i>Cyanocitta</i>	Blue and Steller's Jays)		
<i>Aphelocoma</i>	Jays)		
<i>Cyanolyca</i>	Jays)		
<i>Cissilopha</i>	Jays)–	3	Least Risk
<i>Cyanocorax</i>	Jays)		
<i>Psilorhinus</i>	Brown Jay)		
<i>Calocitta</i>	Magpie-Jay)		
<i>Garrulus</i>	Jays)		
<i>Perisoreus</i>	Gray Jays)		
<i>Urocissa</i>	Blue Magpies)		
<i>Cissa</i>	Green Magpies)		
<i>Cyanopica</i>	Azure-winged Magpie)		
<i>Dendrocitta</i>	Tree-pie)		
<i>Crypsirina</i>	Tree-pie)		
<i>Temnurus</i>	Tree-pie)		
<i>Pica</i>	Magpie)		
<i>Zavattariornis</i>	Bush Crow)		
<i>Podoces</i>	Ground Jay)–	3	Least Risk
<i>Pseudopodoces</i>	Ground Jay)		
<i>Nucifraga</i>	Nutcrackers)		
<i>Pyrrhocorax</i>	Chough)		
<i>Ptilostomus</i>	Piapiac)		
<i>Corvus</i>				
<i>C. albicollis</i>	African White-necked Raven		2	Less Risk
<i>C. corax</i>	Raven		2	Less Risk
<i>C. coronoides</i>	Australian Raven		2	Less Risk
<i>C. crassirostris</i>	Thick-billed Raven		2	Less Risk
<i>C. cryptoleucus</i>	White-necked Raven		2	Less Risk
<i>C. mellori</i>	South Australian Raven		2	Less Risk
<i>C. rhipidurus</i>	Fan-tailed Raven		2	Less Risk
<i>C. ruficollis</i>	Brown-necked Raven		2	Less Risk
<i>C. spp</i>	Jackdaws, Rook and Crows		3	Least Risk
<i>Class Reptilia</i>				
<i>Order CHELONIA</i>				
<i>Family Pelomedusidae</i>				
<i>Pelomedusa</i>	Helmeted Turtles)		
<i>Pelusios</i>	Mud Turtles)–	3	Least Risk
<i>Podocnemis</i>	Arrau)		

<i>Family Chelidae</i>			
<i>Chelus</i>	Matamata	2	Less Risk
<i>Batrachemys</i>	Snake-necked Turtles	2	Less Risk
<i>Hydromedusa</i>	Otter Turtles)		
<i>Phrynops</i>	Flat Turtles)		
<i>Mesoclemys</i>	Amazon Turtle)		
<i>Platyemys</i>	South American Long-necked Turtle –	3	Least Risk
<i>Chelodina</i>	Australian Snake-necked Turtles)		
<i>Emydura</i>	Murray River Turtle)		
<i>Eseya</i>	Australian Snapping Turtles	2	Less Risk
<i>Pseudemydura</i>	Western Australian River Turtle	3	Least Risk
<i>Family Chelydridae</i>			
<i>Chelydra</i>	Snapping Turtle	1	Greater Risk
<i>Macrolemys</i>	Alligator Snapping Turtle	1	Greater Risk
<i>Family Kinosternidae</i>			
<i>Sternotherus</i>	Musk Turtle)		
<i>Kinosternon</i>	Mud Turtle)–	3	Least Risk
<i>Claudius</i>	Narrow-bridged Mud Turtle)		
<i>Staurotypus</i>	Giant Musk Turtle)		
<i>Family Dermatemyidae</i>			
<i>Dermatemys</i>	Mexican River Turtle	3	Least Risk
<i>Family Platysternidae</i>			
<i>Platysternon</i>	Big-headed Turtle	3	Least Risk
<i>Family Emydidae</i>			
<i>Emys</i>	European Pond Turtle)		
<i>Emydoidea</i>	American Semi-box Turtle)		
<i>Deirochelys</i>	Chicken Turtle)		
<i>Chrysemys</i>	Cooters and Sliders)		
<i>Graptemys</i>	Map Turtles)		
<i>Malaclemys</i>	Diamond-backed Terrapin)		
<i>Terrapene</i>	Box Turtles)		
<i>Clemmys</i>	Spotted, Wood, Bog and Pacific Pond Turtles)		
<i>Mauremys</i>	Asiatic Terrapin)		
<i>Sacalia</i>	Asiatic Terrapin)–	3	Least Risk
<i>Annamemys</i>	Annam Turtle)		
<i>Cyclemys</i>	Pond Turtle)		
<i>Geoclemys</i>	Black Pond Turtle)		
<i>Chinemys</i>	Reeve's Turtle)		
<i>Ocadia</i>	Chinese Pond Turtle)		
<i>Notochelys</i>	Indochina Pond Turtle)		
<i>Siebenrockiella</i>	Annandale's Turtle (= <i>Hieremys</i>))		
<i>Morenia</i>	Plant-eating Pond Turtles)		

<i>Cuora</i>	Box Turtles)		
<i>Hardella</i>	Diadem Turtle)		
<i>Kachuga</i>	Indian Roof Turtle)–	3	Least Risk
<i>Callagur</i>	Painted Batagur)		
<i>Orlitia</i>	Borneo Pond Turtle)		
<i>Geoemyda</i>	Terrestrial Turtles)		
<i>Family Testudinidae</i>				
<i>Kinixys</i>	Hinged Tortoises)		
<i>Homopus</i>	Parrot-beaked Tortoises)–	3	Least Risk
<i>Pyxis</i>	Spider Tortoise)		
<i>Malachochersus</i>	Pancake Tortoise)		
<i>Testudo</i>				
<i>T. elephantopus</i>	Galapagos Giant Tortoise		2	Less Risk
<i>T. gigantea</i>	Aldabra Giant Tortoise		2	Less Risk
<i>T.spp.</i>	Common Tortoises			
	(over 0.3m. carapace length)		2	Less Risk
<i>Pseudotestudo</i>	Kleinmann's Tortoise)		
<i>Geochelone</i>	Star, Leopard & Spur Tortoises)		
<i>Psammobates</i>	Geometric & Tent Tortoises)		
<i>Chersina</i>	Bowsprit Tortoise)		
<i>Asterochelys</i>	Radiated Tortoise)		
<i>Acinixys</i>	Madagascan Tortoise)–	3	Least Risk
<i>Aldabrachelys</i>	Aldabra Tortoise)		
<i>Agrionemys</i>	Horsfield's Tortoise)		
<i>Manouria</i>	Southern Asian Tortoise)		
<i>Indotestudo</i>	Southern Asian Tortoise)		
<i>Chelonoidis</i>	Red-footed Tortoise)		
<i>Gopherus</i>	Gopher Tortoise)		
<i>Family Dermochelyidae</i>				
<i>Dermochelys</i>	Leather-back Turtle		3	Least Risk
<i>Family Chelonidae</i>				
<i>Chelonia</i>	Green Turtle		2	Less Risk
<i>Eretmochelys</i>	Hawksbill Turtle		2	Less Risk
<i>Caretta</i>	Loggerhead Turtle		2	Less Risk
<i>Lepidochelys</i>	Ridley Turtles		2	Less Risk
<i>Family Carettochelyidae</i>				
<i>Carettochelys</i>	Pitted-shell Turtle		2	Less Risk
<i>Family Trionychidae</i>				
<i>Lissemys</i>	Soft Terrapin)		
<i>Cyclanorbis</i>	Nubian & Senegal Softshell Turtles)		
<i>Cycloderma</i>	Aubrey's & Bridled Softshell Turtles))		
	specimens with carapace length over 0.3m:)	2	Less Risk

<i>Chitra</i>	River Softshell Turtles)	smaller specimens:	3	Least Risk
<i>Pelochelys</i>	Softshell Turtles)			
<i>Dogania</i>	Softshell Turtles)			
<i>Trionyx</i>	Softshell Turtles)			
<i>Family Crocodylidae</i>				
<i>Crocodylus</i>	Crocodiles		1	Greater Risk
<i>Osteolaemus</i>	Dwarf Crocodiles		1	Greater Risk
<i>Tomistoma</i>	False Gharial		1	Greater Risk
<i>Alligator</i>	Alligators			
	Specimens over 1.0m		1	Greater Risk
	<i>Smaller specimens</i>		2	Less Risk
<i>Caiman</i>	Caimans		1	Greater Risk
<i>Gavialis</i>	Gharials		1	Greater Risk
<i>Order RHYNCHOCEPHALIA</i>				
<i>Family Sphenodontidae</i>				
<i>Sphenodon</i>	Tuatara		3	Least Risk
<i>Order SQUAMATA Sub-order Sauria</i>				
<i>Family Gekkonidae</i>				
<i>Hemidactylus</i>	Banded Leaf-toed Geckos)			
<i>Gehyra</i>	Pacific Geckos)			
<i>Phyllodactylus</i>	European Leaf-fingered Geckos)			
<i>Gymnodactylus</i>	Naked-toed Geckos)			
<i>Alsophylax</i>	Asian Gecko)			
<i>Lygodactylus</i>	Common Dwarf Gecko)			
<i>Chondrodactylus</i>	Sand Gecko)			
<i>Ptenopus</i>	Garulous Gecko)			
<i>Afroedura</i>	South African Geckos)			
<i>Pachydactylus</i>	Spotted Gecko)			
<i>Palmatogekko</i>	Web-footed Geckos)			
<i>Ptyodactylus</i>	House Geckos)			
<i>Stenodactylus</i>	Desert Geckos)			
<i>Saurodactylus</i>	Lizard-fingered Geckos)			
<i>Phelsuma</i>	Madagascan Geckos)			
<i>Uroplatus</i>	Madagascan Leaf-tailed Geckos)-		3	Least Risk
Gekko	Common and Tokay Geckos)			
<i>Ptychozoon</i>	Kuhl's Gecko)			
<i>Eublepharis</i>	Panther Gecko)			
<i>Teratoscincus</i>	Asiatic Nocturnal Gecko)			
<i>Rhacodactylus</i>	New Caledonia Geckos)			
<i>Coleonyx</i>	Banded Gecko)			
<i>Gonates</i>	Padless Geckos)			
<i>Sphaerodactylus</i>	Least Geckos)			
<i>Nephurus</i>	Australian Gecko)			

<i>Oedura</i>	Fat-tailed Gecko)		
<i>Phyllurus</i>	Australian Gecko)		
<i>Naultinus</i>	New Zealand Diurnal Gecko)		
<i>Hoplodactylus</i>	New Zealand Nocturnal Gecko)		
<i>Thecadactylus</i>	Smooth Geckos)		
<i>Hemiphyllodactylus</i>	Small-leafed Geckos)		
<i>Tarentola</i>	Common Geckos)		
<i>Family Pygopodidae</i>				
<i>Pygopus</i>)			
<i>Lialis</i>)			
<i>Delma</i>)– Australian Snake Lizards		3	Least Risk
<i>Aprasia</i>)			
<i>Pletholax</i>)			
<i>Paradelma</i>)			
<i>Family Dibamidae</i>				
<i>Dibamus</i>	Burrowing Geckos		3	Least Risk
<i>Family Iguanidae</i>				
<i>Sceloporus</i>	Spiny Lizards)			
<i>Sator</i>	Spiny Lizards)		
<i>Urosaurus</i>	Tree Lizard)		
<i>Uta</i>	Side-blotched Lizard)		
<i>Petrosaurus</i>	Banded Rock Lizard)		
<i>Uma</i>	Fringe-toed Lizard)		
<i>Holbrookia</i>	Earless Lizard)		
<i>Callisaurus</i>	Zebra-tailed Lizard)		
<i>Phrynosoma</i>	Horned Lizard)		
<i>Crotaphytus</i>	Collared Lizard)		
<i>Gambelia</i>	Leopard Lizard)		
<i>Tropidurus</i>	Tropidurine Lizard)		
<i>Platynotus</i>	Iguana-Lizard)		
<i>Ctenoblepharis</i>	Peruvian Iguana-Lizard)		
<i>Phrynosaura</i>	Argentine Iguana-Lizard)		
<i>Strobilurus</i>	Iguana-Lizard)		
<i>Uracentron</i>	Spiny-tailed Iguanas)		
<i>Uranoscodon</i>	Spiny-tailed Iguanas)		
<i>Plica</i>	Iguana-Lizard)		
<i>Leiocephalus</i>	Crested Keeled Lizards)–	3	Least Risk
<i>Ophryossoides</i>	Crested Keeled Lizards)		
<i>Liolaemus</i>	Smooth-throated Lizards)		
<i>Phymaturus</i>	Chilean spiny-tailed Iguanas)		
<i>Proctotretus</i>	Spiny-tailed Iguanas)		
<i>Stenocercus</i>	Narrow-tailed Lizards)		
<i>Oplurus</i>	Madagascan Iguana)		
<i>Chalarodon</i>	Madagascan Iguana)		

<i>Hoplocercus</i>	Weapon-tail)		
<i>Enyaloides</i>	Iguana-Lizard)		
<i>Morunasaurus</i>	Iguana-Lizard)		
<i>Iguana</i>	Common Iguanas)		
<i>Cyclura</i>	Rhinoceros Iguana)		
<i>Amblyrhynchus</i>	Galapagos Marine Iguana)		
<i>Conolophus</i>	Galapagos Land Iguana)		
<i>Brachylophus</i>	Fijian Iguana)		
<i>Ctenosaura</i>	Black Iguanas)		
<i>Enyaliosaurus</i>	Iguana Lizard)		
<i>Dipsosaurus</i>	Desert Iguana)		
<i>Sauromalus</i>	Chuckwalla)		
<i>Basiliscus</i>	Basilisks)		
<i>Corytophanes</i>	Helmeted Lizard)		
<i>Laemanctus</i>	Casque-headed Lizard)		
<i>Polychrus</i>	Long-legged Lizard)		
<i>Polychroides</i>	Long-legged Lizard)		
<i>Enyalius</i>	Brazilian Tree Lizard)		
<i>Aporopristis</i>	Anole Lizards)		
<i>Pristidactylus</i>	Anole Lizards)		
<i>Diplolaemus</i>	Patagonian Lizard)		
<i>Leiosaurus</i>	Anole Lizards)		
<i>Urostrophus</i>	Anole Lizards)		
<i>Cupriganus</i>	Anole Lizards)		
<i>Aptycholaemus</i>	Anole Lizards)	3	Least Risk
<i>Anisolepis</i>	Anole Lizards)		
<i>Tropidodactylus</i>	Anole Lizards)		
<i>Xiphocercus</i>	Sword-tailed Iguana)		
<i>Mariguana</i>	Anole Lizards)		
<i>Deiroptyx</i>	Cuban Water Anole)		
<i>Audantia</i>	Anole Lizards)		
<i>Norops</i>	Anole Lizards)		
<i>Chamaeliolis</i>	False Chameleon)		
<i>Chamaelinorops</i>	Hispaniolan False Chameleons)		
<i>Phenacosaurus</i>	False Anoles)		
<i>Anolis</i>	Anoles)		
<i>Family Agamidae</i>				
<i>Agama</i>	Common Agama Lizards)		
<i>Uromastyx</i>	Spiny-tailed Agama Lizards)		
<i>Phrynocephalus</i>	Toad-headed Agama Lizards)		
<i>Moloch</i>	Moloch)		
<i>Anphibolurus</i>	Australian Agama Lizards)		
<i>Tympanocryptis</i>	Australian Agama Lizards)		
<i>Diporiphora</i>	Australian Agama Lizards)		

<i>Chlamydosaurus</i>	Friiled Lizards)		
<i>Physignathus</i>	Water Dragons)		
<i>Hydrosaurus</i>	Water Lizards)		
<i>Gonocephalus</i>	Angle-headed Lizards)		
<i>Acanthosaura</i>	Angle-headed Lizards)		
<i>Lyriocephalus</i>	Lyre-headed Lizards)–	3	Least Risk
<i>Calotes</i>	Bloodsuckers)		
<i>Oriocalotes</i>	Tree Agama Lizards)		
<i>Lophocalotes</i>	Tree Agama Lizards)		
<i>Hylagama</i>	Tree Agama Lizards)		
<i>Harpesaurus</i>	Tree Agama Lizards)		
<i>Chelosania</i>	Tree Agama Lizards)		
<i>Psammophilus</i>	Agama Lizards)		
<i>Japalura</i>	Agama Lizards)		
<i>Phoxophrys</i>	Agama Lizards)		
<i>Aphaniotis</i>	Agama Lizards)		
<i>Cophotis</i>	Deaf Lizards)		
<i>Ceratophora</i>	Horned Agama Lizards)		
<i>Otocryptis</i>	Indian Horned Agama Lizards)		
<i>Ptyctolaemus</i>	Assam Horned Agama Lizards)		
<i>Mictopholis</i>	Assam Horned Agawa Lizards)		
<i>Leiolepis</i>	Butterfly Lizards)		
<i>Sitana</i>	Sita's Agama Lizards)		
<i>Draco</i>	Flying Dragons)		
<i>Orodeira</i>	Agama Lizards)		
<i>Paracolates</i>	Agama Lizards)		
<i>Salea</i>	Agama Lizards)		
<i>Family Chamaeleontidae</i>				
<i>Chamaeleo</i>	Prehensile-tailed Chameleons)		
<i>Brookesia</i>	Non-prehensile-tailed Chameleons)–)	3	Least Risk
<i>Family Scincidae</i>				
<i>Corucia</i>	Prehensile-tailed Skinks)		
<i>Macroscincus</i>	Cape Verde Skink)		
<i>Tiliqua</i>	Blue-tongued Skinks)		
<i>Egernia</i>	Spiny-tailed Skinks)		
<i>Scincus</i>	Common Skinks)		
<i>Scincopus</i>	Black-banded Yellow Skinks)		
<i>Ophiomorus</i>	Sand Skinks)		
<i>Eumeces</i>	Lizard-like Skinks)		
<i>Sphenops</i>	Levantine Skinks)		
<i>Chalchides</i>	Cylindrical Skinks)		
<i>Mabuya</i>	Mabuyas)		
<i>Eumecia</i>	African Mabuya-like Skinks)		

<i>Sphenomorphus</i>	Eastern Forest Skinks)		
<i>Ctenotus</i>	Australian Forest Skinks)		
<i>Lygosoma</i>	Slender Skinks)		
<i>Leiolopsina</i>	Slender Eastern Skinks)–	3	Least Risk
<i>Dasia</i>	Slender Tree Skinks)		
<i>Emoia</i>	Coastal Skink)		
<i>Cryptoblepharus</i>	Island Skink)		
<i>Riopa</i>	Riopas)		
<i>Tropidophorus</i>	Keeled Skinks)		
<i>Ristella</i>	Retractable-clawed Skinks)		
<i>Tribolonotus</i>	Casque-headed Skinks)		
<i>Ablepharus</i>	Lidless Skinks)		
<i>Panapsis</i>	African Snake-eyed Skinks)		
<i>Ophioscincus</i>	Snake Skinks)		
<i>Scelotes</i>	Southern African Skinks)		
<i>Acontias</i>	Dart Skinks)		
<i>Typhlosaurus</i>	Blind Skinks)		
<i>Neoseps</i>	Florida Sand Skink)		
<i>Sepsina</i>	Angolan Snake Skink)		
<i>Family Feylinidae</i>				
<i>Feylinia</i>	African Burrowing Lizard)	3	Least Risk
<i>Family Anelytropsidae</i>				
<i>Family Xantusidae</i>				
<i>Cricosaura</i>	Cuban Night Lizard)		
<i>Lepidophyma</i>	Night Lizard)		
<i>Klauberina</i>	Island Night Lizard)–	3	Least Risk
<i>Xantusia</i>	Granite and Desert Night Lizards))		
<i>Family Lacertidae</i>				
<i>Lacerta</i>	Common Lizards)		
<i>Timon</i>	Jewelled Lizards)		
<i>Podarcis</i>	Wall Lizards)		
<i>Scelarcis</i>	Clear-lidded Lizard)		
<i>Zootoca</i>	Common Viviparous Lizards)		
<i>Centromastix</i>	Spiny-tailed Lacerta Lizards)		
<i>Algyroides</i>	Keel-scaled Lizards)		
<i>Psammodromus</i>	Plated Lizards)		
<i>Ophisops</i>	Snake-eyed Lizard)–	3	Least Risk
<i>Eremias</i>	Desert Racerunners)		
<i>Acanthodactylus</i>	Fringe-toed Lizards)		
<i>Aprosaura</i>	South African Spade-head Lizard)		
<i>Nucras</i>	Blunt-headed Lizard)		
<i>Poromera</i>	West African Tree Lizard)		

<i>Holapsis</i>	Fringe-tailed Lizard)		
<i>Takydroaus</i>	Oriental Grass Lizards)		
<i>Tropidosaura</i>	South African Mountain Lizard))		
<i>Ichnotropis</i>	Rough-scaled Lizards)		
Family Teiidae				
<i>Callopiastes</i>	Chilean Spotted Lizards)		
<i>Cnemidophorus</i>	Racerunners)		
<i>Ameiva</i>	Jungle Runners)		
<i>Calliscolopis</i>	Even-scaled Racerunners)		
<i>Kentropyx</i>	Keel-scaled Teyu)		
<i>Teius</i>	Teyu (not Tegu))		
<i>Dicrodon</i>	Peruvian Teyu)		
<i>Tupinambis</i>	Tegus)		
<i>Tejovaranus</i>	False Monitor)		
<i>Dracaena</i>	Caiman Lizard)		
<i>Crocidolurus</i>	Dragon Lizardet)–	3	Least Risk
<i>Neusticurus</i>	Water Teids)		
<i>Gymnophthalmus</i>	Spectacled Teids)		
<i>Bachia</i> Earless	Teids)		
<i>Alopoglossus</i>	South American Teid Lizards)		
<i>Leposoma</i>	South American Teid Lizards)		
<i>Pantodactylus</i>	South American Teid Lizards)		
<i>Ophiognomon</i>	Snake Teids)		
<i>Scolecisaurus</i>	Worm Teids)		
<i>Proctoporus</i>	Trinidad Teid Lizard)		
<i>Echinosaura</i>	Rough Teids)		
<i>Anadia</i>	Small Tree Teid Lizards)		
Family Cordylidae				
<i>Cordylus</i>	Club-tailed Lizards)		
<i>Pseudocordylus</i>	False Club-tailed Lizards)		
<i>Platyaurus</i>	Flat Lizards)		
<i>Chamaesaura</i>	Snake Lizards)		
<i>Gerrhosaurus</i>	Plated Lizards)–	3	Least Risk
<i>Angolosaurus</i>	Angolan Plated Lizards)		
<i>Cordylisaurus</i>	Angolan Desert Lizards)		
<i>Tetradactylus</i>	Whip Lizards)		
<i>Zonosaurus</i>	Girdled Lizard)		
<i>Tracheloptychus</i>	Keeled Lizard)		
Family Anguinae				
<i>Diploglossus</i>	Galliwasp)		
<i>Wetmorena</i>	Hispaniolan Lizard)		
<i>Sauresia</i>	Hispaniolan Lizard)		
<i>Ophiodon</i>	Worm Lizard)–	3	Least Risk
<i>Ophisaurus</i>	Sheltopusik and Glass Lizards))		

<i>Gerrhonotus</i>	Alligator Lizard)		
<i>Abronia</i>	South American Tree Lizard)		
<i>Anguis</i>	Slow Worm)		
Family Anniellidae				
<i>Anniella</i>	Shovel-snouted Legless Lizard		3	Least Risk
Family Xenosauridae				
<i>Shinisaurus</i>	Crocodile Lizard)–	3	Least Risk
<i>Xenosaurus</i>	Xenosaurus)		
Family Varanidae				
<i>Varanus</i>				
<i>V. salvator</i>	Water Dragon		2	Less Risk
<i>V. niloticus</i>	Nile Monitor		2	Less Risk
<i>V. exanthematicus</i>	Desert Monitor		2	Less Risk
<i>V. komodoensis</i>	Komodo Dragon		1	Greater Risk
<i>V. bengalensis</i>	Bengal Monitor		2	Less Risk
<i>V. varius</i>	Variegated Monitor		2	Less Risk
<i>V. giganteus</i>	Giant Monitor		2	Less Risk
<i>V. indicus</i>	Mangrove Monitor		2	Less Risk
<i>V. spp.</i>	other Varanids		3	Least Risk
Family Lanthanotidae				
<i>Lanthanotus</i>	Borneo Earless Monitor		3	Least Risk
Family Helodermatidae				
<i>Heloderma</i>	Gila Monster and Beaded Lizard		1	Special Venom Risk
Sub-order Amphisbaenia				
Family Bipedidae				
<i>Bipes</i>	Common Two-legged Worm Lizard		3	Least Risk
Family Amphisbaenidae				
<i>Amphisbaena</i>	Worm Lizard)		
<i>Leposternon</i>	Worm Lizard)		
<i>Anops</i>	King's Worm Lizard)		
<i>Blanus</i>	Worm Lizard)		
<i>Cynisca</i>	African Worm Lizard)		
<i>Zygaspis</i>	African Worm Lizard)		
<i>Monopeltis</i>	African Worm Lizard)		
<i>Rhineura</i>	African Worm Lizard)		
<i>Ancylocranium</i>	Worm Lizard)–	3	Least Risk
<i>Aulura</i>	Worm Lizard)		
<i>Baikia</i>	Worm Lizard)		
<i>Bronia</i>	Worm Lizard)		
<i>Cadea</i>	Worm Lizard)		
<i>Chirindia</i>	Worm Lizard)		
<i>Geocalamus</i>	Worm Lizard)		
<i>Loveridgea</i>	Worm Lizard)		
<i>Mesobaena</i>	Worm Lizard)		
<i>Tomuropeltis</i>	Worm Lizard)		

<i>Family Trogonophidae</i>					
<i>Trogonophis</i>	Sharp-tailed Worm Lizard)			
<i>Agamodon</i>	Pink-bellied Worm Lizard)–	3	Least Risk	
<i>Pachycalamus</i>	Worm Lizards)			
<i>Diplometopodon</i>	Worm Lizards)			
<i>Sub-order Serpentes</i>					
<i>Family Typhlopidae</i>					
<i>Typhlops</i>	Blind Snakes)			
<i>Tychlina</i>	Australian Blind Snakes)			
<i>Anomalepsis</i>	South American Blind Snakes)–	3	Least Risk	
<i>Helminthophis</i>	South American Blind Snakes)			
<i>Liotyphlops</i>	South American Blind Snakes)			
<i>Typhlops</i>	South American Blind Snakes)			
<i>Family Leptotyphlopidae</i>					
<i>Leptotyphlops</i>	Slender Blind Snakes)–	3	Least Risk	
<i>Rhinoleptus</i>	Slender Blind Snakes)			
<i>Family Aniliidae</i>					
<i>Anilius</i>	South American Pipe Snakes)–	3	Least Risk	
<i>Cylindrophis</i>	Asian Pipe Snakes)			
<i>Family Uropeltidae</i>					
<i>Rhinophis</i>	Ceylon Shield-tailed Snakes)			
<i>Uropeltis</i>	Indian Shield-tailed Snakes)–	3	Least Risk	
<i>Melanophidium</i>	Shield-tailed Snakes)			
<i>Family Xenopeltidae</i>					
<i>Xenopeltis</i>	Sunbeam Snakes)	3	Least Risk	
<i>Family Acrochordidae</i>					
<i>Acrochordus</i>	Hart Snakes)–	3	Least Risk	
<i>Chersydrus</i>	Indian Wart Snakes)			
<i>Family Boidae</i>					
<i>Loxocemus</i>	Mexican Python)	3	Least Risk	
<i>Python</i>	Pythons specimens over 3 m.)	1	Greater Risk	
	Pythons: smaller specimens)	2	Less Risk	
<i>Morelia</i>	Carpet Python)	2	Less Risk	
<i>Liasis</i>	Liasine or Chondropython)	2	Less Risk	
<i>Bothrochilus</i>	New Guinea Python)	2	Less Risk	
<i>Aspidites</i>	Black-headed Pythons)	2	Less Risk	
<i>Calabaria</i>	Burrowing Python)	3	Least Risk	
<i>Tropidophis</i>	Wood Snakes)	2	Less Risk	
<i>Trachyboa</i>	South American Boas)			
<i>Ungaliophis</i>	South American Boas)			
<i>Epicrates</i>	Rainbow and Caribbean Boas)			
<i>Charina</i>	Rubber Boas)			
<i>Lichanura</i>	Rosy Boas)–	3	Least Risk	
<i>Acrantophis</i>	Madagascar Boa Constrictor)			

<i>Sanzinia</i>	Madagascar Tree Boa)		
<i>Eryx</i>	Sand Boas)		
<i>Candoia</i>	Pacific Boas)		
<i>Corallus</i>	Tree Boa)		
<i>Boa</i>	Boa Constrictor			
	specimens over 2 m.		1	Greater Risk
	Boas: smaller specimens		2	Less Risk
<i>Eunectes</i>	Anaconda specimens over 2 m.		1	Greater Risk
	Anacondas: other specimens		2	Less Risk
<i>Bolyeria</i>	Round Island Boas)–	3	Least Risk
<i>Casarea</i>	Round Island Boas)		
Family Colubridae				
<i>Xenodermus</i>	Xenodermine Snake)		
<i>Achalinus</i>	Achaline Snake)		
<i>Fimbrios</i>	Fimbrio Snakes)		
<i>Sibynophis</i>	Sibyonine Snakes)		
<i>Scaphiodontophis</i>	Dagger-toothed Snakes)		
<i>Liophodium</i>	Liophoid Snakes)–	3	Least Risk
<i>Xenodon</i>	Xenodont Snakes)		
<i>Heterodon</i>	Hog-nosed Snakes)		
<i>Xenopholis</i>	Colubrid Snakes)		
<i>Nothopsis</i>	Colubrid Snakes)		
<i>Natrix</i>	Water and Grass Snakes)		
<i>Rhabdophis</i>	Yamakagashi)	1	Special Venom Risk
<i>Regina</i>	Water snakes)		
<i>Clonophis</i>	Water snakes)		
<i>Thamnophis</i>	Garter Snakes)		
<i>Helicops</i>	South American Smooth-toothed Snakes))		
<i>Coronella</i>	Smooth Snakes)		
<i>Lampropeltis</i>	King Snakes)		
<i>Eirenis</i>	Dwarf Snakes)		
<i>Opheodrys</i>	Green Snakes)		
<i>Coluber</i>	Racers)		
<i>Masticophis</i>	Whip Snakes)–	3	Least Risk
<i>Drymnobius</i>	Speckled Racers)		
<i>Drymarchon</i>	Indigo Snakes)		
<i>Salvadora</i>	Patch-nosed Snakes)		
<i>Phyllorhynchus</i>	Leaf-nosed Snakes)		
<i>Elaphe</i>	Rat Snakes)		
<i>Dendrelaphis</i>	Indian Tree Snakes)		
<i>Chlorophis</i>	African Tree Snakes)		
<i>Leptophis</i>	South American Tree Snakes)		
<i>Rhadinea</i>	South American Tree Snakes)		

<i>Thrasops</i>	Black Tree Snakes)		
<i>Hydrodynastes</i>	False Water Cobra)	2	Less Risk
<i>Ptyas</i>	Asian Rat Snakes)	3	Least Risk
<i>Spilotes</i>	Black and Yellow Rat Snake)	2	Less Risk
<i>Chironius</i>	Sipo)		
<i>Calamaria</i>	Dwarf Snake)		
<i>Lycodon</i>	Asian Wolf Snakes)		
<i>Lycophidium</i>	African Wolf Snakes)		
<i>Mehelya</i>	File Snakes)		
<i>Boaedon</i>	Brown House Snakes)		
<i>Lioheterodon</i>	Madagascar Black-brown Snake)		
<i>Bothrophthalmus</i>	Central African Red-bellied Snake)–)	3	Least Risk
<i>Farancia</i>	Mud Snakes)		
<i>Sibon</i>	Snail-eating Snakes)		
<i>Dipsas</i>	Snail-eating Snakes)		
<i>Sibynomorphus</i>	Snail-eating Snakes)		
<i>Dasypeltis</i>	African Egg-eating Snakes)		
<i>Elachistodon</i>	Indian Egg-eating Snakes)		
<i>Homalopsis</i>	Water Snake)	2	Less Risk
<i>Cerberus</i>	Water Snake)	2	Less Risk
<i>Enhydris</i>	Water Snake)	2	Less Risk
<i>Fordonia</i>	White-bellied Water Snake)		
<i>Bitia</i>	Ribbon-bodied Water Snake)–	3	Least Risk
<i>Erpeton</i>	Tentacled Snake)		
<i>Boiga</i>				
<i>B. dendrophila</i>	Mangrove Snake)	1	Special Venom Risk
<i>B. spp.</i>	other Boigan species)	2	Less Risk
<i>Langaha</i>	Vine-like Snake)	3	Least Risk
<i>Eteirodipsas</i>	Madagascar Boigine Snake)	2	Less Risk
<i>Telescopus</i>	European Boigine Snake)	2	Less Risk
<i>Macroprotodon</i>	European Boigine Snake)	2	Less Risk
<i>Leptodeira</i>	Cat-eyed Snake)	2	Less Risk
<i>Oxyrhopus</i>	South American Boigine Snake)	2	Less Risk
<i>Imantodes</i>	South American Boigine Snake)	3	Least Risk
<i>Clelia</i>	Mussurana)	1	Special Venom Risk
<i>Ahaetulla</i>	Horizontal-pupilled Snake)		
<i>Thelotornis</i>	Twig Snake)	2	Less Risk
<i>Oxybelis</i>	Vine Snakes)–	3	Least Risk
<i>Chrysopelea</i>	Flying Snake)		
<i>Malopon</i>	Montpelier Snakes)	1	Special Venom Risk
<i>Psammophis</i>	Swift Snakes)	2	Less Risk
<i>Dispholidus</i>	Boomslang)	1	Special Venom Risk

Family Elapidae

<i>Ophiolagus</i>	King Cobra	1	Special Venom Risk
<i>Naja</i>	Cobras	1	Special Venom Risk
<i>Hemachatus</i>	Ringhals	1	Special Venom Risk
<i>Pseudohaje</i>	Cobras	1	Special Venom Risk
<i>Walterinnesia</i>	Desert Black Snakes	1	Special Venom Risk
<i>Aspidelaps</i>	Shield-nose Snakes	1	Special Venom Risk
<i>Elaps</i>	African Cobras	1	Special Venom Risk
<i>Elapsoidea</i>	African Cobras	1	Special Venom Risk
<i>Boulengerina</i>	Water Cobras	1	Special Venom Risk
<i>Dendroapsis</i>	Mambas	1	Special Venom Risk
<i>Bungarus</i>	Kraits	1	Special Venom Risk
<i>Calliophis</i>	Oriental Coral Snakes	1	Special Venom Risk
<i>Maticora</i>	Long-glanded Coral Snakes	1	Special Venom Risk
<i>Micrurus</i>	American Coral Snakes	1	Special Venom Risk
<i>Micruroides</i>	Western Coral Snakes	1	Special Venom Risk
<i>Leptomicrurus</i>	Slender Coral Snakes	1	Special Venom Risk
<i>Oxyuranus</i>	Taipan	1	Special Venom Risk
<i>Acanthophis</i>	Death Adder	1	Special Venom Risk
<i>Notechis</i>	Australian Tiger Snakes	1	Special Venom Risk
<i>Pseudechis</i>	Australian Black Snakes	1	Special Venom Risk
<i>Demansia</i>	Australian Brown Snakes	1	Special Venom Risk
<i>Denisonia</i>	Australian Copperheads	1	Special Venom Risk

Family Laticaudidae

<i>Laticauda</i>	Sea Kraits	1	Special Venom Risk
<i>Aipysurus</i>	Olive-brown Sea Snake	1	Special Venom Risk
<i>Emydocephalus</i>	Western Pacific Sea Kraits	1	Special Venom Risk

Family Hydrophiidae

<i>Hydrophis</i>	Sea Snakes	1	Special Venom Risk
<i>Enhydrina</i>	Beaked Sea Snake	1	Special Venom Risk
<i>Lapemis</i>	Sea snake	1	Special Venom Risk
<i>Pelamis</i>	Yellow-bellied Sea Snake	1	Special Venom Risk
<i>Microcephalophis</i>	Small-headed Sea Snakes	1	Special Venom Risk

Family Viperidae

<i>Vipera</i>	True Adders and Vipers	1	Special Venom Risk
<i>Azemiopus</i>	Fea's Viper	1	Special Venom Risk
<i>Echis</i>	Saw-scaled Viper	1	Special Venom Risk
<i>Eristicophis</i>	McMahon's Viper	1	Special Venom Risk
<i>Pseudocerastes</i>	False Cerastes	1	Special Venom Risk
<i>Cerastes</i>	Horned and Common Sand Vipers	1	Special Venom Risk
<i>Bitis</i>	Puff Adders	1	Special Venom Risk
<i>Atheris</i>	African Tree Vipers	1	Special Venom Risk
<i>Atractaspis</i>	Burrowing Vipers	1	Special Venom Risk
<i>Causus</i>	Night Adders	1	Special Venom Risk

<i>Family Crotalidae</i>				
<i>Crotalus</i>	Rattlesnakes		1	Special Venom Risk
<i>Sistrurus</i>	Pygmy Rattlesnakes		1	Special Venom Risk
<i>Bothrops</i>	Lance-head Snakes		1	Special Venom Risk
<i>Trimeresurus</i>	Asian Lance-head Snakes		1	Special Venom Risk
<i>Lachesis</i>	Bushmaster		1	Special Venom Risk
<i>Agistrodon</i>	Copperheads and Moccasins		1	Special Venom Risk
<i>Class Amphibia</i>				
<i>Order CAECILIA</i>				
<i>Family Ichthyophiidae</i>	Caecilians)		
<i>Family Typhlonectidae</i>	Caecilians)–	3	Least Risk
<i>Family Caeciliidae</i>	Caecilians)		
<i>Order CAUDATA</i>				
<i>Family Cryptobranchidae</i>	Giant Salamanders)		
<i>Family Hynobiidae</i>	Salamanders)		
<i>Family Sirenidae</i>	Mud Sirens)		
<i>Family Proteidae</i>	Olms)		
<i>Family Salamandridae</i>	Salamanders)–	3	Least Risk
<i>Family Amphiumidae</i>	Congo Eels (not Teleost Fish)))		
<i>Family Ambystomatidae</i>	Salamanders and Axolotl))		
<i>Family Plethodontidae</i>	Lungless Salamanders)		
<i>Order ANURA</i>				
<i>Family Leiopelmatidae</i>	New Zealand Frogs)		
<i>Family Ascaphidae</i>	Tailed Frog)		
<i>Family Pipidae</i>	Clawed Toads)		
<i>Family Discoglossidae</i>	Midwife Toads)–	3	Least Risk
<i>Family Rhinophrynidae</i>	Burrowing Toad)		
<i>Family Pelobatidae</i>	Spadefoot Toads)		
<i>Family Pelodytidae</i>	Toads)		
<i>Family Ranidae</i>				
Sub-family Dendrobatinae	Poison Arrow Frogs		1	Special Venom Risk
other Ranid sub-families	Frogs		3	Least Risk
<i>Family Sooglossidae</i>	Seychelles Frogs)		
<i>Family Rachophoridae</i>	Frogs)		
<i>Family Hyperoliidae</i>	Frogs)		
<i>Family Microhylidae</i>	Narrow-mouth Toads)		
<i>Family Phrynomeridae</i>	Toads)		
<i>Family Pseudidae</i>	Toads)–	3	Least Risk
<i>Family Bufonidae</i>	Toads)	3	
<i>Family Atelopodidae</i>	Frogs)	3	
<i>Family Hylidae</i>	Tree Frogs)	3	
<i>Family Leptodactylidae</i>	Frogs)	3	
<i>Family Myobatrachidae</i>	Frogs)	3	
<i>Family Centrolenidae</i>	Frogs)		

FISHES

<i>Class</i> Teleostomi	(Boney Fishes)		
<i>Order</i> ANGUILLIFORMES			
<i>Family</i> Muraenidae	Moray Eel	1	Greater Risk
<i>Family</i> Congridae	Conger Eel	2	Less Risk
<i>Order</i> SALMONIFORMES			
<i>Family</i> Esocidae	Pikes	2	Less Risk
<i>Order</i> CYPRINIFORMES			
<i>Family</i> Characidae			
<i>Serrasalmus</i>	Piranha	2	Less Risk
<i>Family</i> Electrophoridae	Electric Eel	1	Special Electric Risk
<i>Order</i> SILURIFORMES			
<i>Family</i> Clariidae	Catfish	2	Less Risk
<i>Family</i> Malapteruridae	Electric Cat Fish	2	Less Risk
<i>Family</i> Ariidae	Sea Cat Fish	2	Less Risk
<i>Family</i> Plotosidae	Cat Fish	2	Less Risk
<i>Order</i> BATRACHOIDIFORMES			
<i>Family</i> Batrachoididae	Toad Fish	1	Special Venom Risk
<i>Order</i> CHANNIFORMES			
<i>Family</i> Channidae	Snake Head	2	Less Risk
<i>Order</i> SCORPAENIFORMES			
<i>Family</i> Scorpaenidae	Scorpion Fishes	1	Special Venom Risk
<i>Family</i> Syanceidae	Stone Fish	1	Special Venom Risk
<i>Order</i> PERCIFORMES			
<i>Family</i> Sphyrnidae	Barracudas	2	Less Risk
<i>Family</i> Trachinidae	Weever Fish	2	Less Risk
<i>Family</i> Uranoscopidae	Star-Gazers	1	Special Venom Risk
<i>Family</i> Siganidae	Rabbit Fish (Teleost)	2	Less Risk
<i>Order</i> TETRAODONTIFORMES			
<i>Family</i> Balistidae	Trigger Fish (larger specimens only)	2	Less Risk
<i>Class</i> Elasmobranchiomorphii (Cartilage Fishes)			
<i>Order</i> ELASMOBRANCHII			
<i>Family</i> Hexanchidae	Comb-toothed Sharks	1	Greater Risk
<i>Family</i> Odontaspidae	Sand Shark	1	Greater Risk
<i>Family</i> Lamnidae	Porbeagle Shark	1	Greater Risk
<i>Family</i> Orectolobidae	Carpet And Nurse Sharks	1	Greater Risk
<i>Family</i> Carcharhinidae	Grey And Tiger Sharks	1	Greater Risk
<i>Family</i> Alopiidae	Thresher Shark	1	Greater Risk
<i>Family</i> Sphyrnidae	Hammerhead Sharks	1	Greater Risk
<i>Family</i> Squatinidae	Monk Fish	2	Less Risk
<i>Family</i> Dasyatidae	Sting Rays	2	Less Risk
<i>Family</i> Myliobatidae	Eagle Ray	2	Less Risk
<i>Family</i> Potamotrygonidae	Freshwater Sting Rays	1	Special Venom Risk

<i>Family</i> Torpedinidae	Electric Rays	1	Special Electric Risk
<i>Order</i> Holocephali			
<i>Family</i> Chimaeridae	Rabbit Fish (Elasmobranch)	2	Less Risk
INVERTEBRATES			
<i>Phylum</i> MOLLUSCA			
<i>Class</i> Cephalopoda			
<i>Hapalochlaena</i>			
<i>H. maculosa</i>	Blue-ringed Octopus	1	Special Venom Risk
<i>Class</i> Gasteropoda			
<i>Family</i> Conidae	Cone shells (some species)	1	Special Venom Risk
<i>Phylum</i> ARTHROPODA			
<i>Sub-Phylum</i> ARACHNIDA			
<i>Class</i> Araneida			
<i>Family</i> Theriidae			
<i>Latroectus</i>	Black Widow Spiders = Redback Spiders	1	Special Venom Risk
<i>Family</i> Sicariidae			
<i>Loxosceles</i>	Brown Recluse Spiders = Violin Spiders	1	Special Venom Risk
<i>Family</i> Lycosidae			
<i>Lycosa</i>			
<i>L. raptoria</i>	Brazilian Wolf Spider	1	Special Venom Risk
<i>Family</i> Dipluridae			
<i>Atrax</i>	Australian Funnel-web Spiders	1	Special Venom Risk
<i>Family</i> Ctenidae			
<i>Phoneutria</i>	Wandering Spiders	1	Special Venom Risk
<i>Class</i> Scorpionidea			
<i>Family</i> Buthidae	Buthid Scorpions	1	Special Venom Risk

APPENDIX 13

Bibliography

The documents listed here were found useful for reference by the authors of the revised Zoo Standards. Zoo Inspectors may also find these references useful when dealing with specialist collections. Information regarding documents referred to can be sourced from the British Library.

This bibliography is sub-divided into the categories listed below.

1. Guidelines for the keeping and management of mammals, birds, reptiles and amphibians, invertebrates and general collections.
2. Veterinary Care
3. Zoo Development and Education
4. Legislation, Statutory Guidance and Codes of Practice
5. Welfare
6. Conservation
7. Other animal keeping regimes:-
 - On the farm;
 - In the laboratory;
 - At the circus;
 - During film work.

On the farm; the laboratory; the circus; film work.

1. Guidelines for keeping and management

MAMMALS

1997. *AZA Minimum Guidelines for Mammals*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1997. *AZA Guidelines for Giant Anteater*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1997. *AZA Guidelines for Rodrigues Fruit Bat*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1997. *AZA Guidelines for Bonobo*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1997. *AZA Guidelines for Cheetah*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Black-footed Ferret*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Lowland Gorilla*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association

1998. *AZA Guidelines for Tree Kangaroos*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Lion-tailed Macaque*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for Mangabeys*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Orang Utan*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Indian One-horned Rhino*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the White Rhino*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the White Rhino*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Cotton-top Tamarin*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Golden-lion Tamarin*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Parma Wallaby*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Maned Wolf*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Red Wolf*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for Grevy's Zebra*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1980. *Wild Cats in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.

1981. *Management Canids and Mustelids*. Bristol: ABWAK Symposia Proceedings, Top Copy.

1983. *Management of Pachyderms*. Bristol: ABWAK Symposia Proceedings, Top Copy.
1984. *Prosimians and New World Primates*. Bristol: ABWAK Symposia Proceedings, Top Copy.
1993. *Marmosets and Tamarins in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.
- Crandall L.S. 1968. *The Management of Wild Mammals in Captivity*. Chicago: University of Chicago Press.
- Dickie L. 1998. Environmental enrichment for Old World primates with reference to the primate collection at Edinburgh Zoo. *International Zoo Yearbook* 36: 131-139.
1995. *Standards for Exhibiting Carnivores (excluding Otariidae, Odobenidae, Phocidae) in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
1995. *Standards for Exhibiting Bottle-nosed Dolphins (Tursiops truncatus) in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
1995. *Standards for Exhibiting Captive Macropods (Kangaroos, Wallabies and Allies) in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
1995. *Standards Recommended for the Care and Exhibition of Flying-foxes in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
1995. *Standards for Exhibiting Primates in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
1997. *Standards for Exhibiting Koalas (Phascolarctos cinereus) in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
- Federation of Zoological Gardens. In Press. *Management Guidelines for the Welfare of Zoo Animals: Guenons*. London: Federation of Zoological Gardens.
1990. *Management Guidelines for the Welfare of Zoo Animals: Giraffe*. London: Federation of Zoological Gardens.
1990. *Management Guidelines for the Welfare of Zoo Animals: Tapirs*. London: Federation of Zoological Gardens.
1990. *Management Guidelines for the Welfare of Zoo Animals: Cheetah*. London: Federation of Zoological Gardens.
- Fouraker M., and Wagener K. (Eds.). 1996. AZA Rhino TAG/International Rhino Foundation: Rhinoceros Husbandry Resource Manual. , 1st ed. Texas. US: Fort Worth Zoological Park/AZA.

- Fulk R., and Garland C. (Edse). 1994. *The Care and Management of Chimpanzees (Pan troglodytes) in Captive Environments*. North Carolina Zoo: AZA
- Glatston A.R. 1998. The control of zoo populations with special reference to primates. *Animal Welfare* 7 (269-281):
- Mansard P. (Ed). 1992. *Cats*. Bristol: ABWAK Symposia Proceedings, Top Copy.
- Mellen J.D., and Wildt D.E. 1998. *Husbandry Manual for Small Felids*. Lake Buena FL: Disney's Animal Kingdom.
- Moore M. 1989. *Marmosets in Captivity*. Plymouth: Basset Publications.
1985. *Management of Rodents in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.
1986. *Management of Marsupials in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.
1988. *Ungulates*. Bristol: ABWAK Symposia Proceedings, Top Copy.
1991. *Management Guidelines for Exotic Cats*. Bristol: ABWAK, Top Copy.
1992. *Management Guidelines for Bears and Racoons*. Bristol: ABWAK, Top Copy.
1995. *Husbandry Handbook for Mustelids*. Bristol: ABWAK, Top Copy.
- Poole T.B. 1991. Criteria for the provision of captive environments. In *Primate Responses to Environmental Change*. Ed Box H.O., London: Chapman & Hall.
1992. The nature and evolution of behavioural needs in mammals. *Animal Welfare* 1 (203-220):
- Redshaw M.E., and Mallinson J.J.C. 1991. Simulation of natural patterns of behaviour: studies with golden lion tamarins and gorillas. In *Primate Responses to Environmental Change*. Ed Box H.O., London: Chapman & Hall.
- Sainsbury A.W. 1997. The humane control of captive marmoset and tamarin populations. *Animal Welfare* 6: 231-242.
- Tilson R.L., Brady G.L, Traylor-Holzer K., and Armstong D. (Eds.). 1998. *AZA Husbandry Guidelines for Captive Tigers*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association
- UK Marine Mammal TAG Pinniped Husbandry Guidelines (Federation of Zoos, in Prep)

BIRDS

1997. *AZA Guidelines for Palm Cockatoo*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for Gruiformes*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.
1998. *AZA Guidelines for the Micronesian Kingfisher*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.
1998. *AZA Guidelines for the Bali Mynah*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.
1998. *AZA Guidelines for the Thick-billed Parrot*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.
1998. *AZA Guidelines for the Cinereous Vulture*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.
1990. *Penguin Management*. Bristol: ABWAK Symposia Proceedings, Top Copy.
1991. *Parrots in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.
- Coulter M.C, Balzano S., Johnson R.E., King C.E., and Shannon P.W. 1989. *Conservation and Captive Management of Storks*. Athens, Georgia: University of Georgia.
- Council of Europe. 1997. Draft recommendations concerning ratites (ostriches, emus, rheas) revised by the Bureau at its meeting on 18-20 February 1997. *Standing Committee on the European Convention for the Protection of Animals for Farming Purposes (T-AP) 33rd meeting 1-16*.
1995. *Standards for Exhibiting Captive Raptors in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
1995. *Guidelines for the Pinioning of Birds in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
- Ellis S., and Branch S. 1994. *AZA Penguin Husbandry Manual*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.
- In Press. *Management Guidelines for the Welfare of Zoo Animals: Birds of Prey*. London: Federation of Zoological Gardens.
1990. *Management Guidelines for the Welfare of Zoo Animals: Ratites*. London: Federation of Zoological Gardens.
1997. *Management Guidelines for the Welfare of Zoo Animals: Guidelines for using Birds of Prey in Flying Demonstrations*. London: Federation of Zoological Gardens.
- Partridge J. (Ed). 1984. *Cranes, Storks and Ratites in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.
- Pilgrim M., and Perry B. 1995. *Husbandry Guidelines for Amazon Parrots*. London: JMSP Parrot TAG/Amazona Society UK.

REPTILES & AMPHIBIANS

1997. *AZA Guidelines for Crocodilians*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for Lizards*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1998. *AZA Guidelines for the Puerto Rican Crested Toad*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

1981. *Management of Reptiles and Amphibians*. Bristol: ABWAK Symposia Proceedings, Top Copy.

1997. *Draft Standards for Exhibiting Reptiles in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).

Platt N. 1991. *Reptilia and Amphibia*. Bristol: ABWAK Symposia Proceedings, Top Copy.

FISH

1997. *AZA Guidelines for Lake Victoria Cichlids*. Wheeling W.V. U.S.A.: American Zoo and Aquarium Association.

INVERTEBRATES

Collins N.M. (Ed). 1990. *The Management and Welfare of Invertebrates in Captivity*. London: Federation of Zoos.

1990. *Codes of Practice for the Care of Invertebrates in Captivity: Euthanasia of Invertebrates*. London: Federation of Zoological Gardens.

1990. *Codes of Practice for the Care of Invertebrates in Captivity: Notes for Inspectors*. London: Federation of Zoological Gardens.

GENERAL

Anderson R.S., and Edney A.T.B. 1991. *Practical Animal Handling*. Oxford: Pergamon Press.

Barzdo J. (Ed). 1977. *Management of Tropical Houses*. Bristol: ABWAK Symposia Proceedings, Top Copy.

1978. *Polar Birds and Mammals in Captivity*. Bristol: ABWAK Symposia Proceedings, Top Copy.

Colley R. (Ed). 1987. *Topics in Captive Wild Animal Husbandry*. Bristol: ABWAK Symposia Proceedings, Top Copy.

1988. *Hand Rearing Wild Animals*. Bristol: ABWAK Symposia Proceedings, Top Copy.

1997. *Draft Standards for Exhibiting Animals Temporarily Removed from Licensed Animal Display Establishments*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).

European Association of Zoos and Aquaria. 1993. *EAZA Standards for the Accommodation and Care of Animals in Zoos*. Amsterdam: EAZA.

Field D. (Ed). 1998. *Guidelines for Environmental Enrichment*. Bristol: ABWAK, Top Copy.

HMSO. *Animal Management*. London: War Office.

1999. Accommodation for wild animals in captivity: How do we know when we've got it right? In *Proceedings of the 5th International Zoo Design Conference*. Ed Stevens P, Paignton: Paignton Zoo.

Kleiman D.G., Allen M.E., and Thompson K.V. (Eds). 1996. *Wild Mammals in Captivity*. Chicago: University of Chicago Press.

Nutrition Society. 1998. *Nutrition of Wild and Captive Wild Animals*. London: Proceedings of Nutrition Society 56 (3).

Olney P.J.S., Mace G.M., and Feistner A.T.C. (Eds). 1994. *Creative Conservation: interactive management of wild and captive animals*. London: Chapman & Hall.

Robbins C.T. 1983. *Wildlife Feeding and Nutrition*. New York: Academic Press.

Seidensticker J., and Forthman D.L. 1998. Evolution, Ecology and Enrichment: basic considerations for wild animals in zoos. In *Second Nature: Environmental Enrichment for Captive Animals*. Eds Shepherdson D.J., Mellen J.D., and Hutchins M., 15-129. Washington D.C.: Smithsonian Institution Press.

Shepherdson D. 1998. Tracing the path of environmental enrichment in zoos. In *Second Nature: Environmental Enrichment for Captive Animals*. Eds Shepherdson D.J., Mellen J.D., and Hutchins M., 1-12. Washington: Smithsonian Institution Press.

Shepherdson D.J., Mellen J.D., and Hutchins M. (Eds). 1998. *Second Nature: Environmental Enrichment for Captive Animals*. Washington D.C.: Smithsonian Institution Press.

2. Veterinary Care

1992. *Manual of Reptiles*. Cheltenham: BSAVA.

Beynon P.H., Forbes N.A., and Harcourt-Brown N.H. (Eds). 1996. *Manual of Raptors, Pigeons and Waterfowl*. Cheltenham: BSAVA.

British Veterinary Association. 1987. *The Welfare of Animals in Captivity: BVA Congress Proceeding September 1987*. London: BVA.

August 1991. *The Welfare of Non-domestic Animals in Captivity: Working Party Report on the British Veterinary Association Animal Welfare Foundation*. London: British Veterinary Association.

1993. The veterinary surgeon's duty of care in handling and disposing of clinical waste. *Veterinary Record* January 9: 43-45.
1997. *Animal Welfare. BVA Policy Statement*. London: BVA.
1998. *The Welfare of Animals in Captivity: BVA Congress Proceedings September 1998*. London: BVA.
- Broom D.M. 1986. Indicators of poor welfare. *British Veterinary Journal* 142 (524-526):
- Burr E.W.(Ed). 1987. *Companion Bird Medicine*. Ames, Iowa: Iowa State University Press.
- BVA. 1998. *BVA Code of Practice on Medicines*. London: British Veterinary Association.
- Chapman M.J, and Scott P.W. 1997. The practice of live feeding. *BVZS Newsletter* Summer:
- Coles B.H. 1997. *Avian Medicine and Surgery*. Oxford: Blackwell Scientific Publications.
- Cooper J.E. 1998. Minimally invasive health monitoring of wildlife. *Animal Welfare* 7: 35-44.
- Cooper J.E., and Greenwood A.G. (Eds). 1981. *Recent Advances in the Study of Raptor Diseases*. Keighley, Yorks: Chiron Publications.
- Cooper J.E., and Jackson O. 1984. *Diseases of the Reptilia. Volumes 1&2*. London: Academic Press.
- Cooper M.E. 1978. The feeding of live food to reptiles. *The Herptile* 3 (3):
- Fairbrother A., Locke L.N., and Hoff G.L. (Eds). 1996. *Noninfectious Diseases of Wildlife. 2nd Edition*. London: Manson Publishing.
1994. *Simian Retroviruses*. London: Federation of Zoological Gardens (for the UK and Irish Primate Taxon Advisory Group).
1995. *Management Guidelines for the Welfare of Zoo Animals: Felid Veterinary Guidelines*. London: Federation of Zoological Gardens.
- Fowler M.E. 1983. *Zoo and Wild Animal Medicine(2nd edition)*. Philadelphia: W.B. Saunders.
1993. *Zoo and Wildlife Medicine: current theory* 3. Philadelphia: W.B. Saunders.
- Fowler M.E., and Miller E. 1997. *Zoo and Wildlife Medicine: Current Theory* 4. Philadelphia: W.B. Saunders.
- Fox H., and Pensore C.B. 1923. *Disease in Captive Wild Mammals and Birds*. London: J.B. Lippincott.
- Frye F. 1994. *Biomedical and Surgical Aspects of Captive Reptile Husbandry. Volumes 1&2*. Melbourne, Florida: Krieger.

- Frye F.L. 1992. *Captive Invertebrates: a Guide to their Biology and Husbandry*. Melbourne, Florida: Krieger.
1993. *Iguanas: a Guide to their Biology and Captive Care*. Melbourne, Florida: Krieger Publishing.
1994. *Reptile Clinician's Handbook*. Melbourne, Florida: Krieger Publishing.
- Hill, D. J., and R. L. ,. W. M. Langley. 1998. Occupational injuries and illnesses reported by zoo veterinarians in the United States. *Journal of Zoo and Wildlife Medicine* 29(4): 371-385.
- Huchzermeyer F.W. 1998. *Diseases of Ostriches and other Ratites*. Pretoria: Promedia.
- Institute of Biology. 1984. Biologist Special Issue: Zoos. *Biologist, Journal of the Institute of Biology* 31 (2):
- Johnson-Delaney C.A. 1996. *Exotic Companion Medicine Handbook for Veterinarians*. Lake Worth Florida: Wingers.
- Jones D.R. 1997. Animal Welfare Act Regulations and policies. *Proceedings of the American Association of Zoo Veterinarians* 125:
- Joslin, J., Amand W., Bush.M, Haigh.J, Miller E., and Stoskopf M. 1990. Zoo and aquarium veterinary medical programs and veterinary hospitals. *Supplement to the Journal of Zoo and Wildlife Medicine* 21 (3):
- Kirkwood J.K. 1994. Veterinary education for wildlife conservation, health and welfare. *Veterinary Record* August 13,: 148-151.
1997. Disease risk with translocations of wild animals into, out of, and within Europe. *The Journal of the British Veterinary Zoological Society* 2: 3-4.
1997. Import and export of semen, ova and embryos. *The Journal of the British Veterinary Zoological Society* 2: 14-18.
1998. Veterinary considerations and ethical dilemmas in vertebrate reintroduction programmes. *Paper given at Bringing Back the Bison Conference DERA, Farnborough, 1-2 October 1998*
- Kirkwood J.K., and Scott P.W. (Eds). 1987. *Rearing Young Wild Animals in Captivity: Proceedings of the Meeting by the BVZS*. Winchester: Vetark.
- Klos H-G., and Lang E.M. 1982. *Handbook of Zoo Medicine: Diseases and Treatment of Wild Animals in Zoos, Game Parks, Circuses and Private Collections*. London: Van Nostrand Reinhold.
- Kock R., and Scott P.W. (Eds). 1989. *Veterinary Care of Endangered Species: Proceedings of the BVZS Meeting*. Winchester: Vetark.
- Kohn B., and Monfort S.L. 1997. Research at zoos and aquariums: regulations and reality. *Journal of Zoo and Wildlife Medicine* 28 (3): 241-250.

Mader D.R. (Ed). 1996. *Reptile Medicine and Surgery*. Philadelphia: W.B. Saunders.

Matern B., and Peter W. P. 1990. Keeping and Breeding of Maned Wolf (*Chrysocyon brachyurus*): Biological and Veterinary Aspects (Results of a Questionnaire). Zoologischer Garten Frankfurt Am Main: EEP.

Montali R.J. 1999. Important aspects of zoonotic diseases in zoo and wildlife species. *Proceedings of the Symposium on Diseases of Zoo and Wild Animals* May, 1999:

Sainsbury A.W., Fox M.T., and Kirkwood J.K. May 1998. The Master of Science course in wild animal health – the first three years. *European Association of Zoo and Wildlife Veterinarians (EAZWV)* 455-458.

Sainsbury A.W., and Scott P.W. (Eds). 1991. *Opportunities in Non-domestic Animal Education and Infectious Diseases of Non-domestic Animals: Proceedings of the BVZS Meeting*. Winchester: Vetark.

Samad A., and Jagadish S. 1999. The role of modern healthcare facilities in the zoo. *Zoos' Print* 14 (1): 32-33.

Scott P.W., and Greenwood A.G. (Eds). 1986. *Exotic Animals in the Eighties: Proceedings of the BVZS 25th Anniversary Symposium*. Winchester: Vetark.

Wright K.M. 1999. *Amphibian Medicine and Captive Husbandry*. In Press:

3. Zoo Development & Education

American Zoo and Aquarium Association (AZA). 1972. *An Accreditation Program*. Bethesda Maryland: AZA.

Bartos J.M., and Kelly J.D. 1998. Towards best practice in the zoo industry: developing key performance indicators as bench-marks for progress. *International Zoo Yearbook* 36 (143-157):

Blackwell S. (Ed). 1990. *Zoos – Future Considerations*. Bristol: ABWAK Symposia Proceedings, Top Copy.

Brambell M. 1993. The evolution of the modern zoo. *International Zoo News* 40/7 (248): 27-34.

Cherfas J. 1984. *Zoo 2000*. London: BBC Publications

Cooper J.E. 1981. The role and responsibility of zoos: an animal protection viewpoint. *International Journal for the Study of Animal Problems* 2 (6): 299-304.

EAZA. 1994. *The European Association of Zoos and Aquaria Recommended Code of Practice*. Amsterdam: EAZA.

1997. *Education Standards in Member Zoos of EAZA*. Amsterdam: EAZA.

- English Tourist Board. 1983. *Britain's Zoos: Marketing and Presentation*. London: English Tourist Board.
1993. *Education: An Essential Task of Zoos*. London: Federation of Zoological Gardens.
1993. *The Evolution of the Modern Zoo*. London: Federation of Zoological Gardens.
1993. *The World Zoo Conservation Strategy*. London: Federation of Zoological Gardens.
1993. *The Federation of Zoos*. London: Federation of Zoological Gardens.
1996. *Recommendation for the Establishment of Education Standards in Member Zoos*. London: Federation of Zoological Gardens.
1998. *Careers with Animals*. London: Federation of Zoological Gardens.
1998. *Careers in Zoos*. London: Federation of Zoological Gardens.
1998. *Careers in Nature Conservation*. London: Federation of Zoological Gardens.
- Gibbons E.F.Jr., Wyers E.J., Waters E., and Menzel E.W.Jr. (Eds). 1994. *Naturalistic Environments in Captivity for Animal Behavior Research*. New York: State University of New York Press.
- O. Hatt J-M (Ed.). 1999. *First European Zoo Nutrition Meeting January 1999 – Abstract Book*. Rotterdam: Congres-Partycentrum Engels.
- Holst B (Ed). 1997. *Proceedings of the Second International Conference on Environmental Enrichment. Copenhagen 21-25th August 1995*. Copenhagen: Copenhagen Zoo.
- Hughes P. 1994. *Zoos*. London: Research Paper 94/24 House of Commons.
- Hutchins M., and Conway W.G. 1995. Beyond Noah's Ark: the evolving role of modern zoological parks and aquariums in field conservation. *International Zoo Yearbook* 34 (117-130):
- Hutchins M., Roberts M., Cox c., and Crotty M.J. 1998. Marsupials and monotremes: a case study in regional collection planning. *Zoo Biology* 17: 433-451.
- Hutchins M., Willis K., and Wiese R.J. 1995. Strategic collection planning: theory and practice. *Zoo Biology* 14 (5-25):
- IUDZG. 1995B. *Zoo Future 2005*. Minnesota: IUDZG/World Zoo Organization.
- Kelly J.D. 1997. Effective conservation in the twenty-first century: the need to be more than a zoo. One organisation's approach. *International Zoo Yearbook* 35 (1-14):
- Kitchener A. 1997. Role of museums and zoos in conservation biology. *International Zoo Yearbook* 35: 325-336.
- Lacinak C.T. (Ed). 1997. *The Third International Conference on Environmental Enrichment*. Florida: Sea World Inc.

Mackay A. 1993. Beyond attendance figures. *Zoo Federation Newsletter* 67: 40-43.

1998. Zoos in a changing world. *International Zoo News* 45 (3): 140-145.

McGregor Reid G., and Whitear J. 1997. *Marketing Zoos Beyond 2000*. Chester, England: WZO,EAZA,North of England Zoological Society.

Olney P., and Lees C. 1995. *The Federation of Zoos' Response to the WSPA/BFF Zoo Inquiry Document*. London: Federation of Zoos.

Reid B. 1998. A program for certification of zoo management personnel. *Zoo Biology* 17: 373-377.

Robinson M.H. 1998. Enriching the lives of zoo animals and their welfare: where research can be fundamental. *Animal Welfare* 7: 151-175.

Smith G., Denny I., and Bartos J. 1993. Towards international best practice for the zoo industry. *Proceedings of the 48th Annual Conference of IUDZG*. 16-24. Antwerp: Royal Zoological Society.

Tudge C. 1992. *Last Animals at the Zoo*. Oxford: Oxford University Press.

UFAW. *Why Zoos?* Potters Bar: UFAW Courier No 24.

Wheater R. 1987. The role of the zoo in society – recreation, education and conservation. *The Welfare of Animals in Captivity*. British Veterinary Association,London: BVA.

Young R. 1998. Environmental Enrichment: an Introduction. In *Guidelines for Environmental Enrichment*. Ed Field D.,Bristol: ABWAK, Top Copy.

4. Legislation, Statutory Guidance and Codes of Practice

The Animals (Scientific Procedures) Act 1986

The Welfare of Animals (Transport) Order 1997

CITES Regulation 338/97 and 939/97

Pet Animals Act 1951

Health & Safety Executive Code of Practice in Zoos

Performing Animals (Regulation) Act 1925

The Protection of Animals Acts 1911 to 1964

The Protection of Animals (Scotland) Acts 1912 to 1964

The Protection of Birds Acts 1954 to 1967

- The Animal Boarding Establishments Act 1963
- The Riding Establishments Act 1964 and 1970
- The Breeding of Dogs Act 1973
- The Endangered Species (Import & Export) Act 1976
- The Wildlife & Countryside Act 1981
- The Control of Trade in Endangered Species (Enforcement) Regulations 1977
- Bostock S. 1993. *Zoos and Animal Rights*. London: Routledge.
- Brooman S., and Legge D. 1997. *Law Relating to Animals*. London: Cavendish Publishing.
1987. *An Introduction to Animal Law*. London: Academic Press.
- The Council of the European Union. 1998. *Council Directive 98/EC Relating to the Keeping of Wild Animals in Zoos*. Brussels: The Council of the European Union.
- Crofts W. 1984. *A Summary of the Statute Law Relating to Animal Welfare in England and Wales*. Potters Bar, Herts: UFAW.
- The Dangerous Wild Animals Act 1976 (Modification) Order 1984. 1984. London: HMSO.
- Department of the Environment. *Supplement to the Secretary of State's Standards to Modern Zoo Practice: Additional Standards for UK Cetacean Keeping*. Bristol: DOE.
1984. *Circular 5/84 (Department of the Environment and Circular 15/84 (Welsh Office)*. London: HMSO.
1984. *Guidance and Advice to Zoo Operators: Zoo Licensing Act 1981, with list of annexes*. London: HMSO.
1988. *Circular 11/88 (Department of the Environment) and Circular 14/88 (Welsh Office)*. London: HMSO.
1988. *The Secretary of State's Standards of Modern Zoo Practice Section 9 – Based on WLF(P18)TGS May 1988*. London: HMSO.
1991. *Minutes of the Meetings of the Standing Advisory Group*. Bristol: October 1991, May 1992, October 1994, January 1996.: DOE.
1991. *Notes on the Conference of the Secretary of State's Zoo Inspectors held at Wildfowl and Wetlands Trust, Slimbridge Tuesday 9th April 1991*. Slimbridge: DOE.
1996. *Review of the Operation of the Zoo Licensing Act 1981*. Bristol: DOE – In-house Consultancy Unit.

- Department of the Environment Transport and the Regions. 1997. *Convention on International Trade in Endangered Species: General Guidance Note for Importers and Exporters (GN1 (Jan 00))*. Bristol: DETR.
1995. *Draft Transport Standards for Exhibited Animals in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).
- DOE. 1996. *Wildlife Crime: A Guide to Wildlife Law Enforcement*. Bristol: DOE.
- EC/TE/WWF. 1998. *Reference Guide to European Community Wildlife Trade Regulation*. Brussels: European Commission/TRAFFIC Europe/WWF.
1992. *Animal Kinds with Respect to Danger to Public Visiting Zoological Collections*. London: Federation of Zoological Gardens.
1996. *The Zoo Licencing Act, 1981: Views and Comments of the Membership*. London: The Federation of Zoological Gardens.
1998. *Federation of Zoos Animal Transaction Policy*. London: Federation of Zoological Gardens.
- Fry M. 1995. *A Manual of Nature Conservation Law*. Oxford: Clarendon Press.
- Health and Safety Commission. 1985. *Zoos – Safety, Health and Welfare Standard for Employers and Persons at Work. Approved Code of Practice and Guidance Notes*. London: HMSO.
- Health and Safety Executive. 1997. *General COSHH ACOP, Carcinogens ACOP and Biological Agents ACOP. Control of Substances Hazardous to Health Regulations 1994*. Sudbury, Suffolk: HSE.
1998. *What to Expect when a Health and Safety Inspector Calls*. Sudbury, Suffolk: HSE.
1998. *Five Steps to Risk Assessment*. Sudbury, Suffolk: HSE.
1999. *Health and Safety at Motor Sport Events*. Sudbury, Suffolk: HSE.
- Holden J. 1998. *By Hook or by Crook*. Sandy, Beds: RSPB.
- Holgate G. 1997. Once bitten twice shy? Aspinall's tigers and zoo safety. *Trading Law Reports* 16 (4): 305-310.
- IATA. 1998. *IATA Live Animal Regulations. 25th Edition*. Montreal Canada: International Air Transport Association.
- Inskipp T., and Wells S. 1979. *International Trade in Wildlife*. London: Earthscan.
- IUCN. 1980. *Guidelines for Transport and Preparation for Shipment of Live Wild Animals and Plants*. Gland: IUCN.
1999. *IUCN DRAFT Guidelines for the Placement of Confiscated Animals*. Gland: IUCN.

- IUDZG&CBSG (IUCN/SSC). 1993. *The World Zoo Conservation Strategy*. Brookfield, Chicago: Chicago Zoological Society.
- Leeming D.B. 1989. Legislation relating to zoos. In *Animal Welfare and the Law*. Eds Blackman D.E., Humphreys P.N., and Todd P., Cambridge: Cambridge University Press.
- LGA. 1998. *The Pet Animals Act 1951: Model Standards for Pet Shop Licence Conditions*. London: LGA Publications.
- Lyster S. 1985. *International Wildlife Law*. Cambridge: Grotium Publications.
- New South Wales Australia. 1998. *Exhibited Animals Protection Act 1986 No 123. Updated 26 November 1996*. New South Wales: Government Information Service
- Plant G. 1995. Conservation and animal welfare -a new era in Europe. *The European Environmental Law Review* 4 (7): 204-209.
- Reid C.T. 1994. *Nature Conservation Law*. Edinburgh: W. Green.
- RSPCA. 1998. *European Zoos – behind the bars: the need for a European Directive*. Horsham, West Sussex: RSPCA.
- Sandys-Wynch G. 1984. *Animal Law*. London: Shaw & Sons.
- Scottish Office. 1989. *Scotland's Wildlife: The Law and You*. Perth: Scottish Natural Heritage
- Zoo Licensing Act. 1981. London: HMSO.

5. Welfare

- Bekoff M. 1994. Naturalizing and individualizing animal well-being and animal minds: an ethologist's naivete exposed. In *Wildlife Conservation, Zoos and Animal Protection-A Strategic Analysis*. Ed Rowan A.N., Yulee, Florida: White Oak Conservation Center.
- Bekoff M., and Meaney C.A. (Eds). 1998. *Encyclopedia of Animal Rights and Animal Welfare*. London: Fitzroy Dearborn.
- Bernard C.J., and Hurst J.L. 1996. Welfare by design: the natural selection of welfare criteria. *Animal Welfare* 5: 405-433.
1996. Animal welfare defined in terms of attempts to cope with the environment. *Acta Agricultura Scandinavia, Section A, Animal Science Supplement* (22-28):
1998. Welfare, stress, and the evolution of feelings. *Advances in the Study of Behaviour* 27 (371-403):
- Broom D.M., and Johnson K.G. 1993. *Stress and Animal Welfare*. London: Chapman & Hall.

- Burghardt G.M., Bielitzki J.T., Boyce J.R., and Schaeffer D.O. 1996. *The Well-being of Animals in Zoo and Aquarium Sponsored Research*. Greenbelt MD: Scientists Center for Animal Welfare.
- Cromie R, and Nicholls M. 1995. *The Welfare and Conservation Aspects of Keeping Birds of Prey in Captivity*. University of Kent, Canterbury: A Report to the RSPCA, DICE.
- Dawkins M.S. 1980. *Animal Suffering*. London: Chapman & Hall.
- Dawkins M.S. 1990. From an animal's point of view: motivation, fitness and animal welfare. *Behaviour and Brain Sciences* 13: 1-61.
- Dawkins M.Stamp. 1993. *Through Our Eyes Only: the Search for Animal Consciousness*. Oxford: W.H. Freeman Spektrum.
1996. *The Welfare of Zoo Animals*. London: Federation of Zoological Gardens.
1995. *Restraint and Handling of Wild and Domestic Animals*. Iowa: Iowa State University Press.
- Fraser D., Weary D.M., Pajor E.A., and Milligan B.N. 1997. A scientific conception of animal welfare that reflects ethical concerns. *Animal Welfare* 6: 187-205.
- Godfrey Fiat C. 1999. The ethical review process: a named animal care and welfare officer's perspective. *Animal Technology* 50: 17-21.
- Hearn J. 1987. Research in the zoo. In *The Welfare of Animals in Captivity*. Ed British Veterinary Association, London: BVA.
- Home Office. 1997. *Report of the Animal Procedures Committee for 1997: Ethical review process*. London: Home Office.
1999. Lay members and the ethical review process. *Animal Technology* 50: 29-39.
- Jennings M., and Hawkins P. 1998. Developing the ethics component of the UK modular training system for laboratory animal scientists; a LASA workshop report. *Animal Welfare* 7: 445-458.
- Jennings M., Howard B., and Moore G. 1998A. *Progressing the Ethical Review Process*. Horsham, West Sussex: RSPCA.
- Jennings M., Moore G., and Howard B. 1998B. *The Ethical Review Process in Academia*. Tamworth, Staffs: Laboratory Animal Science Association.
- Kellert S.R. 1980. American attitudes toward and knowledge of animals: an update. *International Journal for the Study of Animal Problems* 1 (2): 87-119.
- Kirkwood J.K., and Sainsbury A.W. 1996. Ethics of interventions for the welfare of free-living wild animals. *Animal Welfare* 5: 235-243.
- Linzey A. 1976. *Animal Rights*. London: SCM Press.

- London School of Economics. 1994. *Conservation and Animal Welfare; A New Era in Europe?* London:
- Maple T. 1995. A responsible zoo agenda. In *Ethics on the Ark*. Eds Norton B., Hutchins M., Stevens E., and Maple T.L., 20-30. Washington D.C: Smithsonian Institution Press.
- Maple T., McManamon R., and Stevens E. 1995. Animal care, maintenance and welfare. In *Ethics on the Ark*. Eds Norton B., Hutchins M., Stevens E., and Maple T.L., 219-234. Washington D.C.: Smithsonian Institution Press.
- Mason G., and Mendl M. 1993. Why is there no simple way of measuring animal welfare. *Animal Welfare 2*: 301-319.
- Meredith A. 1998. Are zoos welfare friendly? *The Welfare of Animals in Captivity*. British Veterinary Association, London: BVA.
- Norton B., Hutchins M., Stevens E., and Maple T.L. (Eds). 1995. *Ethics on the Ark*. Washington D.C.: Smithsonian Institution Press.
- Stafleu F.R., Grommers F.J., and Vorstenbosch J. 1996. Animal welfare: evolution and erosion of a moral concept. *Animal Welfare 225-234*.
- Veasey J.S., Waren N.K., and Young R.J. 1996. On comparing the behaviour of zoo housed animals with wild conspecifics as a welfare indicator. *Animal Welfare 5 (1)*: 13-25.
- Webster J. 1994. *Animal Welfare: A Cool Eye toward Eden*. Oxford: Blackwell Science.
- Wilkins D.B. (Ed). 1997. *Animal Welfare in Europe: European Legislation and Concerns*. London and The Hague: Kluwer Law International.
- Wuichet J., and Norton B. 1995. Defining conceptions of animal welfare. In *Ethics on the Ark*. Eds Norton B., Hutchins M., Stevens E., and Maple T.L., 235-250. Washington D.C.: Smithsonian Institution Press.

6. Conservation

- Alwis L. de. 1998. How zoos can more actively link *ex-situ* with *in-situ* conservation. *Zoos' Print 13*: 36.
- Boer L.E.M de. 1991. *EEP: European Zoos Care about the Conservation of Endangered Animal Species*. Amsterdam: EEP Executive Office.
- Boer L.E.M. de. 1993. Development of coordinated genetic and demographic breeding programmes. In *Creative Conservation, Interactive Management of Wild and Captive Animals*. Eds Olney P.J.S., Mace G.M., and Feistner A.T.C., London: Chapman & Hall.
- Box H.O. 1991. Training for after release: simian primates as examples. In *Beyond Captive Breeding: Reintroducing Endangered Mammals to the Wild*. Ed Gipps J.H.W., Oxford: Oxford Science Publications.

- Bradshaw E.L., and Bateson P. 1999. Animal welfare and wildlife conservation. In *Behaviour and Conservation*. Eds Gosling L.M., and Sutherland W.J., Cambridge: Cambridge University Press.
- Collins N.M. 1987. *Butterfly Houses in Britain – the Conservation Implications*. Cambridge UK: Report to the Nature Conservancy Council, UK Department of the Environment and WWF-UK. IUCN.
- Conservation Breeding Specialist Group. 1997. CBSG Mission Statement. *CBSG News* 8 (2): 3.
- English Nature. 1994. *Species Conservation Handbook*. Peterborough: English Nature.
1993. *Captive Breeding for Conservation*. London: Federation of Zoological Gardens.
1993. *Studbooks, the Management Tools of Conservation*. London: Federation of Zoological Gardens.
1995. *Joint Management of Species Programmes*. London: Federation of Zoological Gardens.
1996. *Zoos and Conservation in the Wild*. London: Federation of Zoological Gardens.
1996. *Reintroduction of Zoo Animals*. London: Federation of Zoological Gardens.
- Foose T., and Hutchins M. 1991. Captive action plans and fauna interest groups. *Captive Breeding Specialist Group News* 2 (3): 5-6.
- Gibbons E.F.Jr., Durrant B.S., and Demarest J. 1995. *Conservation of Endangered Species in Captivity*. New York: State University of New York Press.
- Gipps J.H.W.(Ed). 1992. *Beyond Captive Breeding: Re-introducing Endangered Mammals to the Wild*. Oxford: Oxford Science Publications.
- Goltenboth R., G. U. , t. C. 1995. International Studbook for African Rhinos No.6: EEP Husbandry Guidelines for Rhinoceroses. , 1st ed.Berlin Zoologischer Garten, Berlin A.G.
- Gray-Schofield L. 1983. *CITES Appendix I Species in Captivity*. Washington D.C.: Traffic(USA).
- Groombridge. 1992. *Global Biodiversity: Status of the Earth's Living Resources*. London: Chapman and Hall.
1994. *Biodiversity: the UK Action Plan*. London: HMSO.
- Hofer H., and East M.L. 1998. Biological Conservation and Stress. In *Advances in the Study of Behaviour vol 27: Stress and Behaviour*. Eds Moller A.P., Milinski M., and Slater P.J.B., London: Academic Press.
1987. *The IUCN Policy Statement on Captive Breeding*. Gland: IUCN.
1992. *Global Biodiversity Strategy: Guidelines for Action to Save, Study, and Use Earth's Biotic Wealth Sustainably and Equitably*. Gland: IUCN.

1996. *IUCN Red List of Threatened Animals*. Gland, Switzerland: IUCN.

1998. *IUCN Guidelines for Re-introductions*. Cambridge: IUCN.

Lukas J. 1994. Animal well-being in zoos, conservation centers and *in-situ* conservation programmes. In *Wildlife Conservation, Zoos and Animal Protection-A Strategic Analysis*. Ed Rowan A.N. Yulee, Florida: White Oak Conservation Center.

Mallinson J.J.C. 1982. The establishment of a self-sustaining breeding population of gorillas in captivity with special reference to the work of the anthropoid ape advisory panel of the British Isles and Ireland. *American Journal of Primatology Supplement 1*: 105-119.

1993. Coordinated breeding programmes for endangered species with special reference to continental Europe and the British Isles. *Dodo 29*: 11-22.

1995A. Conservation breeding programmes: an important ingredient for species survival. *Biodiversity and Conservation 4*: 617-635.

1995B. Zoo breeding programmes: balancing conservation and animal welfare. *Dodo 31*: 66-75.

McNeely J.A., Miller K.R., Reid W.V., Mittermeier R.A., and Werner T.B. 1990. *Conserving the World's Biological Diversity*. Gland: IUCN.

Rabb G.B. 1994. The changing roles of zoological parks in conserving biological diversity. *American Zoologist 34*: 159-164.

Rabb G.B., and Sullivan T.A. 1995. Coordinating conservation: global networking for species survival. *Biodiversity and Conservation 4*: 536-543.

Seal U.S., Foose T.J., and Ellis S. 1994. Conservation assessment and management plans (CAMPs) and global captive action plans (GCAPs). In *Creative Conservation*. Eds Olney P.S., Mace G.M., and Feistner A.T.C., 312-325. London: Chapman & Hall.

7. Other animal keeping regimes

ON THE FARM

1995. *Standards for the Operation of Mobile Farm Displays in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).

Farm Animal Welfare Council. 1990. *Report of the Enforcement Working Group*. Tolworth, Surrey: FAWC.

Veterinary Investigation Service. 1997. *Checklist of the Main Precautions for School Visits to Farms*. London: Department of Health.

IN THE LABORATORY

Barley J.B. 1999. Animal experimentation, the scientist and ethics. *Animal Technology* 50: 1-10.

1984. *Guidelines on the use of Living Animals in Scientific Investigations*. London: Biological Council, Institute of Biology.

Jennings M. 1994. *Ethics Committees for Laboratory Animals: a basis for their composition and function*. Horsham, West Sussex: RSPCA.

Morton D.B., and Griffiths P.H. 1985. Guidelines on the recognition of pain distress and discomfort in experimental animals: an hypothesis for assessment. *Veterinary Record* 116: 431-436.

Poole T.B. (Ed). 1999. *UFAW Handbook on the Care and Management of Laboratory Animals*. Oxford: Blackwell Scientific.

Porter D.G. 1999. Ethical scores for animal experiments. *Animal Technology* 50: 23-28.

Segal E.F. (Ed). 1989. *Housing Care and Psychological Well-being of Captive and Laboratory Primates*. New Jersey: Noyes.

Smith C.P., and Taylor V. (Eds). 1995. *Environmental Enrichment Information for Laboratory Animals 1965-1995*. London: AWIC Resource Series.

AT THE CIRCUS

The Circus Working Group. 1998. *A Report into the Welfare of Circus Animals in England and Wales*. Horsham, W. Sussex, England: RSPCA.

Director-General NSW Agriculture. 1995. *Standards for Exhibiting Circus Animals in New South Wales*. NSW, Australia: NSW Agriculture, (pursuant to Clause 8(2) of the Exhibited Animals Protection Regulations, 1995).

DURING FILM WORK

Cooper M.E., and Cooper J.E. 1981. The use of animals in films: a veterinary and legal viewpoint. *BKSTS Journal* September 1981